

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

Transfer No. 78907

RECEIVED

FEB 19 2014

MINIMUM REQUIREMENTS CHECKLIST

TO BE SUBMITTED WITH APPLICATION FOR TRANSFER

Corrected

DEPT. OF WATER RESOURCES  
An application for transfer must be prepared in accordance with the minimum requirements listed below to be acceptable for processing by the Department. Incomplete applications will be returned. The instructions, fee schedule, Part 2A reports and additional Part 2B forms are available from any Department office or on the Department's website at <http://www.idwr.idaho.gov/>.

Name of Applicant(s) CRANNEY BROTHERS

Check whether each item below is attached (Yes) or not applicable (N/A) for the proposed transfer.

- Yes N/A \*Means the item is always required and must be included with the application.
- ☐ \* Completed Application for Transfer of Water Right form, Part 1.
  - ☐ \* Signature of applicant(s) or applicant's authorized representative on Application for Transfer Part 1. Include evidence of authority labeled Attachment #3 (see below) if signed by representative.
  - ☐ \* Application for Transfer Part 2A. Attach a Part 2A report describing each water right in the transfer as currently recorded.
  - ☐ ☐ Complete and attach an Application for Transfer Part 2B for each water right for which only a portion is proposed to be changed through this transfer application
  - ☐ \* Application for Transfer Part 3A is always required (see Attachment #7a below); Parts 3B and 3C must be completed for transfer applications proposing to change the nature of use of the water right(s) or proposing changes to supplemental right(s).
  - ☐ \* Correct fee submitted with transfer application form. (Fee schedule is on website and instructions for application for transfer.)

Attachments to Application - Label each attachment with the corresponding number shown below as Attachment #1-9.

- ☐ ☐ #1 If the applicant is a business, partnership, organization, or association, and not currently registered in the State of Idaho as a business entity, attach documentation identifying officers authorized to sign or act on behalf of right holder. (See Part 1.)
- ☐ ☐ #2a Water Right ownership documentation if Dept. records do not show the transfer applicant as the current water right owner.
- ☐ ☐ #2b If the ownership of the water right will change as a result of the proposed transfer to a new place of use, attach documentation showing land and water right ownership at the new place of use. Include documentation for all affected land and owner(s).
- ☐ ☐ #3 Documentation of authority to make the change if the applicant is not the water right owner.
- ☐ ☐ #4 Power of Attorney or documentation providing authority to sign or act on the applicant's behalf. (See Part 1.)
- ☐ ☐ #5 If the transfer application proposes to change the point of diversion for a water right affecting the Eastern Snake Plain Aquifer (ESPA), attach the results of an ESPA analysis and a detailed mitigation plan to offset any depletions to hydraulically connected reaches of the Snake River. ESPA transfer spreadsheet and model grid labeled cells are available on the Department's website at <http://www.idwr.idaho.gov/WaterManagement/WaterRights/WaterRightTransfers/resources.htm>.
- ☐ ☐ #6 Notarized statement of agreement or a statement on official letterhead signed by an authorized representative from each lien holder or other entity with financial interest in the water right(s) or land affected by the proposed transfer. (See Part 1.5.c.)
- ☐ \* #7a Attach a map identifying the proposed point(s) of diversion, place(s) of use, and water diversion and distribution system details as described on the application. Include legal description labels. If only a portion of the right is proposed to be changed, identify the current location of the part of the existing right(s) proposed to be changed. (See Part 3A.)
- ☐ ☐ #7b If the transfer application proposes to change the place or purpose of use of an irrigation right attach a Geographic Information System (GIS) shape file, or an aerial photo or other image clearly delineating the location and extent of existing acres and changes to the place of use.
- ☐ ☐ #8a If the transfer application proposes to change the nature of use or period of use for one or more rights, provide documentation describing the extent of historic beneficial use for the water rights proposed to be transferred and document how enlargement will be avoided. (See Part 3B.)
- ☐ ☐ #8b If the transfer application proposes to change the place of use of a supplemental irrigation right, provide documentation regarding the historic use of the supplemental right(s) and availability or reliability of the primary right(s) being supplemented, both before and after the proposed change. (See Part 3C.)
- ☐ ☐ #9 Other. Please describe: \_\_\_\_\_

FEB 19 2014

APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1

DEPT. OF WATER RESOURCES  
SOUTHERN REGION

Name of Applicant CRANNEY BROTHERS Phone (208)678-2668  
Mailing Address 1310 S 600 W, OAKLEY ID 83346 Email \_\_\_\_\_

- ☐ If applicant is not an individual and not registered to do business in the State of Idaho, attach documentation identifying officers authorized to sign or act on behalf of the applicant. Label it **Attachment #1**.
- ☐ Attach water right ownership documentation if Department records do not show the transfer applicant as the current water right owner. Label it **Attachment #2a**.
- ☐ If the ownership of the water right will change as a result of the proposed transfer to a new place of use, attach documentation showing land and water right ownership at the new place of use. Include documentation for all affected land and owner(s). Label it **Attachment #2b**.
- ☐ Attach documentation of authority to make the proposed change if the applicant is not the water right owner. Label it **Attachment #3**.

Provide contact information below if a consultant, attorney, or any other person is representing the applicant in this transfer process.

☐ No Representative

Name of Representative \_\_\_\_\_ Phone \_\_\_\_\_  
Mailing Address \_\_\_\_\_ Email \_\_\_\_\_

- ☐ Send all correspondence for this application to the representative and not to the applicant.
- OR
- ☐ Send original correspondence to the applicant and copies to the representative.
- ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant.
- OR
- ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant and label it **Attachment #4**.

I hereby assert that no one will be injured by the proposed changes and that the proposed changes do not constitute an enlargement in use of the original right(s). The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

 for Cranney Bros. Tyler Cranney - partner 2/19/14  
Signature of Applicant or Authorized Representative Print Name and Title if applicable Date

\_\_\_\_\_  
Signature of Applicant or Authorized Representative Print Name and Title if applicable Date

A. PURPOSE OF TRANSFER

| 1. | Right    | Split | POD | POU | Add POD | Period of Use | Nature of Use |
|----|----------|-------|-----|-----|---------|---------------|---------------|
|    | 45-2413  | No    | No  | No  | Yes     | No            | No            |
|    | 45-2431  | No    | No  | No  | Yes     | No            | No            |
|    | 45-2432  | No    | No  | No  | Yes     | No            | No            |
|    | 45-2594B | No    | No  | No  | Yes     | No            | No            |
|    | 45-4045  | No    | No  | No  | Yes     | No            | No            |
|    | 45-4107  | No    | No  | No  | Yes     | No            | No            |
|    | 45-7055  | No    | No  | No  | Yes     | No            | No            |
|    | 45-7064  | No    | No  | No  | Yes     | No            | No            |
|    | 45-7150  | No    | No  | No  | Yes     | No            | No            |
|    | 45-7242  | No    | No  | No  | Yes     | No            | No            |
|    | 45-7307  | No    | No  | No  | Yes     | No            | No            |
|    | 45-13550 | No    | No  | No  | Yes     | No            | No            |

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

**APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Continued**

2. Describe your proposal in narrative form, including a detailed description of non-irrigation uses to justify amounts transferred (i.e. number of stock, etc.), and provide additional explanation of any other items on the application. Attach additional pages if necessary and label it **Part 1A.2**

Transfer application seeks to add a point of diversion to a group of rights owned by Cranney Brothers.

Included rights are as follows: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, 45-13550. This Transfer is submitted in order to increase efficiency and improve irrigation practices as current wells are not capable of producing water sufficient to fill the listed rights. No change in place of use is desired. The new point of diversion is located at 12S, 22E, S17,

- B. DESCRIPTION OF RIGHTS AFTER THE REQUESTED CHANGES. IF THE RIGHTS ARE BEING SPLIT TO A SEPARATE SYSTEM, DESCRIBE PORTIONS TO BE CHANGED TO A SEPARATE SYSTEM AS THEY WOULD APPEAR AFTER THE REQUESTED CHANGES.**

1. Detailed Water Right Description(s) Attached labeled Part 1.

**Summary of Water Rights After the Approved Change**

| Transferred<br>Right (All or<br>Part) | Transfer<br>Rate | Transfer<br>Volume | Acre Limit | Total Acres | Original<br>Right<br>(Remaining<br>Portion) | Remaining<br>Rate | Remaining<br>Volume | Remaining<br>Acre Limit | Remaining<br>Total Acres |
|---------------------------------------|------------------|--------------------|------------|-------------|---------------------------------------------|-------------------|---------------------|-------------------------|--------------------------|
| 45-2413                               | 1.020 cfs        | 320.0 af           | 80.0       | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-2431                               | 1.300 cfs        | 634.4 af           | 285.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-2432                               | 6.200 cfs        | 1260.0 af          | 315.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-2594B                              | 1.240 cfs        | 480.0 af           | 120.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-4045                               | 6.000 cfs        | 1516.0 af          | 379.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-4107                               | 0.200 cfs        | 324.0 af           | 81.0       | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-7055                               | 6.040 cfs        | 1268.0 af          | 321.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-7064                               | 5.440 cfs        | 1088.0 af          | 272.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-7150                               | 6.200 cfs        | 1258.8 af          | 314.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-7242                               | 4.800 cfs        | 960.0 af           | 240.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-7307                               | 4.480 cfs        | 896.0 af           | 224.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |
| 45-13550                              | 8.140 cfs        | N/A                | 974.0      | 3605.0      |                                             | N/A               | N/A                 | N/A                     | N/A                      |

**COMBINED  
TOTALS**

|            |             |         |         |     |     |     |     |
|------------|-------------|---------|---------|-----|-----|-----|-----|
| 29.290 cfs | 10,002.4 af | 3,605.0 | 3,605.0 | N/A | N/A | N/A | N/A |
|------------|-------------|---------|---------|-----|-----|-----|-----|

2. Total amount of water proposed to be transferred or changed 29.29 cubic feet per second and/or \_\_\_\_\_ acre-feet per annum

3. Points(s) of Diversion:

- ☐ No changes to point(s) of diversion are proposed-the following chart is therefore not completed. (Proceed to #4.)
- ☒ As shown in Part 1.
- ☐ Attach Eastern Snake Plain Aquifer analysis if this transfer proposes to change a point of diversion affecting the ESPA. Label it **Attachment #5.**

4. Place of Use:

- ☐ No changes to place of use are proposed. (Proceed to #5.)
- ☒ As shown in Part 1.
- ☐ See Attachment.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-2413**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 4/2/1952

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.020 CFS             | 320.0 AFA     |                    |
| Total Diversion       |             |           | 1.020 CFS             | 320.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 80.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-2431**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 12/30/1952

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.300 CFS             | 634.4 AFA     |                    |
| Total Diversion       |             |           | 1.300 CFS             | 634.4 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 285.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-2432**

Current Water Right Owner

CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 12/30/1952

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 6.200 CFS             | 1260.0 AFA    |                    |
| Total Diversion       |             |           | 6.200 CFS             | 1260.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 315.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No.** 45-2594B

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 12/11/1959

Origin: Water Right

Basis: Decreed

Status Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.240 CFS             | 480.0 AFA     |                    |
| Total Diversion       |             |           | 1.240 CFS             | 480.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 120.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-4045**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 7/15/1959

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 6.000 CFS             | 1516.0 AFA    |                    |
| Total Diversion       |             |           | 6.000 CFS             | 1516.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 379.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No.** 45-4107

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 3/15/1957

Origin: Water Right

Basis: Decreed

Status Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 0.200 CFS             | 324.0 AFA     |                    |
| Total Diversion       |             |           | 0.200 CFS             | 324.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 81.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-7055**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 5/1/1970

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 6.040 CFS             | 1268.0 AFA    |                    |
| Total Diversion       |             |           | 6.040 CFS             | 1268.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 321.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-7064**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 5/14/1970

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 10/15     | 5.440 CFS             | 1088.0 AFA    |                    |
| Total Diversion       |             |           | 5.440 CFS             | 1088.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 272.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No. 45-7150**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 8/17/1973

Origin: Water Right

Basis: Decreed

Status Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 04/01       | 10/31     | 6.200 CFS             | 1256.0 AFA    |                    |
| STOCKWATER            | 11/01       | 04/01     | 0.110 CFS             | 2.8 AFA       |                    |
| Total Diversion       |             |           | 6.200 CFS             | 1258.8 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                                       |
|--------------|------------|---------------------------------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E CASSIA County  |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 314.0

POU Total Acres: 3,605.0

**Place of Use: STOCKWATER**

| Twp | Rng | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 12S | 22E | 17  |    | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No.** 45-7242

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 6/27/1975

Origin: Water Right

Basis: Decreed

Status Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 4.800 CFS             | 960.0 AFA     |                    |
| Total Diversion       |             |           | 4.800 CFS             | 960.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 240.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No.** 45-7307

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 5/11/1977

Origin: Water Right

Basis: Decreed

Status Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 4.480 CFS             | 896.0 AFA     |                    |
| Total Diversion       |             |           | 4.480 CFS             | 896.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 224.0

POU Total Acres: 3,605.0

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Transfer Right After Requested Changes**

**Proposed Water Right No.** 45-13550

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 6/30/1985

Origin: Water Right

Basis: Decreed

Status Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 8.140 CFS             |                    |
| Total Diversion       |             |           | 8.140 CFS             |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SWSWNE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 974.0

POU Total Acres: 3,605.0

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

**APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 1 Continued**

5. General Information:

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future

---

---

---

- b. Who owns the property at the point(s) of diversion

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:

---

---

- c. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts?

No, ☐ If Yes, ☐

Attach a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes on official letterhead signed by an authorized representative. Label it **Attachment #6**. List the name of the entity and type of lien:

It is the applicant's responsibility to provide notice to lien holder, trustee, mortgagor, or contract holder of the proposed changes that may impact or change the value of the water rights or affected real property. Any misrepresentation of legal encumbrance on this application may result in rejection of the application or cancellation of an approval.

- d. Describe the effect on the land now irrigated if the place or purpose of use is changed pursuant to this transfer:

---

- e. Describe the use of any other water right(s) for the same purpose or land, or same diversion system as right(s) proposed to be transferred at both the existing and proposed point(s) of diversion and place(s) use:

---

- f. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes      No

|                          |
|--------------------------|
| <input type="checkbox"/> |
| <input type="checkbox"/> |
| <input type="checkbox"/> |
| <input type="checkbox"/> |

|                          |
|--------------------------|
| <input type="checkbox"/> |
| <input type="checkbox"/> |
| <input type="checkbox"/> |
| <input type="checkbox"/> |

undergone a period of five or more consecutive years of non-use,  
currently leased to the Water Supply Bank,  
currently used in a mitigation plan limiting the use of water under the right, or  
currently enrolled in a Federal set-aside program limiting the use of water under the rights?

If yes, describe:

---

---

---

---

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-2413

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 4/2/1952

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.020 CFS             | 320.0 AFA     |                    |
| Total Diversion       |             |           | 1.020 CFS             | 320.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 |      | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 80.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 80 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-2431

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 12/30/1952

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.300 CFS             | 634.4 AFA     |                    |
| Total Diversion       |             |           | 1.300 CFS             | 634.4 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 285.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 285 acres within the authorized place of use in a single irrigation season.
4. Rights 45-433 and 45-2431 when combined shall not exceed the irrigation of 365 acres.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
13. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
14. Use of this right is combined with water from Oakley Canal Co.
15. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
16. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
17. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
18. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-2432

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 12/30/1952

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 6.200 CFS             | 1260.0 AFA    |                    |
| Total Diversion       |             |           | 6.200 CFS             | 1260.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 315.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 315 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-2594B

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 12/11/1959

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 1.240 CFS             | 480.0 AFA     |                    |
| Total Diversion       |             |           | 1.240 CFS             | 480.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 120.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 120 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-4045

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 7/15/1959

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | .11/15    | 6.000 CFS             | 1516.0 AFA    |                    |
| Total Diversion       |             |           | 6.000 CFS             | 1516.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 |      | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 379.0  
POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 379 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-4107

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 3/15/1957

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 0.200 CFS             | 324.0 AFA     |                    |
| Total Diversion       |             |           | 0.200 CFS             | 324.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 81.0  
POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 81 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-7055

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 5/1/1970

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 6.040 CFS             | 1268.0 AFA    |                    |
| Total Diversion       |             |           | 6.040 CFS             | 1268.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                                       |
|--------------|------------|---------------------------------------|
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E CASSIA County  |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 321.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 321 acres within the authorized place of use in a single irrigation season.
4. Rights 45-7150 and 45-7055 when combined shall not exceed a total diversion rate of 6.65 cfs.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
13. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
14. Use of this right is combined with water from Oakley Canal Co.
15. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
16. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
17. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
18. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-7064

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 5/14/1970

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 10/15     | 5.440 CFS             | 1088.0 AFA    |                    |
| Total Diversion       |             |           | 5.440 CFS             | 1088.0 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 272.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 272 acres within the authorized place of use in a single irrigation season.
4. Rights 45-7064, 45-7242 and 45-7307 when combined shall not exceed a total diversion rate of 6.68 cfs.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
13. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
14. Use of this right is combined with water from Oakley Canal Co.
15. The use of water for irrigation under this right may continue to as late as November 15, provided other elements of the right are not exceeded. The use of water after October 15 under this remark is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than 1-6-2006.
16. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
17. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
18. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

19. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No. 45-7150**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 8/17/1973

Origin: Water Right

Basis: Decreed

Status: Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 04/01       | 10/31     | 6.200 CFS             | 1256.0 AFA    |                    |
| STOCKWATER            | 11/01       | 04/01     | 0.110 CFS             | 2.8 AFA       |                    |
| Total Diversion       |             |           | 6.200 CFS             | 1258.8 AFA    |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use: IRRIGATION**

|     |     |     | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| Twp | Rng | Sec | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 314.0

POU Total Acres: 3,605.0

**Place of Use: STOCKWATER**

|     |     |     | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
| Twp | Rng | Sec | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 12S | 22E | 17  |    | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    | 0.0    |

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

1. The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
2. All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.
3. This right is limited to the irrigation of 314 acres within the authorized place of use in a single irrigation season.
4. Rights 45-7150 and 45-7055 when combined shall not exceed a total diversion rate of 6.65 cfs.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
13. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
14. Use of this right is combined with water from Oakley Canal Co.
15. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
16. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
17. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

18. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-7242

**Current Water Right Owner**  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

**Priority Date:** 6/27/1975

**Origin:** Water Right

**Basis:** Decreed

**Status:** Active

**Source:** GROUND WATER

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 4.800 CFS             | 960.0 AFA     |                    |
| Total Diversion       |             |           | 4.800 CFS             | 960.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 240.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 240 acres within the authorized place of use in a single irrigation season.
4. Rights 45-7064, 45-7242 and 45-7307 when combined shall not exceed a total diversion rate of 6.68 cfs.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
14. Use of this right is combined with water from Oakley Canal Co.
15. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
16. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
17. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
18. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No. 45-7307**

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 5/11/1977

Origin: Water Right

Basis: Decreed

Status: Active

**Source: GROUND WATER**

| <u>Beneficial Use</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> | <u>Subuse Code</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|--------------------|
| IRRIGATION            | 03/15       | 11/15     | 4.480 CFS             | 896.0 AFA     |                    |
| Total Diversion       |             |           | 4.480 CFS             | 896.0 AFA     |                    |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 224.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 224 acres within the authorized place of use in a single irrigation season.
4. Rights 45-7064, 45-7242 and 45-7307 when combined shall not exceed a total diversion rate of 6.68 cfs.
5. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
6. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
9. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
10. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
12. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
13. Right No. 45-13550 is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
14. Use of this right is combined with water from Oakley Canal Co.
15. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
16. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
17. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
18. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT  
PART 2A**

**Current Water Right No.** 45-13550

Current Water Right Owner  
CRANNEY BROTHERS  
1310 S 600 W  
OAKLEY, ID 83346

Priority Date: 6/30/1985

Origin: Water Right

Basis: Decreed

Status: Active

**Source:** GROUND WATER

|                              |                    |                  |                              |                           |
|------------------------------|--------------------|------------------|------------------------------|---------------------------|
| <u><b>Beneficial Use</b></u> | <u><b>From</b></u> | <u><b>To</b></u> | <u><b>Diversion Rate</b></u> | <u><b>Subuse Code</b></u> |
| IRRIGATION                   | 03/15              | 11/15            | 8.140 CFS                    |                           |
| Total Diversion              |                    |                  | 8.140 CFS                    |                           |

**Source and Point(s) of Diversion:**

|              |            |                         |               |
|--------------|------------|-------------------------|---------------|
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(SWNWNW) | Sec. 19 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENWNW     | Sec. 20 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | NWNWSW     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SENESE     | Sec. 36 Twp 12S Rge 21E | CASSIA County |
| GROUND WATER | NWNWSE     | Sec. 17 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | SESWNE     | Sec. 32 Twp 12S Rge 22E | CASSIA County |
| GROUND WATER | L1(NENENE) | Sec. 1 Twp 13S Rge 21E  | CASSIA County |

**Describe the proposed diversion system**

West well in tract

East well in tract

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 12S | 21E | 36  |      |      |      |      |      |      |      |      | 34.0 | 32.0 | 32.0 | 34.0 | 38.0 | 34.0 | 32.0 | 36.0 | 272.0  |
| 12S | 22E | 17  | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 36.0 | 628.0  |
| 12S | 22E | 19  | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 |      |      |      |      |      |      | 39.0 | 40.0 | 33.0 | 33.0 | 384.0  |
|     |     |     |      |      |      |      |      | L 1  |      |      |      |      |      |      |      |      |      |      |        |
| 12S | 22E | 20  |      |      |      |      | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 315.0  |
| 12S | 22E | 28  |      |      |      |      |      | 11.0 | 33.0 |      | 33.0 | 39.0 | 39.0 | 39.0 |      |      |      |      | 194.0  |
| 12S | 22E | 29  | 39.0 | 27.0 | 35.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 34.0 | 33.0 | 38.0 | 603.0  |
| 12S | 22E | 30  |      |      |      |      |      |      |      |      |      |      |      |      | 37.0 | 39.0 | 39.0 | 34.0 | 149.0  |
| 12S | 22E | 31  | 30.0 | 33.0 | 40.0 | 37.0 | 39.0 |      |      | 40.0 |      | 41.0 | 40.0 |      |      |      |      |      | 300.0  |
|     |     |     |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |      |      |      |        |
| 12S | 22E | 32  | 38.0 | 33.0 | 34.0 | 38.0 | 39.0 | 31.0 | 36.0 | 38.0 |      |      |      |      |      |      |      |      | 287.0  |
| 12S | 22E | 33  |      |      |      |      | 39.0 | 39.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 156.0  |
| 13S | 21E | 1   | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 41.0 | 39.0 | 39.0 |      |      |      |      |      |      |      |      | 317.0  |
|     |     |     | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |        |

Right Acre Limit: 974.0

POU Total Acres: 3,605.0

**Conditions/Remarks:**

- The point of diversion located in the NWNWSE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
- All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.

**IDAHO DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR TRANSFER OF WATER RIGHT**

**Conditions/Remarks:**

3. This right is limited to the irrigation of 974 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307, and 45-13550 when combined shall not exceed a total diversion rate of 29.29 cfs and a total annual maximum diversion volume of 10002.4 af at the field headgate, and the irrigation of 3605 acres.
5. Rights 45-425D, 45-433, 45-514A, 45-516, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307 and 45-13550 when combined shall not exceed a total diversion rate of 38.91 cfs, and the irrigation of 3605 acres.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
7. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
9. Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
11. If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
12. This right is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, & 45-7307.
13. Use of this right is combined with water from Oakley Canal Co.
14. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
15. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
16. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
17. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

# APPLICATION FOR TRANSFER OF WATER RIGHT

## PART 3

☐ Attach a map of the diversion, measurement, control, and distribution system. Label it **Attachment #7a**. If the transfer application proposes to change the place or purpose of use of an irrigation right attach a Geographic Information System (GIS) shape file, or an aerial photo or other image clearly delineating the location and extent of existing acres and changes to the place of use. Label it **Attachment #7b**. If the place of use currently consists of a permissible place of use, then the attachment is not required if the application contains a clear statement that the boundaries for the place of use are not proposed to be changed by the transfer and the total number of irrigated acres within the place of use before and after the transfer is clearly stated.

☐ If you propose to change the nature of use or period of use of all or part of the right(s) listed in this application, attach documentation describing the extent of historic beneficial use of the portion of the right(s) proposed to be changed. Also attach documentation showing that the portion of the right(s) to be changed will not be enlarged in rate, volume, or consumptive use through the proposed change. Label it **Attachment #8a**.

☐ If you propose to change the place of use of a supplemental irrigation right, answer below and attach supporting documentation. Label it **Attachment #8b**

1. Describe how the supplemental water rights have been used historically in conjunction with other water rights at the existing place of use. Describe the time during the irrigation season that the supplemental rights have been used. Include information about the availability or reliability of the primary right(s) being supplemented, both before and after the change. If the applicant is proposing to change a supplemental irrigation right to a primary right, provide the information required on Part 3B above.: \_\_\_\_\_

|                              |                        |                        |                          |
|------------------------------|------------------------|------------------------|--------------------------|
| Received By <u>ADM</u>       | Date <u>11/14/2013</u> | Prelim. Check By _____ | Date _____               |
| Fee Paid <u>See original</u> | Date _____             | Received By _____      | Receipt # <u>S033637</u> |
| Add'l Fee Paid _____         | Date _____             | Received By _____      | Receipt # _____          |