

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 22-14103

Priority: November 07, 2013

Maximum Diversion Rate: 0.10 CFS

This is to certify, that WILLIAM GRAHAM
241 MELROSE AVE
KENILWORTH IA 50043

has applied for a permit to appropriate water from:

Source: GROUND WATER

Tributary: TETON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	0.10 CFS
COOLING	01/01 to 12/31	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L2 (SE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$) Sec. 5 Twp 04N Rge 45E, B.M. TETON County

PLACE OF USE: HEATING and COOLING

Twp	Rge	Sec	NE	NW	SW	SE	Totals
04N	45E	5	X				
			L 2				

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **March 01, 2017**.
2. Subject to all prior water rights.
3. Use of water under this right shall be non-consumptive.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality permitting requirements administered by the Department of Environmental Quality or the Department of Agriculture.
6. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of February, 20 14.


for GARY SPACKMAN
Director