

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 94-8529

1. Owner: ROY & DONNA SUNDSTROM or LEIF & SHERYL SUNDSTROM

Phone No: (208)682-2394

Current Address: 385 KLETTE RD

City, State, Zip: KINGSTON ID 83839

2. Accompanied by: N/A, IN-OFFICE EXAM

Exam Date: 1/15/2014

Address:

Phone No:

Relationship to Permit Holder:

Tributary to: N FORK COEUR D'ALENE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion

[illegible]

2. Place(s) of Use

[illegible]

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

Measurements N/A

E. NARRATIVE/REMARKS/COMMENTS

DOMESTIC USE: Assessor information per: ArcMap photo, confirmed dwelling on site for identified owner.

Assume fish screen is installed with submission of proof.

Annual volume reflects indoor and outdoor use.

Proof was submitted for 0.002 cfs, permit is 0.04 cfs. We will give them the minimum amount for domestic use.

Have conditions of permit approval been met? ☒ Yes ☐ No

F. FLOW CALCULATIONS

Measured Method:

☐ Additional Computation Sheets Attached

ALLOW PERMIT RATE

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

VI.R. = (Acres Irrigated) x (Irrigation Requirement) =

VD.R. = [Diversion Rate (cfs)] x (Days in Irragions Season) x 1.9835 =

V = Smaller of VI.R. and VD.R. =

2. Volume Calculations for Other Uses: ALLOW
1.2 AF

H. RECOMMENDATIONS

1. Recommended Amount

BENEFICIAL USE	PERIOD OF USE		RATE OF DIVERSION ANNUAL	
	From	To	Q(cfs)	V(afa)
DOMESTIC	01/01	12/31	0.04	1.20

TOTALS 0.04 1.20

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name Jean Hersley
Reviewer



Date 1/15/2014
Date

