

RECEIVED

AUG 07 2013

FORM 202 05/11 (Prior form as a 2-page, single-sided document)

RECEIVED

AUG 06 2013

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 65-23554

1. Name of applicant(s) Adrian and Meta Czarniecki Lind Phone 208-938-9223
 Name connector (check one): ☒ and ☐ or ☐ and/or

Mailing address: 433 Sandra Place City Eagle
 State ID Zip 83616 Email: ac@metalindsolutions.com

2. Source of water supply Middlefork of the Payette which is a tributary of South Fork of the Payette

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
<u>10N</u>	<u>4E</u>	<u>14</u>		<u>SW</u>	<u>SE</u>		<u>Boise</u>	<u>Middlefork Payette</u>	<u>Inst#: 194630</u>
							<u>Lat: 44°11'31.73"</u>	<u>Lon: 115°56'38.28"W</u>	

4. Water will be used for the following purposes:

Amount .05 cfs = 1215 gph for Irrigation purposes from April 15 to Oct 15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount .03 cfs for purposes from to (both dates inclusive)
 (cfs or acre-feet per year)

Amount for purposes from to (both dates inclusive)
 (cfs or acre-feet per year)

Amount for purposes from to (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) .03 cubic feet per second (cfs) and/or (b) acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. 1.5 HP Portable Sprinkler Pump capable of Max Flow of 1215 GPH. Pressure 71 PSI

b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? ; drilling firm ;
 Well was drilled for (well owner) ; Drilling Permit No.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider.

d. Domestic; show number of households

e. Other; describe fully.

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	14															.8		.8

Total number of acres to be irrigated: ~~1/2 acre~~ .87

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

10. a. Who owns the property at the point of diversion? Adrian and Meta Czarnecki

b. Who owns the land to be irrigated or place of use? Adrian and Meta Czarnecki

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Require to take water from the Middlefork of the Payette River in Garden Valley for Irrigation purposes only using a small 1.5 hp Portable Sprinkler Pump. Water pump is portable and run be electric.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Adrian S. Czarnecki
Print Name (and title, if applicable)

Signature of Applicant

Meta D. Lind - Czarnecki
Print Name (and title, if applicable)

For Department Use:

Received by HP Date 8-6-13 Time 4pm Preliminary check by CP
Fee \$ 100.00 Received by HP Receipt No. 1097584 Date 8-6-13

Iron rod
L.S. 7323


ine

line

e

RECEIVED
AUG 07 2013
WATER RESOURCES
WESTERN REGION

E.B.M.
cap



GARDEN VALLEY

SCOTT MTN. SUB.

E 1/16 Corner
Section 14
T. 10 N., R. 4 E.B.M.
Found 5/8" Iron Rod



Water

- Wells

Water Rights / Adjudication


- POD - Adjudication Claims
- POD - Adjudication Recommendations
- POD - Permits
- POD - Water Rights
- POU - Adjudication Claims
- POU - Adjudication Recommendations
- POU - Permits
- POU - Water Rights

Ground Water

- Areas of Drilling Concern
- Contamination Area
- Nitrate Priority Areas
- Critical Ground Water Areas
- Ground Water Management Areas

Eastern Snake Plain Aquifer

- ESPA Boundary
- ESPA Model Outline
- ESPA Model Grid



State of Idaho
Department of Water Resources
322 East Front Street
Boise, Idaho 83720-0098
Phone: (208) 287-4800
Fax: (208) 287-8700

Scale: 1" = 340 feet



65-23554



65-23554

TABLE A: RECOMMENDED MINIMUM WIRE GAUGE FOR EXTENSION CORDS* (120/240 VOLT)

NAMEPLATE AMPERES (at full load)	EXTENSION CORD LENGTH				
	25'	50'	75'	100'	150'
0 - 2.0	18	18	18	18	16
2.1 - 3.4	18	18	18	16	14
3.5 - 5.0	18	18	16	14	12
5.1 - 7.0	18	16	14	12	12

* Based on limiting the line voltage drop to five volts at 150% of the rated amperes.

TABLE A: RECOMMENDED MINIMUM WIRE GAUGE FOR EXTENSION CORDS* (120/240 VOLT)

NAMEPLATE AMPERES (at full load)	EXTENSION CORD LENGTH				
	25'	50'	75'	100'	150'
7.1 - 12.0	18	14	12	10	-
12.1 - 16.0	14	12	10	-	-
16.1 - 20.0	12	10	-	-	-

* Based on limiting the line voltage drop to five volts at 150% of the rated amperes.

Symbology

	Double Insulated
	Canadian Standards Association
	Underwriters Laboratories, Inc.
	Volts Alternating Current
	Amperes
	No Load Revolutions per Minute (RPM)

	WARNING marking concerning Risk of Eye Injury. Wear ANSI-approved safety goggles with side shields.
	Read the manual before set-up and/or use.
	WARNING marking concerning Risk of Hearing Loss. Wear hearing protection.
	WARNING marking concerning Risk of Fire. Do not cover ventilation ducts. Keep flammable objects away.
	WARNING marking concerning Risk of Electric Shock. Properly connect power cord to appropriate outlet.

Specifications

Electrical Rating	120 V~ / 60 Hz / 10 A
Maximum Flow	1215 GPH
Maximum Suction Lift	26 FT
Maximum Delivery Height	147 FT
Pressure	71 PSI
Inlet and Outlet Diameter	1 IN. NPT
Power Cord Length	6 FT



Set up


WARNING! This is NOT a submersible pump. Do not immerse in water.

Pipe Connection

The Pump uses 1" NPT piping (sold separately). Purchase the necessary length of pipe, including any needed fittings and bends. Mount the Pump as close to the source of water as possible and within the range of the rated Suction Lift. The connections must be airtight. Wrap all threaded connections with PTFE tape (sold separately).

1. Remove the Inlet and Outlet Covers from the Pump.
2. Attach the water source to the Inlet, using appropriate methods. The Inlet hose or pipe must be collapse-proof to properly withstand the suction force.
3. Install a foot valve and filter (sold separately) at the bottom of the inlet.

4. Attach the outlet connection to the Outlet. A Y-fitting with dual valves (sold separately) is helpful for priming the pump (see next section).




Operation

WARNING **TO PREVENT ELECTRIC SHOCK AND DEATH:** Make sure that the Terminal Box Cover is properly closed and sealed before priming or operation.

Note: A foot valve on the inlet connection is critical to help prevent the pump from losing prime.

Note: Check that the water source and piping are clear of sand, dirt and debris.



2. Close the valve on the outlet side of the Y-fitting, and open the valve on the priming side of the Y-fitting.
3. Remove the Priming Plug and wait until water starts coming out of the Priming Plug. Replace the Priming Plug and tighten securely.
4. To start the pump:
 - a. Open the valve on outlet side of the Y-fitting.
 - b. Make sure your hands are dry.
 - c. Plug in the pump.
 - d. Turn on the Power Switch (I).
 - e. Close the valve on the priming side of the Y-fitting.

CAUTION: Do not run the Pump Dry! Turn off the Pump IMMEDIATELY if water stops coming out the Outlet.

5. If you operate the Pump and no water comes out, shut the Pump off IMMEDIATELY. Check the pipes for air-tightness. Check also that the bottom of the Inlet pipe is underneath the surface of the water and a foot valve is properly installed.
6. After the pump is running properly, the priming hose and bucket can be disconnected.
7. When finished using the pump, turn the Power Switch off (O), then unplug the Power Cord. Follow procedures for Storage explained below.

1" NPT Inlet & Discharge

SCANNED
JAN 11 2013

RECEIVED
AUG 07 2013
WATER RESOURCES
WESTERN REGION

Sommer, Rachel

From: Sommer, Rachel
Sent: Thursday, January 09, 2014 4:30 PM
To: 'rick.ward@idfg.idaho.gov'
Subject: Application for Permit
Attachments: Application for Permit 65-23554.pdf; IDFG RECOMMENDATION FORM.docx

January 9, 2014

STATE OF IDAHO
DEPT OF FISH & GAME
ATTN: RICK WARD
3101 S POWERLINE RD
NAMPA, ID 83686

RE: Application for Permit No. 65-23554

Dear Mr. Ward:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed with this email for your reference. Please review the application, complete the enclosed recommendation form, and submit your reply, if any, to this office within 30 days.

If your agency desires to formally protest approval of this application, you may do so by filing a written protest along with a \$25.00 filing fee for each protested application by 2/3/2014.

IDWR will assume your agency does not object to this application if a timely response is not received. Please contact me if you have any questions regarding the application. Thank you for your help.

Sincerely,

Rachel Sommer
Administrative Assistant
Dept. of Water Resources
Western Regional Office
2735 Airport Way, Boise ID 83705
Phone 208-334-2190 | Fax 208-334-2348
Email: rachel.sommer@idwr.idaho.gov

Sommer, Rachel

From: Sommer, Rachel
Sent: Thursday, January 09, 2014 4:25 PM
To: 'waterdist65@srvinet.com'
Subject: Application for Permit
Attachments: Application for Permit 65-23554.pdf

January 9, 2014

RON SHURTLEFF
WATER DISTRICT #65
102 N MAIN
PAYETTE, ID 83661

RE: Application for Permit No. 65-23554

Dear Watermaster:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendations from you regarding the above referenced water right application. A copy the application is enclosed with this email for your reference. Please review the application, complete a recommendation form, and submit your reply, if any, to this office within 21 days.

The protest deadline for any interested party is 2/3/2014. A written protest and the \$25 filing fee must be received by 5:00 p.m. that day in order to be recognized by IDWR.

IDWR will assume you do not object to this application if a timely response is not received. Please contact me if you have any questions in this matter. Thank you for your help.

Sincerely,

Rachel Sommer
Administrative Assistant
Dept. of Water Resources
Western Regional Office
2735 Airport Way, Boise ID 83705
Phone 208-334-2190 | Fax 208-334-2348
Email: rachel.sommer@idwr.idaho.gov

Sommer, Rachel

From: Sommer, Rachel
Sent: Thursday, January 09, 2014 12:19 PM
To: 'EDITOR@IDAHOWORLD.COM'
Subject: Boise Legal Ad
Attachments: Boise Cover Letter.docx; Boise Legal Ad.docx

Good Afternoon Theresa,

Please see the attached ad for publication on 1/15/2013 & 1/22/2013.

Please confirm these are okay to publish as shown.

Thank you very much,

Rachel Sommer

Administrative Assistant
IDWR, Western Region
Office: 208-334-2190
Fax: 208-334-2348
rachel.sommer@idwr.idaho.gov

January 9, 2014

LEGAL NOTICE DEPARTMENT
IDAHO WORLD
PO BOX 50248
BOISE, ID 83705

RE: Application for Permit No. 65-23554

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 2/3/2014. Your cooperation is appreciated.

Sincerely,

Rachel Sommer
Administrative Assistant

Enclosures

The following application has been filed to appropriate the public waters of the State of Idaho:

65-23554

META LIND

433 N SANDRA PL

EAGLE, ID 83616

Point of Diversion SWSE S14 T10N R04E BOISE County Source MIDDLE FORK PAYETTE RIVER Tributary PAYETTE RIVER

Use: IRRIGATION 03/15 to 10/31 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 8/6/2013

Place of Use: IRRIGATION

T10N R04E S14 SWSE

Total Acres: 0.8

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 2/3/2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 1/15/2014 and 1/22/2014