

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 95-11447

Exam Date: 7/26/2012

1. Current Owner: GORDON GOODBAN
2239 CASTRO WAY
SACRAMENTO CA 95818
(916) 451-7653

2. Accompanied by: in office exam

Phone No:

Address:

Relationship to Permit Holder:

3. **SOURCE**

COEUR D ALENE LAKE

TRIBUTARY

SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

COEUR D ALENE LAKE L3 NE1/4SW1/4 Sec. 29, Twp 50N, Rge 03W, B.M. KOOTENAI County

Method of Determination: Aerial photography, Bing Maps and Arc Map Data.

2.

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
50N 03W 29	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
									X								
									L 3								

3. N/A Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
- Yes Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- Yes Aerial Photo Attached (required for irrigation of 10+ acres).
- N/A Photo of Diversion and System Attached

4.

Well or Diversion Information not needed.**D. FLOW MEASUREMENTS**

Flow measurement not required as per IDAPA Rule 37.03.02.035.01.r.iii.

E. FLOW CALCULATIONS

The diversion rate for this domestic right is limited to 0.08 cfs or 27 gpm.

F. VOLUME CALCULATIONS

The annual volume for this domestic right is limited to 0.6 acft.

The annual volume for this Irrigation right is limited to 0.6 acft.

G. NARRATIVE/REMARKS/COMMENTS

This office exam is conducted in accordance with IDAPA RULE 37.03.02.035.01. The verification for this right is based upon the following:

1. Statement of completion
2. Tax Lot information
3. Aerial photography, Bing Maps and Arc Map Data

Have conditions of permit approval been met? ☒ Yes ☐ No**H. RECOMMENDATIONS Home was built in 2007****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	1.20 AF

Totals: ~~0.080 CFS~~
0.040 CFS 1.20 AF

2. Recommended Amendments___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Eric [Signature] Date 12-12-2013

Reviewer Keith E. Frankel [Signature] Date 12-19-2013

95-11447

