

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 15-07122

RECEIVED
DEC 19 2013
Department of Water Resources
Eastern Region

Date of Priority: April 17, 1990

Maximum Diversion Rate: 0.02 CFS

Maximum Diversion Volume: 9.4 AF

Comes now DIANE ANDERSEN
2105 W 1500 N
MALAD ID 83252

and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 15-07122, and requests that the permit be changed as follows:

Source: SPRING**Tributary:** SINKS

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.9 AF
IRRIGATION	04/01 to 10/31	0.02 CFS	8.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SPRING NE1/4SW1/4 Sec. 8, Twp 14S, Rge 36E, B.M.
ONEIDA County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	36E	8									X								

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	36E	8									3.0								3.0

Total Acres: 3

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 15-07122

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 18th day of December, 20 13.

Diane J. Andersen
(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 15-07122

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = 100- Received by SC # 0039380 Date 12/19/13

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 15-07122 with the following:

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.

Witness my hand this 23rd day of December, 2013.


for GARY SPACKMAN
Director