

RECEIVED**DEC 17 2013****DEPT. OF WATER RESOURCES
SOUTHERN REGION****STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES****APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Larrey Anderson Jr. Phone (208) 736-4480
 Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address 732 Falls View Dr. City Twin FallsState ID Zip 83301 Email _____

2. Source of water supply low temperature geothermal well which is a tributary of _____
 3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
9S	18E	31	9		NW	SW	Jerome	GROUND WATER	

4. Water will be used for the following purposes:

Amount 0.06 for HEATING purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 0.06 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 0.06 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
 6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is 12 inches; proposed depth of well is 1120 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☒ Yes ☐ No

e. If well is already drilled, when? 1993; drilling firm ELSING DRILLING;
 well was drilled for (well owner) LARREY ANDERSON; Drilling Permit No. 712258.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; complete and attach the Municipal Water Right Application Checklist.

d. Domestic; show number of households ONE HOME

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.
See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	18E	31										H/D							

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

LOW TEMPERATURE GEOTHERMAL WATER IS USED FOR IN-HOUSE USE, NOT IRRIGATION.

10. a. Who owns the property at the point of diversion? LARREY ANDERSON JR.
- b. Who owns the land to be irrigated or place of use? LARREY ANDERSON JR.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

This is the lot (10) on which the low geothermal water well is located. Well was drilled under a domestic geothermal water permit issued to Larrey Anderson. House was built with geothermal pipping throughout the house, including cement floors, in order to use the geothermal water for heating. The house was built with the understanding with the Department of Water Resources that the geothermal water use was permitted as a domestic use. The geothermal water was initially used in temporary housing until the existing house construction in 2005.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Signature of Applicant

Larrey Anderson Jr.


Print Name (and title, if applicable)

Print Name (and title, if applicable)

For Department Use:

Received by N. ERICKSON Date 12/17/13 Time 2:00 Preliminary check by N. Erickson
 Fee \$ 100.00 Received by Chad Receipt No. 5033706 Date 12/17/13

State of Idaho
Department of Water Resources
Application For Permit
36-17000





State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 1341 Fillmore Street, Suite 200 • Twin Falls, Idaho 83301-3380

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 24, 2013

LARREY ANDERSON JR
732 FALLS VIEW DR
TWIN FALLS, ID 83301

RE: Application For Permit No. 36-17000

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the **TIMES NEWS on 1/2/2014 and 1/9/2014**. Protests to this application may be submitted for a period ending ten (10) days after the second publication (**January 21, 2014**).

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script that reads "Denise Maline". The signature is written in dark ink and is positioned above the printed name and title.

Denise Maline
Administrative Assistant

Maline, Denise

From: Maline, Denise
Sent: Tuesday, December 24, 2013 10:19 AM
To: Times News
Subject: LEGAL NOTICE
Attachments: Times News Cover Letter.docx; Times News Ad.docx

Attached please find (1) legal notice being submitted for publication on January 2nd & 9th, 2014. Please contact me if you have any questions, or if you are not able to run the ad on the dates requested.

Thank you and Merry Christmas,

Denise Maline
Administrative Assistant
Idaho Dept of Water Resources, Southern Region
1341 Fillmore St, Suite 200
Twin Falls, ID 83301
(208) 736-3033
denise.maline@idwr.idaho.gov

December 24, 2013

LEGAL NOTICE DEPARTMENT
TIMES NEWS
PO BOX 548
TWIN FALLS, ID 83303-0548

RE: Application For Permit No.(s): 36-16999, 36-17000, 36-17001

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before January 21, 2014. Your cooperation is appreciated.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-16999

LARREY ANDERSON SR

RETHA ANDERSON

752 FALLS VIEW DR

TWIN FALLS, ID 83301-3072

Point of Diversion L9(NWSW) S31 T09S R18E JEROME County Source GROUND WATER Tributary

Use: DOMESTIC 01/01 to 12/31 0.06 CFS

Use: HEATING 01/01 to 12/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 12/17/2013

Place Of Use: HEATING & DOMESTIC

T09S R18E S31 L9(NWSW)

Application seeks to appropriate 0.06 cfs of ground water for heating and domestic use from an existing well. The total use for both heating and domestic will be limited to 13,000 gallons per day. The proposed place of use and point of diversion are located approximately 2.3 miles east and 3 miles south of the intersection of US Highway 93 and Interstate 84.

36-17000

LARREY ANDERSON JR

732 FALLS VIEW DR

TWIN FALLS, ID 83301

Point of Diversion L9(NWSW) S31 T09S R18E JEROME County Source GROUND WATER Tributary

Use: DOMESTIC 01/01 to 12/31 0.06 CFS

Use: HEATING 1/01 to 12/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 12/17/2013

Place Of Use: HEATING & DOMESTIC

T09S R18E S31 L9(NWSW)

Application seeks to appropriate 0.06 cfs of ground water for heating and domestic use from an existing well. The total use for both heating and domestic will be limited to 13,000 gallons per day. The proposed place of use and point of diversion are located approximately 2.3 miles east and 3 miles south of the intersection of US Highway 93 and Interstate 84.

36-17001

WAYDE STANGER

MELISSA STANGER

726 FALLS VIEW DR

TWIN FALLS, ID 83301

Point of Diversion L9(NWSW) S31 T09S R18E JEROME County Source WASTE WATER Tributary SNAKE RIVER

Use: DOMESTIC 01/01 to 12/31 0.06 CFS

Use: HEATING 01/01 to 12/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 12/17/2013

Place Of Use: HEATING & DOMESTIC

T09S R18E S31 L9(NWSW)

Application seeks to appropriate 0.06 cfs of waste water for heating and domestic use. The total use for both heating and domestic will be limited to 13,000 gallons per day. The proposed place of use and point of diversion are located approximately 2.3 miles east and 3 miles south of the intersection of US Highway 93 and Interstate 84.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Southern Region office at (208) 736-3033; or for a full description of the right(s), please see www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Southern Region, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301 together with a protest fee of \$25.00 for each application on or before January 21, 2014. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on January 2nd & 9th, 2014