



United States Department of the Interior
BUREAU OF LAND MANAGEMENT
Owyhee Field Office
20 First Avenue West
Marsing, Idaho 83639
Phone: 208-896-5912 Fax: 208-896-5940



FAX COVER SHEET

To: Daniel A. Nelson
Phone #: _____

Office: IDWR

From: Raul Trevino
Phone #: _____

Office: BKM

Date: 12/11/2013

of pages to follow: 1

Comments: Dan here a copy of the
Castle Creek Water District waiver.
I will mail hard copy to you as
well.

CONFIDENTIALITY NOTICE

This message is intended exclusively for the individual or entity to which it is addressed. This communication may contain information that is proprietary, privileged, or confidential or otherwise legally exempt from disclosure. If you are not the named addressee, you are not authorized to read, print, retain, copy or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by telephone and destroy all copies of the message.

DEC. 11. 2013 9:07AM

NO. 601 P. 2

RECEIVED AT
OWYHEE FIELD OFFICE

December 10, 2013

2013 DEC 11 AM 9:45

Castle Creek Water District 57-C
C/o Mike Ihli
625 S. School Ave.
Kuna, Idaho 83634

Bureau of Land Management
Owyhee Field Office
20 First Avenue West
Marsing, Idaho 83639

RE: Request for Waiver


To Whom it May Concern:

We are in receipt of your request to waive the requirements for measuring devices and head gates on three small ponds as described in your letter and on the map that accompanied it.

We hereby waive those requirements for the three described developments.

Should anyone from your office or from the Idaho Department of Water Resources have any questions, please do not hesitate to have them contact me at 208-867-5736 and I will be happy to talk with them.

Sincerely,



Mike Ihli
Watermaster District 57-C

See 57-7636 FOR
The original letter.



United States Department of the Interior
BUREAU OF LAND MANAGEMENT
Owyhee Field Office
20 First Avenue West
Marsing, Idaho 83639



In Reply Refer To:

Dec. 4, 2013

Dear; Castle Creek Water District Master (Mike Ihli)

It was brought to our attention by Idaho Department of Water Resources that water right 57-7684 (Proj. #0974 White Horse Reservoir), water right 57-7685 (Proj. #09072 DR Pothole) and water right 57-7687 (Proj. #09073 RD Pothole) required a measuring device and head gate. A field visit was conducted to confirm that these objects were in place. Unfortunately at the time of construction these objects were no included.

We the Boise District BLM/Owyhee Field Office request consideration for waiver on these requirements. All three of these projects are small ponds that have been constructed in a dry drainage in hopes of spring runoff in order to fill. If possible we request that these requirements would be waived and allow these developments to continue as a water source for wildlife and livestock use. We thank you for your time and if you have any question please call me Raul Trevino.

Location Map Included.

Raul Trevino Jr
Range Technician
Owyhee Field Office
Boise District
208-896-5915
raul_trevino@blm.gov