



## State of Idaho

# DEPARTMENT OF WATER RESOURCES

Southern Region, 1341 Fillmore Street, Suite 200 • Twin Falls, Idaho 83301-3380

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C. L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

December 13, 2013

BRIAN HIGGS  
WATER DISTRICT #140  
355 W 500 S  
BURLEY, ID 83318

*Via E-mail*

RE: Transfer No. 78907

Water Right No(s): 45-13550, 45-2413, 45-2431, 45-2432, 45-2594B, 45-4045, 45-4107, 45-7055, 45-7064, 45-7150, 45-7242, 45-7307

RE: Transfer No. 78302

Water Right No(s): 45-11239, 45-13455, 45-13469, 45-13470, 45-13777, 45-13973A, 45-13973B, 45-13973C, 45-13973D, 45-13974, 45-169, 45-2053, 45-2254A, 45-2254B, 45-2382, 45-2519, 45-2520, 45-2526, 45-2579, 45-2600A, 45-2600B, 45-2630, 45-2657, 45-4009A, 45-4011A, 45-4013A, 45-4048F, 45-4048G, 45-4258A, 45-695, 45-696, 45-701

Dear Mr. Higgs:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Denise Maline  
Administrative Assistant

Enclosure(s)