

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 74-15989

Priority: October 22, 2012

Maximum Diversion Rate: 0.04 CFS

This is to certify, that USDI BLM
IDAHO STATE OFFICE
1387 S VINNELL WAY
BOISE ID 83709-1657

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
RECREATION	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$) Sec. 4 Twp 19N Rge 24E, B.M. LEMHI County


PLACE OF USE: RECREATION

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
19N	24E	4	X																
			L 1																

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2018**.
2. Subject to all prior water rights.
3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
4. Rights 74-15989 and 74-7396 when combined shall not exceed a total diversion rate of 0.04 cfs.
5. Recreation use is for diluting hot springs used in two (2) 1200 gallon pools.
6. Use of water under this right shall be non-consumptive. Water is discharged into Warm Spring Creek.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 25th day of November, 2013.



for GARY SPACKMAN
Director