

IN-OFFICE BENEFICIAL USE EXAM REPORT

 Permit No. 63-32565 Prepared by SCurtis Date 11/15/12

Same as permit

Different than permit

Owner Name



Owner Address


no such addr. - SOS
listing w/ this's addr used

Source



Tributary



POD



POU



Beneficial Use(s)


limit rate per theo.
3 Mts
Exam Fee Required for Permitted Rate \$ 50⁰⁰Exam Fee Paid \$ 50⁰⁰

Theo: 7.5 hp, 40 psi, 150' lift =

.19

Overlaps

Yes use folo

No

exam theo for 63-8078 was .17 cfs

Technical Confirmation Tools

ArcMap (Bing)



Photo



Taxlot



Well Log



365' well (2 1/2 hp pump (7859)

(7 1/2 hp " (8078)

pump test well log .17 cfs

Govt Agency Records

GPS



Photos



Diagrams



Other



explain: _____

Conditions/Comments F06 (63-7859/8078/32565), 070, 071, 004, X01 (2)Vol = 2 homes x 1.2 = 2.4 afExam Date Entered ☒Draft License Created ☒Shapes Updated ☒

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

RECEIVED

JAN 20 1972

1. WELL OWNER Name <u>STAN ROBINSON</u> Address <u>Rt 6 Caldwell, Idaho</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>150</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Other <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Draw Down</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>75 GPM</u></td><td><u>80</u></td><td><u>3</u></td></tr></tbody></table>		Discharge G.P.M.	Draw Down	Hours Pumped	<u>75 GPM</u>	<u>80</u>	<u>3</u>																																																																																																																												
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																			
<u>75 GPM</u>	<u>80</u>	<u>3</u>																																																																																																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>5</td><td>Top Soil</td><td></td><td></td></tr><tr><td>"</td><td>5</td><td>20</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>20</td><td>25</td><td>Yellow Clay</td><td></td><td></td></tr><tr><td>8"</td><td>25</td><td>40</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>40</td><td>91</td><td>Yellow Clay</td><td></td><td></td></tr><tr><td>"</td><td>91</td><td>140</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>140</td><td>200</td><td>Yellow Clay</td><td></td><td></td></tr><tr><td>"</td><td>200</td><td>202</td><td>Blue Shale</td><td></td><td></td></tr><tr><td>"</td><td>202</td><td>218</td><td>Brown Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>218</td><td>230</td><td>Blue Clay</td><td></td><td></td></tr><tr><td>"</td><td>230</td><td>240</td><td>Brown Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>240</td><td>265</td><td>Blue Clay</td><td></td><td></td></tr><tr><td>"</td><td>265</td><td>271</td><td>Blue Sand (Fine)</td><td></td><td></td></tr><tr><td>"</td><td>271</td><td>298</td><td>Clay (Blue)</td><td></td><td></td></tr><tr><td>"</td><td>298</td><td>305</td><td>Fine Sand (Silty)</td><td></td><td></td></tr><tr><td>"</td><td>305</td><td>320</td><td>Blue Clay</td><td></td><td></td></tr><tr><td>"</td><td>320</td><td>330</td><td>Sand Clay</td><td></td><td></td></tr><tr><td>"</td><td>330</td><td>341</td><td>Sticky Clay</td><td></td><td></td></tr><tr><td>"</td><td>341</td><td>360</td><td>Sandy Shale</td><td></td><td></td></tr><tr><td>"</td><td>360</td><td>376</td><td>Blue Clay</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	5	Top Soil			"	5	20	Sandy Clay			"	20	25	Yellow Clay			8"	25	40	Sandy Clay			"	40	91	Yellow Clay			"	91	140	Sandy Clay			"	140	200	Yellow Clay			"	200	202	Blue Shale			"	202	218	Brown Sandy Clay			"	218	230	Blue Clay			"	230	240	Brown Sandy Clay			"	240	265	Blue Clay			"	265	271	Blue Sand (Fine)			"	271	298	Clay (Blue)			"	298	305	Fine Sand (Silty)			"	305	320	Blue Clay			"	320	330	Sand Clay			"	330	341	Sticky Clay			"	341	360	Sandy Shale			"	360	376	Blue Clay		
Hole Diam.	Depth		Material		Water																																																																																																																																
	From	To		Yes	No																																																																																																																																
10"	0	5	Top Soil																																																																																																																																		
"	5	20	Sandy Clay																																																																																																																																		
"	20	25	Yellow Clay																																																																																																																																		
8"	25	40	Sandy Clay																																																																																																																																		
"	40	91	Yellow Clay																																																																																																																																		
"	91	140	Sandy Clay																																																																																																																																		
"	140	200	Yellow Clay																																																																																																																																		
"	200	202	Blue Shale																																																																																																																																		
"	202	218	Brown Sandy Clay																																																																																																																																		
"	218	230	Blue Clay																																																																																																																																		
"	230	240	Brown Sandy Clay																																																																																																																																		
"	240	265	Blue Clay																																																																																																																																		
"	265	271	Blue Sand (Fine)																																																																																																																																		
"	271	298	Clay (Blue)																																																																																																																																		
"	298	305	Fine Sand (Silty)																																																																																																																																		
"	305	320	Blue Clay																																																																																																																																		
"	320	330	Sand Clay																																																																																																																																		
"	330	341	Sticky Clay																																																																																																																																		
"	341	360	Sandy Shale																																																																																																																																		
"	360	376	Blue Clay																																																																																																																																		
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																																																																																																					
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>347</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>8</u> inches</td><td><u>0</u> feet</td><td><u>265</u> feet</td></tr><tr><td><u>250</u> inches</td><td><u>5</u> inches</td><td><u>256</u> feet</td><td><u>266</u> feet</td></tr><tr><td><u>1</u> inches</td><td><u>5</u> inches</td><td><u>273</u> feet</td><td><u>300</u> feet</td></tr><tr><td><u>1</u> inches</td><td><u>5</u> inches</td><td><u>305</u> feet</td><td><u>323</u> feet</td></tr><tr><td><u>1</u> inches</td><td><u>5</u> inches</td><td><u>326</u> feet</td><td><u>347</u> feet</td></tr></tbody></table> Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>JOHN SON</u> Type <u>ARMCO</u> Model No. _____ Diameter <u>30</u> Slot size <u>6</u> Set from <u>266</u> feet to <u>273</u> feet Diameter <u>30</u> Slot size <u>6</u> Set from <u>300</u> feet to <u>305</u> feet <u>25</u> Slot <u>6</u> Set from <u>323</u> feet to <u>326</u> feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>10/16 De L Monte</u> Placed from <u>255</u> feet to <u>347</u> feet Surface seal? ☒ Yes ☐ No To what depth <u>72</u> feet Material used in seal ☐ Cement grout ☒ Pudding clay		Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>0</u> feet	<u>265</u> feet	<u>250</u> inches	<u>5</u> inches	<u>256</u> feet	<u>266</u> feet	<u>1</u> inches	<u>5</u> inches	<u>273</u> feet	<u>300</u> feet	<u>1</u> inches	<u>5</u> inches	<u>305</u> feet	<u>323</u> feet	<u>1</u> inches	<u>5</u> inches	<u>326</u> feet	<u>347</u> feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																																
Thickness	Diameter	From	To																																																																																																																																		
<u>250</u> inches	<u>8</u> inches	<u>0</u> feet	<u>265</u> feet																																																																																																																																		
<u>250</u> inches	<u>5</u> inches	<u>256</u> feet	<u>266</u> feet																																																																																																																																		
<u>1</u> inches	<u>5</u> inches	<u>273</u> feet	<u>300</u> feet																																																																																																																																		
<u>1</u> inches	<u>5</u> inches	<u>305</u> feet	<u>323</u> feet																																																																																																																																		
<u>1</u> inches	<u>5</u> inches	<u>326</u> feet	<u>347</u> feet																																																																																																																																		
Number	From	To																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. County <u>CANYON</u> <u>NW 1/4 Sec. 10, T. 3 N., R. 4 E.</u>		10. Work started <u>11/22/71</u> finished <u>1/6/72</u>																																																																																																																																			
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>WILL AND SON'S</u> <u>55</u> Driller's or Firm's Name Number <u>Caldwell, Idaho</u> Address <u>Kenneth With</u> Signed By Date																																																																																																																																			

USE ADDITIONAL SHEETS IF NECESSARY


FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

63-32565



No. C 54098 Return to: SECRETARY OF STATE 450 N 4th STREET PO BOX 83720 BOISE, ID 83720-0080	Due no later than Sep 30, 2013 Annual Report Form	2. Registered Agent and Office (NOT A P.O. BOX) SHIRLEY WALLACE 20922 BLOSSOM HEIGHTS LN CALDWELL ID 83607																																																								
1. Mailing Address: Correct in this box if needed. BLOSSOM WELL ASSOCIATION, INC. SHIRLEY WALLACE 20922 BLOSSOM HEIGHTS LN CALDWELL ID 83607	3. New Registered Agent Signature.																																																									
4. Corporations: Enter Names and Business Addresses of President, Secretary, Directors, Treasurer, Vice Pres. <table border="1"> <thead> <tr> <th>Office Held</th> <th>Name</th> <th>Street or PO Address</th> <th>City</th> <th>State</th> <th>Country</th> <th>Postal Code</th> </tr> </thead> <tbody> <tr> <td>President</td> <td>Shirley Wallace</td> <td>20922 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Secretary</td> <td>Gam Haines</td> <td>20902 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Director</td> <td>William Werhane</td> <td>20967 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Director</td> <td>Carol Hopkins</td> <td>20940 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Director</td> <td>Steve Kinckle</td> <td>20875 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Director</td> <td>Sachiko Tamura</td> <td>20998 Blossom Heights Ln</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83607</td> </tr> <tr> <td>Director</td> <td>Roger Garner</td> <td>20845 Houston, Id</td> <td>Caldwell</td> <td>Id</td> <td>Canyon</td> <td>83630</td> </tr> </tbody> </table>			Office Held	Name	Street or PO Address	City	State	Country	Postal Code	President	Shirley Wallace	20922 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Secretary	Gam Haines	20902 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Director	William Werhane	20967 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Director	Carol Hopkins	20940 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Director	Steve Kinckle	20875 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Director	Sachiko Tamura	20998 Blossom Heights Ln	Caldwell	Id	Canyon	83607	Director	Roger Garner	20845 Houston, Id	Caldwell	Id	Canyon	83630
Office Held	Name	Street or PO Address	City	State	Country	Postal Code																																																				
President	Shirley Wallace	20922 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Secretary	Gam Haines	20902 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Director	William Werhane	20967 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Director	Carol Hopkins	20940 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Director	Steve Kinckle	20875 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Director	Sachiko Tamura	20998 Blossom Heights Ln	Caldwell	Id	Canyon	83607																																																				
Director	Roger Garner	20845 Houston, Id	Caldwell	Id	Canyon	83630																																																				
5. Organized Under the Laws of: IDAHO C 54098	6. Signature: <u>Shirley Wallace</u> Name (type or print): <u>Shirley Wallace</u>	Date: <u>7/22/13</u> Title: <u>President</u>																																																								
Issued 07/17/2013 by CLH 103251																																																										

AMENDED 12/14/07



0.1 0 0.1 0.2 Miles



Canyon taxlots
GCDB03N04W GCDB

63-32565