



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

October 22, 2013

MICHAEL PHILPOTT
JOANNA MYERS
26 W. BANNOCK RD
SALMON, ID 83467

RE: Water Appropriation Permit 75-14477

Notice of Intent to Void Permit

Dear Permit Holders:

In 2009 IDWR issued permit 75-14477 authorizing the development of a right to divert 0.02 cfs of water from Groundwater, within SESW (Lot 4) of Section 19, Township 21 North, Range 22 East, B.M., for irrigation use. On April 15, 2013, IDWR requested additional information from Jude Trapani, the permit holder at the time, in order to complete the licensing process. On July 12, a Notice of Intent to Void was sent to the current permit holder. You were sent a copy of this letter. On July 22, Michael Philpott contacted me and indicated that he would send IDWR the information required to continue with the licensing process of this permit. At this time, IDWR has not received any follow-up information or contact regarding this permit. I attempted to contact you by phone on September 5, 2013 but the phone number IDWR has on file appears to be incorrect.

The information required to continue the licensing process includes:

Point of Diversion Information:	Photographs of the pump and the point of diversion. If possible, GPS coordinates of pump location – latitude/longitude.	
Pump Information:	Make, Model, Serial Number, and Horse Power of Pump as well as PSI. A photograph of the pump plate where this information is visible is acceptable.	
Sprinkler Information:	Size of water line. Size, type, number of nozzles and gallon per minute of sprinklers.	
Well Information:	Static Lift of well – The distance between the pump and the top of the well. If possible, copies of the well driller log.	
Photographs of:	A lockable device attached to the diversion that will provide the Watermaster control of the diversion. – If the pump is electrical, a picture of the electrical box showing where a lock can be attached is acceptable.	
	A straight length of conduit or ditch suitable for installation of a device for measuring the entire follow of water being diverted.	

The photographs submitted should be of sufficient number and at sufficient angles in order to confirm compliance with the conditions listed on the permit.

You can request that IDWR personnel go into the field to collect this information accompanied by a member of your staff/organization. For this to occur, please contact IDWR with the name, telephone number, and email of your representative and the representative must be available to be contacted and scheduling of the required visit by no later than November 11, 2013. IDWR must also receive the contact information of your representative in a timely manner to perform the field examination by the November 11, 2013 deadline.

The final step in the water appropriation process is the issuance of a Water Right License. By issuing a license, IDWR recognizes that you have met the requirements for establishing a water right. If you have not developed a beneficial use of water from Groundwater within the development period authorized by your permit a license cannot be issued. Once the development period authorized by your permit expires, your permit cannot be retained to cover future development of the resource.

If you would like to view the documents associated with this permit, you can access them online at:
<http://www.idwr.idaho.gov/apps/ExtSearch/RelatedDocs.asp?Basin=75&Sequence=14477&SplitSuffix=>

If you believe a water right license should be issued to you, please supply information requested to demonstrate that you established a beneficial use of water in accordance with Permit 75-14477. If I do not receive the requested information from you by November 11, 2013, I will take action to void your permit under the provision of Section 42-219(8) of the Idaho Code. If you agree that no beneficial use of water occurred under permit 75-14477, you can shorten the voiding process by completing the enclosed relinquishment form and returning it to IDWR.

Additionally, please supply a correct contact phone number to be added to the license file.

If you have any questions, please contact me at 208-287-4938.

Respectfully,



Danielle Favreau
GIS Analyst
Technical Services Bureau

Enclosures