



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 7, 2013

PAUL GUNNELL
12295 S 300 E
WOODRUFF, ID 83252

Application to Amend Permit No. 15-7346

Dear Applicant(s):

The Department of Water Resources has received your application to amend the permit referenced above. Please refer to the permit number referenced above in all future correspondence regarding this application.


A legal notice of the application has been prepared and is scheduled for publication in the IDAHO ENTERPRISE on August 15 and 22, 2013. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application to amend the permit is approved, the Department will send you a copy of the amended permit.

Please contact this office if you have any questions regarding the application.

Sincerely,



Sharla Cox
Administrative Assistant

Cox, Sharla

From: Cox, Sharla
Sent: Wednesday, August 07, 2013 12:24 PM
To: 'Idaho Enterprise (enterprisenews@atcnet.net)'
Subject: Legal Notice for your paper
Attachments: Idaho Enterprise E-Mail.doc

Contacts: Idaho Enterprise

Sharla

*Sharla Cox
Administrative Assistant
Idaho Dept of Water Resources
900 N Skyline Dr. Ste A.
Idaho Falls ID 83402
sharla.cox@idwr.idaho.gov
208-525-7161 phone
208-525-7177 fax*

The following application(s) have been filed to amend Permit to Appropriate Water:

15-7346

PAUL GUNNELL

12295 S 300 E

WOODRUFF, ID 83252

Point of Diversion SWNWSW

S26 T16S R36E

ONEIDA County

Source GROUND WATER Tributary

Use: IRRIGATION

04/01 to 10/31 5 CFS 992 AF

Total Diversion: 5 CFS 992 AF

Date Filed: 7/25/2013

Place Of Use: IRRIGATION

T16S R36E S26

NENW NWNW SWNW SENW NESW NWSW SWSW SESW

T16S R36E S27

NESW NESE NWSE SESE

Total Acres: 359

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-211. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before September 3, 2013. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on August 15 and 22, 2013