



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 24, 2013

CHRIS BEARDEN
16967 HWY 95 S
GRANGEVILLE ID 83530

RE: License Nos. 85-15537 & 85-15635

Issuance of Licenses

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right Licenses confirming that water rights have been established in accordance with your permits. Please be sure to thoroughly review the conditions of approval and remarks listed on your licenses. Also enclosed is a copy of the approved application for amendment.

The licenses are PRELIMINARY ORDERS issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4916.

Sincerely,

Craig L. Saxton

Water Rights Supervisor

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on July 25, 2013, I mailed true and correct copies, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Licenses) to the person(s) listed below:

RE: WATER RIGHT NO.

85-15537 & 85-15635

**CHRIS BEARDEN
16967 HWY 95 S
GRANGEVILLE ID 83530**



**Darla Block
Technical Records Specialist**

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

WATER RIGHT NO. 85-15635

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 13.5 AF

SOURCE

and a water right has been established as follows:

LOCATION OF POINT(S) OF DIVERSION:

PLACE OF USE: IRRIGATION

Total Acres: 4.5

For
GARY SPACKMAN
Director

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 85-15635

RECEIVED

JUL 22 2013

**DEPARTMENT OF
WATER RESOURCES**

Date of Priority: May 03, 2005

Maximum Diversion Rate: 0.05 CFS

Maximum Diversion Volume: 13.5 AF

Comes now **CHRIS BEARDEN**

16967 HWY 95 S

GRANGEVILLE ID 83530

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 85-15635, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW1/4SE1/4 Sec. 24, Twp 30N, Rge 02E, B.M.

IDAHO County

GROUND WATER NW1/4SE1/4 Sec. 24, Twp 30N, Rge 02E, B.M.

IDAHO County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
30N	02E	24																4.5	4.5

Total Acres: 4.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 13 day of JULY, 20113.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 85-15635

FOR DEPARTMENT USE ONLY

Preliminary check by SP Fee = 100.00 Received by HP # 1097523 Date 7-22-13

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 85-15635 with the following:

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.

Witness my hand this 24th day of July, 2013.

For 
GARY SPACKMAN
Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

GARY SPACKMAN
Director

C.L. "BUTCH" OTTER
Governor

07/01/2013

CHRIS BEARDEN
16967 HWY 95 S
GRANGEVILLE ID 83530

RE: Water Right Permit No. 85-15635

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

 x Point(s) of Diversion (add a point of diversion)

 Place(s) of Use

 Other

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$100.00 filing fee within 14 days.

If you have any questions, please call me at (208) 287-4944.

Sincerely,

Cherie Palmer, Sr. Water Resource Agent
Water Allocation Bureau

Enclosure(s)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 85-15635

Exam Date: June 14, 2012

1. Current Owner: CHRIS BEARDEN
16967 HWY 95 S
GRANGEVILLE ID 83530
800-530-3658

2. Accompanied by: Mr. Bearden

3. **SOURCE**

GROUND WATER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 85-15537—for domestic use
2. Other water rights with the same point of diversion: 85-15537

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER NW1/4SE1/4 Sec. 24, Twp 30N, Rge 02E, B.M. IDAHO County
GROUND WATER NW1/4SE1/4 Sec. 24, Twp 30N, Rge 02E, B.M. IDAHO County

Method of Determination: GPS and field visit (45-92427, -116.145185 and 45.92297, -116.147346)

2.

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
30N	02E	24																	4.5
																			4.5

Total Acres: 4.5

Method of Determination: Field visit and aerial imagery

3. ☒ Delivery System Diagram Attached (required).

☐ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres).

☐ Photo of Diversion and System Attached

4.

<u>Well or Diversion</u> <u>ID No.*</u>	<u>Motor Make</u>	<u>Hp</u>	<u>Motor Serial No.</u>	<u>Pump Make</u>	<u>Pump Serial No. or Discharge Size</u>
A0018527		3			
D0040071 and E0009299		5		Grundfos	

D. FLOW MEASUREMENTS

1.

Measurement

<u>Equipment</u>	<u>Type</u>	<u>Make</u>	<u>Model No.</u>	<u>Serial No.</u>	<u>Size</u>	<u>Calib. Date</u>
------------------	-------------	-------------	------------------	-------------------	-------------	--------------------

None—At the time of the exam the irrigation well was not operating. There was an electrical issue and it wasn't capable of being turned on. The domestic/irrigation well is equipped with a submersible pump that directly discharges into a storage tank. No open length of pipe was available obtain a measurement with the polysonic.

2. Measurements: No physical measurement made

E. FLOW CALCULATIONS

Measurement Information for A0018527 (aka irrigation well)

A theoretical estimate will be used for the licensure of this right where,

hp = 3

efficiency = 70%

depth to water = 310 ft (static water level of water per well driller's report)

psi = 40 (standard for irrigation systems)

$$\frac{8.8 \times 3 \times 0.7}{310 + (2.31 \times 40)} = \frac{18.48}{402.4} = 0.05 \text{ cfs}$$

Measurement Information for D0040071

A theoretical estimate will be used for the licensure of this right.

Where

hp = 5

efficiency = 70%

depth to water = 360 ft (static water level of water per well driller's report)

psi = 13 (water is open discharged into storage tank that is 5' uphill—5' x 0.4333 = ~3psi and back pressure on the system is ~10 psi)

$$\frac{8.8 \times 5 \times 0.7}{360 + (2.31 \times 13)} = \frac{30.8}{390} = 0.078 \text{ or } 0.08 \text{ cfs}$$

The irrigation well can only produce 0.05 cfs but, the diversion rate is consistent with the irrigation needs at the POU. The permit holder told me that they rarely irrigate, only when it is really dry out because they get enough precipitation in their area to keep things naturally green. He also told me that the irrigation well has not been very productive and had the newer well (D0040071) drilled and connected to the irrigation system for back-up purposes. To date, the new well hasn't been used as back-up purposes according to the permit holder.

Chris Bearden stated that the D0040071 well produces about 28 gpm or 0.06 cfs. I conducted a hp equation of the well and got an estimate of 0.078 cfs or 0.08 cfs.

Conclusion: Because the newer well, D0040071, is used for back-up and has not been used in tandem with the irrigation well; this license will be issued to the capacity of the irrigation well or 0.05 cfs.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.5 \text{ acres} \times 3\text{af/acre} = 13.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.05 \times 214 \times 1.9835 = 21.2 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12 \text{ AFA}$$

2. Volume Calculations for Other Uses: NONE

G. NARRATIVE/REMARKS/COMMENTS

System Notes

The irrigation well feeds into a few standpipes located within the POU. From there the right holder moves garden hoses around to irrigate the area.

Well D0040071 discharges to two 3,000 gallons tanks that are connected and have float switches that

automatically turn on/off the water based on tank levels. Water is pumped into the top of the cement storage tanks using a 1-1/2" pipe and a common, 3" pipe distributes the water to the resort and home. A one way valve on the system can feed into the irrigation system.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.050 CFS	13.5 AF
<u>Totals:</u>		0.050 CFS	13.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None


☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cherie Palmer Date 7/1/13
Reviewer _____ Date _____

Note that the PLSS layer in the below may shows that the POU spills into the SWNE and the NESE.

Notice that the PLSS and the aerial imagery are shifted and in fact the entire POU falls within the NWSE.



Delivery System

REC
CENTER/
OFFICE

Electrical
Shed +
Sprinkler
Controls

TO Irrigation
Standpipes
throughout the POV

X X X X X X X X X X X X
X X X X X X X X X
X X X X X X X

300'

TO 28 SPIGOTS (21 AUTHORIZED), 1 HOME,
AND REC CENTER/OFFICE

3" PIPE

PUMP
HOUSE

80'

00040071
WELL

30' 1 1/2" PIPE


20'

3000
Gallons


3000
Gallons

N
↑


X- RV spot



Well A0018527



Well D0040071
(see field exam
report for
85-15537 to
see more pics)




Old well
under
85-4066
No pump in
Well and is
not in use

-located w/
Shed



Sprinkler
controls
and control
panel for
A0018527
in the shed



Sprinkler
box within
POV



Looking at
POW in the
easterly
direction
w/ rental
office behind
me

Irrigation
Standpipe



Camp spots


June 26, 2013



Shed where
controlling panels
are located for
the irrigation
well

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.



1. WELL OWNER Name <u>JOE HILL</u> Address <u>RT 2 BOX 852 GRANGEVILLE</u> Owner's Permit No. <u>79-88-022-002</u> 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) 3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☒ Other <u>ALL</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>19</u> feet</td> </tr> <tr> <td><u>250</u> inches</td> <td><u>4</u> inches</td> <td><u>3</u> feet</td> <td><u>370</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Saw ☐ Torch Size of perforation <u>1/8</u> inches by <u>6</u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>20</u> perforations</td> <td><u>320</u> feet</td> <td><u>370</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>WELL SEAL</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>19</u> feet	<u>250</u> inches	<u>4</u> inches	<u>3</u> feet	<u>370</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>20</u> perforations	<u>320</u> feet	<u>370</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>310</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>51</u> OF. Quality <u>GOOD</u> Describe artesian or temperature zones below. 8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>35</u></td> <td><u>370</u></td> <td><u>1</u></td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table> 9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td></td> <td><u>0</u></td> <td><u>4</u></td> <td><u>CLAY</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>4</u></td> <td><u>75</u></td> <td><u>CLAY</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>75</u></td> <td><u>80</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>80</u></td> <td><u>175</u></td> <td><u>CLAY</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>175</u></td> <td><u>175</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>175</u></td> <td><u>235</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>235</u></td> <td><u>325</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>325</u></td> <td><u>325</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>325</u></td> <td><u>340</u></td> <td><u>CLAY</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>340</u></td> <td><u>370</u></td> <td><u>SAND</u></td> <td></td> <td></td> </tr> </tbody> </table> 10. Work started <u>5/10/88</u> finished <u>5/12/88</u> 11. DRILLERS CERTIFICATION I/We certify that this well was drilled in accordance with standards were complied with at the time the report was prepared. Firm Name <u>BURNS WEL DRILLING</u> Firm No. <u>103</u> <u>ROUTE 2 BOX 615</u> Address <u>GRANGEVILLE, IDAHO 83530</u> Date <u>5/18/88</u> Signed by (Firm Official) <u>G.R. Burns</u> and (Operator) <u>Paul Nat</u>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>35</u>	<u>370</u>	<u>1</u>	_____	_____	_____	_____	_____	_____	Bore Diam.	Depth		Material	Water		From	To	Yes	No		<u>0</u>	<u>4</u>	<u>CLAY</u>				<u>4</u>	<u>75</u>	<u>CLAY</u>				<u>75</u>	<u>80</u>	<u>SAND</u>				<u>80</u>	<u>175</u>	<u>CLAY</u>				<u>175</u>	<u>175</u>	<u>SAND</u>				<u>175</u>	<u>235</u>	<u>SAND</u>				<u>235</u>	<u>325</u>	<u>SAND</u>				<u>325</u>	<u>325</u>	<u>SAND</u>				<u>325</u>	<u>340</u>	<u>CLAY</u>				<u>340</u>	<u>370</u>	<u>SAND</u>		
Thickness	Diameter	From	To																																																																																																																
<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>19</u> feet																																																																																																																
<u>250</u> inches	<u>4</u> inches	<u>3</u> feet	<u>370</u> feet																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																
Number	From	To																																																																																																																	
<u>20</u> perforations	<u>320</u> feet	<u>370</u> feet																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																	
<u>35</u>	<u>370</u>	<u>1</u>																																																																																																																	
_____	_____	_____																																																																																																																	
_____	_____	_____																																																																																																																	
Bore Diam.	Depth		Material	Water																																																																																																															
	From	To		Yes	No																																																																																																														
	<u>0</u>	<u>4</u>	<u>CLAY</u>																																																																																																																
	<u>4</u>	<u>75</u>	<u>CLAY</u>																																																																																																																
	<u>75</u>	<u>80</u>	<u>SAND</u>																																																																																																																
	<u>80</u>	<u>175</u>	<u>CLAY</u>																																																																																																																
	<u>175</u>	<u>175</u>	<u>SAND</u>																																																																																																																
	<u>175</u>	<u>235</u>	<u>SAND</u>																																																																																																																
	<u>235</u>	<u>325</u>	<u>SAND</u>																																																																																																																
	<u>325</u>	<u>325</u>	<u>SAND</u>																																																																																																																
	<u>325</u>	<u>340</u>	<u>CLAY</u>																																																																																																																
	<u>340</u>	<u>370</u>	<u>SAND</u>																																																																																																																

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____

County IDAHO
SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24, T. 70 N., R. 2 E., S.



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

May 30, 2012

CHRIS BEARDEN
16967 HWY 95 S
GRANGEVILLE ID 83530

RE: PERMIT TO APPROPRIATE WATER 85-15537 AND 85-15635

Dear Permit Holder(s):

I am planning to conduct water right examinations in the vicinity of the above-referenced permits on June 13th, 14th, and 15th. An examination is a necessary step in the water appropriation process. During the examination, I will verify your water uses pursuant to your permits (copy enclosed).

In order to conduct your exam as efficiently as possible, please call me at (208) 287-4944 to schedule a day and time that is convenient for you. Please be advised that you will need to operate your system under normal conditions during the examination.

I look forward to meeting with you and working towards finalizing permits 85-15537 and 85-15635.

Sincerely,

Cherie Palmer, Sr. Water Resource Agent
Water Allocation Bureau