



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 12, 2013

TERRENCE C. HEATON
102 HWY 28
SALMON, ID 83467

RE: Water Appropriation Permit 74-15075

Request for Information

Dear Permit Holders:

In 2004 IDWR issued permit 74-15075 authorizing the development of a right to divert 0.04 cfs of water from wastewater within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 9, Township 21 North, Range 22 East, B.M., for stockwater use.

The final step in the water appropriation process is the issuance of a Water Right License. By issuing a license, IDWR recognizes that water has been put to beneficial use in accordance with the permit. For your convenience, I am enclosing a copy of permit(s) listed above.

In an attempt to expedite the licensing process, IDWR would like for you to provide the following information regarding your permit:

Point of Diversion Information:	Please indicate the location of the point of diversion on the enclosed map. Photographs of the pump at the point of diversion. If possible, GPS coordinates of pump location – latitude/longitude.
Compliance with Fish Screen Requirement:	Pictures and description of fish screen.
Place of Use Information:	Two potential stock areas were identified on the enclosed map. Please verify the location of the stockwater place of use on the enclosed map.

Please provide the requested information within the next thirty (30) days. IDWR will withhold further action on your permit for 30 days from the date of this letter in order to allow you time to respond. If IDWR does not receive a response from you within this time period, it will be assumed that you are not interested in pursuing a water right license, and action may be taken to void the permit. If you need additional time to respond, please contact me to discuss your options.

If you have any questions, please contact me at 208-287-4938. Thank you for your attention to this matter.

Respectfully,

Danielle Favreau
GIS Analyst
Technical Services Bureau

Enclosures