

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**

NO. 25-07616

Priority: August 24, 1992

Maximum Diversion Rate: 0.04 CFS

This is to certify, that HELEN E DAVENPORT Or  
MERLIN K DAVENPORT  
6135 E SUNNYSIDE RD  
IDAHO FALLS ID 83406

has applied for a permit to appropriate water from:

**Source:** GROUND WATER

and a permit is APPROVED for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER NW $\frac{1}{4}$ SE $\frac{1}{4}$  Sec. 30 Twp 02N Rge 39E, B.M. BONNEVILLE County

**PLACE OF USE:** DOMESTIC

| Twp | Rge | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 02N | 39E | 30  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |        |

**CONDITIONS OF APPROVAL**

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2014**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 11<sup>th</sup> day of July, 2013.

  
for GARY SPACKMAN, Director