

25 7616

Form 202
6/85

Ident. No. _____

7655

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


To appropriate the public waters of the State of Idaho


1. Name of applicant Merlin K. or Helen E. Davenport Phone 523-2291
Post office address 6135 E. Sunnyside Road Idaho Falls 83406
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec. 30 Township 2 N Range 39 E B.M. Bonneville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.06 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works: 0.04 cfs
- a. Description of ditches, flumes, pumps, headgates, etc. well pump mainline to two
domestic homes (one ^{already} under 25-7431) and irrigation of 4 acres
(2 acres ^{already} under 25-7431)
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 8" inches; proposed depth of well is 245 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

Per telecan with
Helen Davenport 5/31/13

- Remarks: Well drilled in 1972 and system installed. System has been in continuous use since 1972

IONA 1.6 MI. 55' R 39 E 570 000 FEET 428



A large grid of graph paper, consisting of 20 columns and 20 rows of squares. The grid is drawn with thin black lines. In the center of the grid, the words "SEE ATTACHED MAP" are handwritten in a dark, slightly slanted, sans-serif font. The text is positioned approximately in the middle of the grid, spanning about 10 columns and 2 rows.

Merlin K. Havenport
(Applicant)

Assigned by Kew 8-20-1992
Received by Wm Date 8/24/92 Time 8:08
Preliminary check by CR# 1559
Fee \$ 30.00 Received by Date 8-24-92
Received by Date
Published in Date
Publication prepared by Date
Publication approved by Date

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____

03-Sep-1992

MERLIN K OR HELEN E DAVENPORT
6135 E SUNNYSIDE RD
IDAHO FALLS ID 83406

RE: Application for Water Right No. 25-07616

Dear Mr. & Mrs. Davenport:

In response to record low streamflows and declining groundwater levels resulting from drought conditions, the Director of the Department of Water Resources has declared a moratorium on approval on certain pending and future applications to appropriate water in the Snake River Basin. The moratorium applies to both surface water and groundwater appropriations.

At this time, the Department cannot take action on your application and we will put your application for permit into a moratorium hold file. Should the Department lift the moratorium sometime in the future, you will receive written notice from this office.

Sincerely,


Harold W. Jones *rb*
Water Right Supervisor

HWJ/rb



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

June 12, 2013

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

Merlin K or Helen E Davenport
6135 E Sunnyside Rd
Idaho Falls ID 83406

Application For Permit No. 25-7616

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the POST REGISTER on June 20 and 27, 2013. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Sharla Cox
Administrative Assistant

Cox, Sharla

From: Cox, Sharla
Sent: Wednesday, June 12, 2013 11:30 AM
To: 'Post Register (legalnotices@postregister.com)'
Subject: Legal Notice for your paper
Attachments: Post Register E-Mail.doc

Contacts: Post Register

Sharla

Sharla Cox
Administrative Assistant
Idaho Department of Water Resources
900 N. Skyline Dr. Ste. A
Idaho Falls ID 83402
208-525-7161 - telephone
208-525-7177 - fax
sharla.cox@idwr.idaho.gov

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7616

MERLIN K OR HELEN DAVENPORT

6135 E SUNNYSIDE RD

IDAHO FALLS ID 83405

Point of Diversion

NWSE S30 T02N R39E

BONNEVILLE County

Source GROUND WATER Tributary

Use: DOMESTIC

1/01 to 12/31 0.04 CFS

Use: IRRIGATION

4/01 to 10/31 0.06 CFS

Total Diversion: 0.1 CFS

Date Filed: 8/24/1992

Place Of Use: IRRIGATION

T02N R39E S30 NWSE

Total Acres: 2

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before July 8, 2013. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on June 20 and 27, 2013

