

[illegible]

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

Measurements N/A

E. NARRATIVE/REMARKS/COMMENTS

DOMESTIC USE: Assessor information per: ArcMap photo, tax lot research confirmed dwelling on site for identified owner.

POU and POD located within Lot 14, Diamone Park Subdivision

Assume fish screen is installed with submission of proof.

Annual volume reflects indoor and outdoor use.

Have conditions of permit approval been met? ☒ Yes ☐ No

F. FLOW CALCULATIONS

Measured Method: ☐ Additional Computation Sheets Attached
ALLOW PERMIT RATE

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A
 $VI.R. = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$
 $VD.R. = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of VI.R. and VD.R.} =$

2. Volume Calculations for Other Uses: ALLOW
1.2 AF

H. RECOMMENDATIONS

1. Recommended Amount

BENEFICIAL USE	PERIOD OF USE		RATE OF DIVERSION ANNUAL	
	From	To	Q(cfs)	V(afa)
DOMESTIC	01/01	12/31	0.04	1.20

TOTALS 0.04 1.20

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Jean Hersley
Reviewer

Date 4/01/2013
Date



