



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

4/15/2013

Joseph Callaghan
Patricia Callaghan
227 S. Agate Dr.
Salmon, ID 83467

RE: Water Appropriation Permit 75-14619

Request for Information

Dear Permit Holders:

In 2009 IDWR issued permit 75-14619. 75-14619 authorizes the development of a right to divert 0.02 cfs of water from Salmon River, tributary to the Snake River, within NWNE (Lot 1) of Section 10, Township 18 North, Range 21 East, B.M., for irrigation use.

The final step in the water appropriation process is the issuance of a Water Right License. By issuing a license, IDWR recognizes that water has been put to beneficial use in accordance with the permit. For your convenience, I am enclosing a copy of permit listed above.

In an attempt to expedite the licensing process, IDWR would like for you to provide the following information regarding your permit:

Point of Diversion Information:	Photographs of the pump and the point of diversion. If possible, GPS coordinates of pump location – latitude/longitude.	
Pump Information:	Make, Model, Serial Number, and Horse Power of Pump	
Sprinkler Information:	Size of water line. Size, type, number of nozzles and gallon per minute of sprinklers.	

Permit 75-14619 includes the following conditions:

9 Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the Watermaster suitable control of the diversion.

#8 The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire follow of water being diverted in connection of this right. If the right holder uses a conduit, the straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.

Photographs of:	A lockable device attached to the diversion that will provide the Watermaster control of the diversion.	
	A straight length of conduit or ditch suitable for installation of a device for measuring the entire follow of water being diverted.	

The photographs submitted should be of sufficient number and at sufficient angles in order to confirm compliance with the conditions listed on the permit.

In addition, I have enclosed a map of the identified Place of Use for Permit 75-14619. Based on the map provided and the 2011 NAIP imagery, 0.4 acres of irrigation has been identified in the NWNE of Sec. 10 T. 18N. R. 21 E. If additional acreage is being irrigated, please indicate where on the provided map and photographs of the additional irrigated acres. Please note that impermeable surfaces such as homes and driveways cannot be included in the irrigated acreage.

Please provide the requested information within the next sixty (60) days. Please contact the Department if additional time to provide the information is needed.

If you have any questions, please contact me at 208-287-4938. Thank you for your attention to this matter.

Respectfully,

A handwritten signature in cursive script, appearing to read "Danielle Favreau".

Danielle Favreau
GIS Analyst
Technical Services Bureau

Enclosures



IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report

4/15/2013

WATER RIGHT NO. 75-14619

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	JOSEPH CALLAGHAN
Current Owner	PATRICIA CALLAGHAN
	227 SOUTH AGATE DR
	SALMON, ID 83467
	(208)894-2420

Priority Date: 09/09/2009

Status: Active

<u>Source</u>	<u>Tributary</u>
SALMON RIVER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	04/01	10/31	0.02 CFS	
Total Diversion			0.02 CFS	

Location of Point(s) of Diversion:

SALMON RIVER	NWNWNE Lt 1	Sec. 10	Township 18N	Range 21E	LEMHI County
--------------	-------------	---------	--------------	-----------	--------------

Place(s) of use:

Place of Use Legal Description: IRRIGATION LEMHI County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
18N	21E	10	1	NWNE	0.6									

Total Acres: 0.6

Conditions of Approval:

1.	X60	Place of use is located within Lots 75-77, Blk. 1; Salmon River Estates Unit 2.
2.	R67	This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
3.	X59	Point of diversion is located within Lot 77, Blk. 1, Salmon River Estates Unit 2.
4.	198	When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
5.	197	Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
6.	196	The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
7.	195	Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide suitable control of the diversion.
8.	029	Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.

Dates:

Proof Due Date: 01/01/2011

Proof Made Date: 11/02/2010

Approved Date: 12/11/2009

Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Application Received Date: 09/09/2009

Protest Deadline Date: 11/23/2009

Number of Protests: 0

Field Exam Date::

Date Sent to State Off:

Date Received at State Off:

Other Information:

State or Federal:

Owner Name Connector: And/Or

Water District Number:

Generic Max Rate per Acre: 0.03

Generic Max Volume per Acre: 3.5

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

Close