



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

February 21, 2013

Rick Sager
Watermaster WD 74
985 Hwy 28
Salmon ID 83467

RE: Application for Transfer 78420

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered during regional review. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Please contact this office if you have any questions regarding the application.

Sincerely,

Judea Jones
Administrative Assistant

Enclosure(s)

State of Idaho
Department of Water Resources

RECOMMENDATION OF WATERMASTER

Application No.: 78420

Applicant's Name: Eagle Valley Ranch LLC

Watermaster's Recommendation:

- a) ☐ I do not oppose approval of this application.
b) ☐ I do not oppose approval of this application if it is conditioned as follows:

c) ☐ I oppose approval of this application for the following reasons:

d) ☐ Additional Comment:

Dated this _____ day of _____, 20_____.

Water District No: 74

Watermaster's Signature