

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14734

Priority: August 28, 2012

Maximum Diversion Rate: 0.06 CFS

This is to certify, that MILTON KIRK EBERHARD And
GLORIA H EBERHARD
PO BOX 251
CARMEN ID 83462

has applied for a permit to appropriate water from:

Source: WASTE WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

WASTE WATER NW¼NE¼ Sec. 17 Twp 22N Rge 22E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	22E	8															2.9		2.9
22N	22E	17																	.1

Total Acres: 3

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2014**.
2. Subject to all prior water rights.
3. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 75D.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
6. The waste water diverted under this right is subject to the right of the original appropriator, in good faith and in compliance with state laws governing changes in use and/or expansion of water rights, to cease wasting water, to change the place of use or manner of wasting it, or to recapture it.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14734

7. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 14th day of December, 2012.


for GARY SPACKMAN, Director

