

[illegible]

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

Measurements N/A

E. NARRATIVE/REMARKS/COMMENTS

DOMESTIC USE: Assessor information per : ArcMap photo, tax lot research confirmed dwelling on site for identified owner.

POU is Steamboat Recreation Site Lot 7

Fish screen is in place at POD.

Have conditions of permit approval been met? ☒ Yes ☐ No

F. FLOW CALCULATIONS

Measured Method:

☐ Additional Computation Sheets Attached

ALLOW PERMIT RATE

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$VI.R. = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$VD.R. = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of VI.R. and VD.R.} =$

2. Volume Calculations for Other Uses: ALLOW
1.2
AF for
domestic

H. RECOMMENDATIONS

1. Recommended Amount

BENEFICIAL USE	PERIOD OF USE		RATE OF DIVERSION ANNUAL	
	From	To	Q(cfs)	V(afa)
DOMESTIC	01/01	12/31	0.04	1.20

TOTALS 0.04 1.20

2. Recommended Amendments


☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

I. AUTHENTICATION

Field Examiner's Name Jean Hersley
Reviewer



Date 11/27/2012
Date

94-8282

Untitled - ArcMap

File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help

Process POU POO Wells SC WMIS Dam Safety UIC WRA WSB Hydrologic

Editor

1:618

Identify

Identify From: Taddots

Taddots

P. DOUGLAS SMITH, ET AL.

Location: 2,338,671.409 1,831,070.116 Meters


Field	Value
ID	854740
UPDATED	1/18/2012
PIN	RPO324000A0070
OWNER	P. DOUGLAS SMITH, ET AL.
ADDRESS1	20786 N RIMROCK RD
ADDRESS2	
CITY	HAYDEN
STATE	ID
ZIPCODE	83835
P_ADDRESS	
P_ZIPCODE	
SUB_NAME	STEAMBOAT REC. SITES
LEGAL1	STEAMBOAT RECREATION SITES
LEGAL2	LOT 7
LEGAL3	24-50-2
LEGAL4	
LEGAL5	
LEGAL6	
ACRES	0.4
COUNTY	Shoshone
SOURCE	
YEAR_BUILT	<null>

Identified 1 Feature

bing

Drawing

10 Arial



94-8282