

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-10877

Priority: July 21, 2009

Maximum Diversion Rate: 0.08 CFS

This is to certify, that SYLTE RANCH LLC
8626 W SYLTE RANCH RD
RATHDRUM ID 83858-6820

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS
STOCKWATER	01/01 to 12/31	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE1/4SE1/4 Sec. 30, Twp 52N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N 04W 30													6.0			4.0	10.0

Total Acres: 10

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N 04W 30													X			X	

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **July 01, 2013**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-10877

5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
7. Stockwater use is for 20 head of mixed stock.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 20th day of September, 2012.


for GARY SPACKMAN, Director

