

Van Bussum, Monica

From: John Marshall [john@jmarshalllaw.com]
Sent: Wednesday, July 25, 2012 2:31 PM
To: Van Bussum, Monica
Subject: Re: Water bank application maps
Attachments: Map 02-2262 1.pdf

Monica, attached is the map for 2-2262. Let me know if you have questions.

Thanks, John

On Mon, Jul 16, 2012 at 9:02 AM, Van Bussum, Monica <Monica.VanBussum@idwr.idaho.gov> wrote:

Hi John,


This map looks really good. I would only ask for a map legend so the record is clear the acres in orange are the ones offered. As to 2-2262, that is a really good question and one we've had several occasions to discuss over here. I have spoken with Director Spackman on a couple of occasions about this type of situation and have confirmed the Department needs a map showing idled acres, even from an irrigation district with a PPU. I can talk more in-depth about it if you would like.

Monica

From: John Marshall [mailto:john@jmarshalllaw.com]
Sent: Tuesday, July 10, 2012 4:00 PM
To: Van Bussum, Monica
Subject: Water bank application maps

Monica,

I've attached a map we put together for the water bank application for 02-2186. Before we get going on the others, I wanted to make sure something like this is acceptable. Also, with regard to 02-2262, because of its permissible place of use and digital boundary, is a map required for this right?



Van Bussum, Monica

From: John Marshall [john@jmarshalllaw.com]
Sent: Thursday, August 23, 2012 3:54 PM
To: Van Bussum, Monica
Subject: Re: Water bank application maps
Attachments: Grindstone 2012 water bank land list Sheet1.pdf

Hi Monica. I've got the the land list done, and it is attached. I've gone back over this a couple of different times and worked it off of two different maps and cannot reconcile how we came up with the 2,971 acres in the application for 2-2262. Best I can come up with is that I transposed a 3 for a 9 going from notes to the applications. In any event, the map I sent earlier and the attached land list come in at around 2,370 acres. Our fine tuned number based on the land list is 2,376 acres idled for the bank. The corresponding adjustment to the diversion rate and volume are 32.02 cfs and 9,504 AF. If you need an amended application, please let me know. Thank you,

John

On Fri, Aug 17, 2012 at 4:18 PM, Van Bussum, Monica <Monica.VanBussum@idwr.idaho.gov> wrote:
Hi John,

No, I don't see anything different. I've just been asking for shapes for big leases like this so I can better visualize it within our ArcMap projects. If you don't want to, I can hand check the land list. The land list is most important at this point.

Monica

From: John Marshall [mailto:john@jmarshalllaw.com]
Sent: Fri 8/17/2012 3:45 PM

To: Van Bussum, Monica
Subject: Re: Water bank application maps

Hi Monica, I'm back in town, dug out from post-vacation piles and have my attention turned to getting the water bank applications finalized. On 2262, I can produce a land list but am confused by the request for a shapefile. Is this something different than the map I sent previously?

Thanks, John

On Sat, Aug 4, 2012 at 9:48 AM, Van Bussum, Monica <Monica.VanBussum@idwr.idaho.gov> wrote:

Hi John,

I apologize for sending emails about the same topic. It can get confusing. I'll condense what I need for the Grindstone Butte application into one email.

To complete processing, I need a shapefile for the leased acres and a complete land list for the idled acres describing the 2,971 acres to be idled.

Please call or email if you have questions. I'll be in the office Monday morning and then available at home. I'm still working part-time because of maternity leave, hence the sporadic schedule. I will be back in the office full-time beginning August 22.

Monica

From: Van Bussum, Monica
Sent: Saturday, August 04, 2012 9:39 AM
To: 'John Marshall'
Subject: RE: Water bank application maps

Hi John,

Do you have a shapefile for the idled acres? That would be really helpful. Thanks!

Monica

From: John Marshall [<mailto:john@jmarshalllaw.com>]
Sent: Wednesday, July 25, 2012 2:31 PM
To: Van Bussum, Monica
Subject: Re: Water bank application maps

Monica, attached is the map for 2-2262. Let me know if you have questions.

Thanks, John

On Mon, Jul 16, 2012 at 9:02 AM, Van Bussum, Monica <Monica.VanBussum@idwr.idaho.gov> wrote:

Hi John,

This map looks really good. I would only ask for a map legend so the record is clear the acres in orange are the ones offered. As to 2-2262, that is a really good question and one we've had several occasions to discuss over here. I have spoken with Director Spackman on a couple of occasions about this type of situation and have confirmed the Department needs a map showing idled acres, even from an irrigation district with a PPU. I can talk more in-depth about it if you would like.

Monica

From: John Marshall [mailto:john@jmarshalllaw.com]

Sent: Tuesday, July 10, 2012 4:00 PM

To: Van Bussum, Monica

Subject: Water bank application maps

Monica,

I've attached a map we put together for the water bank application for 02-2186. Before we get going on the others, I wanted to make sure something like this is acceptable. Also, with regard to 02-2262, because of its permissible place of use and digital boundary, is a map required for this right?

Tw	Rng	Sec	Tract	Acres	Tract	Acres	Tract	Acres	Tract	Acres	Totals	
06S	09E	22	NENE		SENE						0	
			NESE		SESE						0	
		23	SENE								0	
			NENW	7.5	NWNW	7.5	SWNW	7.5	SENW	7.5	30	
			NESW		SESW						0	
			NESE	7.5	NWSE	7.5	SWSE	7.5	SESE	7.5	30	
		24	SWNW								0	
			NESW	7.5	NWSW	7.5	SWSW	7.5	SESW	7.5	30	
		25	NENE		NWNE		SWNE		SENE		0	
			NENW		NWNW		SWNW		SENW		0	
			NESW	7.5	NWSW	7.5	SWSW	7.5	SESW	7.5	30	
			NESE		NWSE		SWSE		SESE		0	
		26	NENE	7.5	NWNE	7.5	SWNE	7.5	SENE	7.5	30	
			NENW		SWNW		SENW				0	
			NESW	7.5	NWSW	7.5	SWSW	7.5	SESW	7.5	30	
			NESE		SESE						0	
		27	SENE								0	
			SWSW		SESW						0	
			NESE		SWSE		SESE				0	
		28	SWSW		SESW						0	
			SWSE	7.5	SESE	7.5					15	
		33	NENE	7.5	NWNE	7.5					15	
			NENW		NWNW						0	
		34	NENE		NWNE		SWNE		SENE		0	
			NENW		NWNW		SWNW		SENW		0	
			NESE	18							18	
		35	NENE	7.5	NWNE	7.5	SWNE	7.5	SENE	7.5	30	
			NENW		NWNW		SWNW		SENW		0	
			NWSW	17	SWSW	40					57	
			SWSE	7.5	SESE	7.5					15	
		36	NENE	7.5	NWNE	7.5	SWNE	7.5	SENE	7.5	30	
			NENW	7.5	NWNW	7.5	SWNW		SENW	5	20	
			NESW	7.5	NWSW	7.5	SWSW	7.5	SESW	7.5	30	
			NESE	7.5	NWSE	7.5	SWSE	7.5	SESE	7.5	30	
		10E	30	NENW		SWNW		SENW				0
				NESW		NWSW		SWSW	7.5	SESW	7.5	15
				SWSE		SESE						0
			31	NENE		NWNE	6.5	SWNE	6.5	SENE		13
				NENW	1	NWNW	7.5	SWNW	7.5	SENW	1	17
				NESW	7.5	NWSW	9	SWSW	14.5	SESW	9	40
	NESE		7.5	NWSE	7.5	SWSE	7.5	SESE	7.5	30		
32	NWNW			SWNW						0		
	NESW	10.5	NWSW	11	SWSW	7.5	SESW	11	40			
07S	09E	1	NENE		NWNE					0		
			NENW		NWNW					0		
			NESW		NWSW		SESW			0		
			NESE		NWSE		SWSE		SESE	0		
		2	NENE		NWNE					0		

	NENW	NWNW				0
	3 NENE					0
	10 SESE	38				38
	11 SWNE	39 SENE	38			77
	NESW	40 SWSW	30 SESW	32		102
	NESE	40 NWSE	40 SWSE	36.5 SESE	40	156.5
	12 NESW	40 NWSW	40 SWSW	40 SESW	40	160
	SWSE	33				33
	13 NENE	40 NWNE	40 SWNE	40 SENE	40	160
	NENW	40 SENW	33			73
	NESE	36 NWSE	33			69
	14 NWNW	40				40
	15 NENE	40				40
10E	4 SWNW	SENW				0
	NESW	7.5 NWSW	7.5 SWSW	7.5 SESW	7.5	30
	NESE	7.5 NWSE	7.5 SWSE	7.5 SESE	7.5	30
	5 SWNE	SENE				0
	SWNW	SENW				0
	NESW	7.5 NWSW	7.5 SWSW	7.5 SESW	7.5	30
	NESE	7.5 NWSE	7.5 SWSE	7.5 SESE	7.5	30
	6 SENE					0
	SWNW	SENW				0
	NESW	NWSW	SWSW	SESW		0
	NESE	SESE	40			40
	7 NENE	NWNE	SENE	7.5		7.5
	8 NENE	NWNE	SWNE	SENE		0
	NENW	7.5 NWNW	7.5 SWNW	7.5 SENW	7.5	30
	NESW	NWSW				0
	NWSE	SWSE				0
	9 NENE	NWNE	SWNE	SENE		0
	NENW	7.5 NWNW	7.5 SWNW	7.5 SENW	7.5	30
	NESW	NWSW				0
	NESE	7.5 NWSE	7.5 SWSE	7.5 SESE	7.5	30
	10 NWNW	SWNW				0
	NESW	7.5 NWSW	7.5 SWSW	7.5 SESW	7.5	30
	14 SWSW					0
	15 NWNE	SWNE				0
	NENW	7.5 NWNW	7.5 SWNW	7.5 SENW	7.5	30
	NESW	NWSW	SWSW	SESW		0
	NESE	NWSE	SWSE	SESE		0
	16 NENE	7.5 NWNE	7.5 SWNE	7.5 SENE	7.5	30
	NENW	7.5 NWNW	7.5 SWNW	7.5 SENW	7.5	30
	NESW	7.5 NWSW	7.5 SWSW	6.5 SESW	0.5	22
	NESE	NWSE	SWSE	SESE		0
	17 NENE	7.5 NWNE	6.5 SWNE	6.5 SENE	7.5	28
	18 SWNW	40				40
	NESW	40 NWSW	40			80
	20 SWNE					0
	NENW	7.5 NWNW	7.5 SWNW	SENW		15

	NWSE	SWSE	SESE	7.5	7.5
21	NENE	NWNE	SWNE	SENE	0
	SENW				0
	NESE	NWSE			0
22	NENE	7.5 NWNE	7.5 SWNE	7.5 SENE	7.5
	NWNW	SWNW	SENE		30
	NESW	NWSW	SWSW	SESW	0
	NESE	7.5 NWSE	7.5 SESE	7.5	22.5
23	NENW	7.5 NWNW	7.5 SWNW	7.5 SENW	7.5
	NESW	7.5 NWSW	7.5 SWSW	7.5 SESW	7.5
	NWSE	SWSE	SESE		0
26	NENE	7.5 NWNE	7.5 SWNE	7.5 SENE	7.5
	NENW	NWNW			30
27	NENE	5 NWNE	5 SWNE	5 SENE	20
	NENW	5 SENW	5		35
	NESW	SESW			10
	NESE	NWSE	SWSE	SESE	0
28	SWNE	7.5 SENE	7.5		0
	NWNW	SWNW			15
	NESW	NWSW			0
	NESE	7.5 NWSE	7.5		0
29	NENE	NWNE	SWNE	7.5 SENE	7.5
	NESE	7.5 NWSE	7.5 SWSE	7.5 SESE	7.5
34	NENE	NWNE			30
					2376

1068.5

Van Bussum, Monica

From: Van Bussum, Monica
Sent: Saturday, August 04, 2012 9:49 AM
To: 'John Marshall'
Subject: RE: Water bank application maps

Hi John,

I apologize for sending emails about the same topic. It can get confusing. I'll condense what I need for the Grindstone Butte application into one email.

To complete processing, I need a shapefile for the leased acres and a complete land list for the idled acres describing the 2,971 acres to be idled.

Please call or email if you have questions. I'll be in the office Monday morning and then available at home. I'm still working part-time because of maternity leave, hence the sporadic schedule. I will be back in the office full-time beginning August 22.

Monica

From: Van Bussum, Monica
Sent: Saturday, August 04, 2012 9:39 AM
To: 'John Marshall'
Subject: RE: Water bank application maps

Hi John,

Do you have a shapefile for the idled acres? That would be really helpful. Thanks!

Monica

From: John Marshall [<mailto:john@jmarshalllaw.com>]
Sent: Wednesday, July 25, 2012 2:31 PM
To: Van Bussum, Monica
Subject: Re: Water bank application maps

Monica, attached is the map for 2-2262. Let me know if you have questions.

Thanks, John

On Mon, Jul 16, 2012 at 9:02 AM, Van Bussum, Monica <Monica.VanBussum@idwr.idaho.gov> wrote:

Hi John,

This map looks really good. I would only ask for a map legend so the record is clear the acres in orange are the ones offered. As to 2-2262, that is a really good question and one we've had several occasions to discuss over here. I have spoken with Director Spackman on a couple of occasions about this type of situation and have confirmed the Department needs a map showing idled acres, even from an irrigation district with a PPU. I can talk more in-depth about it if you would like.

Monica

From: John Marshall [mailto:john@jmarshalllaw.com]

Sent: Tuesday, July 10, 2012 4:00 PM

To: Van Bussum, Monica

Subject: Water bank application maps

Monica,

- I've attached a map we put together for the water bank application for 02-2186. Before we get going on the others, I wanted to make sure something like this is acceptable. Also, with regard to 02-2262, because of its permissible place of use and digital boundary, is a map required for this right?