

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 23-11418

Priority: August 10, 2011

Maximum Diversion Rate: 1.50 CFS

It is hereby certified that JEFFREY ALEIXO And/Or
MICHELLE ALEIXO
C/O HOLDEN KIDWELL HAHN & CRAPO PLLC
PO BOX 50130
IDAHO FALLS ID 83405-0130 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 10, 2011; and has submitted Proof
of Beneficial Use on June 12, 2012; and a water right has been established as follows:

SOURCE

PALISADES CREEK

Tributary: SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
AESTHETIC	04/15 to 10/15	1.50 CFS	
RECREATION	04/15 to 10/15	1.50 CFS	

LOCATION OF POINT(S) OF DIVERSION:

PALISADES CREEK SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 25 Twp 01N Rge 44E, B.M. BONNEVILLE County

PLACE OF USE: AESTHETIC and RECREATION

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01N	44E	25							X				X						

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 01.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion(s).
3. To divert water in connection with this right, the right holder shall use a pump that is installed outside the high water mark of Palisades Creek or installed in a shallow well or sump constructed or excavated outside the high water mark but near enough to Palisades Creek that diversions of water from it cause the flow of Palisades Creek to be diminished by at least 50% of the diversion rate within a 24 hour period. If the right holder elects to install a well or sump, prior to its construction or excavation, the right holder shall submit a report prepared by a licensed professional engineer or geologist that demonstrates the depletion requirement of this condition and shall receive written approval from the Department. If the permit holder does not employ a shallow well or sump, only a flexible pipe may extend from the pump to the water below the high water mark, and the intake for the flexible pipe shall be screened with $\frac{1}{4}$ -inch or smaller mesh to protect fish and wildlife

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 23-11418

CONDITIONS OF APPROVAL

4. Use of water under this right shall be non-consumptive.
5. The consumptive elements associated with the 1 acre-foot pond are covered under water right 23-11387.
6. Recreation and aesthetic uses are to maintain constant flow through a 1 acre-foot pond established under water right 23-11387.
7. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 15th day of August, 2012.



for GARY SPACKMAN
Director



Idaho Department of Water Resources

Water Right
23-11418
(RECREATION)

-  Point of Diversion
-  Place of Use
-  State Outline
-  Townships
-  PLS Sections
-  Quarter Quarters




Bonneville County
IDWR Basin 23

Prepared by Carlson, Dave

2009 Aerial Photography

R44E



T01N

