



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

April 26, 2012

PETER HOLM
7326 RIM RD
NAMPA ID 83686

COPY


RE: 63-33373 PERMIT SUBJECT TO LICENSING

I am reviewing a group of permits split from the original permit owned by Greg Johnson. As the original property was developed prior to being split I would like to conduct the field verification for all four permits at the same time. As the original point of diversion (POD) is still associated with all permits much of the information to resolve one permit will also be applicable to the remaining permits. There is some indication that each split will eventually be associated with a new well. However as the system was developed from a single well, the ultimate licenses will reflect the original well and a transfer will be required for each new well.

The aerial photo clip to the right shows the original permit place of use (POU) as currently split. For each individual I am attaching a closer view of the respective POU associated with each split.

Permit splits

63-11702	J Line LP
63-33374	Richard Fraser
63-33375	Tom White
63-33373	Peter Holm



In reviewing the currently available information it appears that the original well was capable of delivering over one inch per acre for the original permitted POU. However, when proof of beneficial use was

submitted the fees paid limits the maximum recognizable diversion rate to 2.00 cfs. Based upon an office evaluation of the combined irrigated acreage now associated with the 4 permits it appears that to recognize a full inch per acre (0.02 cfs/ac) an additional \$15.00 fee would be necessary. At 2.00 cfs and the office acreage, the rate per acre would be 0.018 cfs per acre. The \$15.00 (however paid) would cover all 4 splits.

The primary reason for field verification is to confirm the actual irrigated acreage by permit, the historical irrigation system, and to GPS the POD. It is not required for each permit holder to be present during the field verification but I prefer meeting with each permit owner as direct interaction is less likely to generate miscommunication. I do need to work with at least one individual to layout the historical system and identify the original well.

Specific to 63-33373 I found the outlined POU to be 8 irrigated acres as shown in the following layout. My expectation is to recognize your use for 8 acres at 0.14 cfs based upon the beneficial use fee limits. If the additional fee is paid then I could recognize 0.16 cfs.

It is my intention to schedule a field visit in coordination with the other permit holders to review the systems on the same day. Please respond as to a timeframe that would work for you and after responses from the other individuals, I can set a date and time to meet at the property.

You can reach me at 208-334-2190 (ask for Kelly) and we can discuss the permit and the licensing process in greater detail.

You may also reach me by e-mail at the address shown below.

Sincerely

COPY

Kelly K Christensen
Sr Water Resource Agent
Western Region
e-mail address kelly.christensen@idwr.idaho.gov
cc: J Line LP; Peter Holm, Richard Fraser; and Tom White

63-33373

TWP 1N, RNG 2W, Sec 24

2011 AERIAL PHOTO

