

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 11-07151

RECEIVED
JUL 23 2012
DEPARTMENT OF
WATER RESOURCES

Date of Priority: July 27, 1978

Maximum Diversion Rate: 3.68 CFS
Maximum Diversion Volume: 1,053.0 AF

Comes now PAUL H DAINES
105 OLD MILL RD
MONTPELIER ID 83254

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 11-07151, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/31	3.68 CFS	1,053.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NE $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 5, Twp 14S, Rge 45E, B.M.	BEAR LAKE County
GROUND WATER	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 5, Twp 14S, Rge 45E, B.M.	BEAR LAKE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S 45E 5						38.0	34.0		40.0	24.0	2.3	30.0					234.3
						L 4											
14S 45E 6	31.0	15.0	2.5	18.0													66.5
	L 1	L 2															

Total Acres: 300.8

WATER RIGHT NO. 11-07151

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 18 day of July, 2012.

(Signature)

Paul H. Daines

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 11-07151

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$50- Receipted by SR# 0095765 Date 7/23/2012

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 11-07151 with the following:

CONDITIONS OF APPROVAL

1. This right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 30th day of July, 2012.

for Shelley W. Keen
GARY SPACKMAN
~~Interim~~ Director