

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 92-10162

Exam Date: 6/29/2012

1. Current Owner: GARY DAWSON
5111 S ADAMS ST
SEATTLE WA 98118
(206) 605-0171

2. Accompanied by: In office exam.

3. SOURCE

ST JOE RIVER

TRIBUTARY

COEUR D ALENE LAKE

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None.
2. Other water rights with the same point of diversion: None.

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

ST JOE RIVER L9 SW¼SW¼, Sec. 16, Twp 46N, Rge 02W, B.M., BENEWAH County

Method of Determination: Aerial photography, Bing Maps and Arc Map Data.

2.

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
46N 02W 16	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
											X						
											L 9						

Method of Determination: Aerial photography, Bing Maps and Arc Map Data.

3. N/A Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
- Yes Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- Yes Aerial Photo Attached (required for irrigation of 10+ acres).
- N/A Photo of Diversion and System Attached

4.

Well or Diversion Information not needed.**D. FLOW MEASUREMENTS**

Flow measurement not required as per IDAPA RULE 37.03.02.035.01.r.iii.

E. FLOW CALCULATIONS

The diversion rate for this domestic right is limited to 0.04 cfs or 18 gpm.

F. VOLUME CALCULATIONS

The annual volume for this domestic right is limited to 1.2 AF.

G. NARRATIVE/REMARKS/COMMENTS

This office exam is conducted in accordance with IDAPA RULE 37.03.02.035.01. The verification for this right is based upon the following:

1. Statement of completion
2. Tax Lot information
3. Aerial photography, Bing Maps and Arc Map Data

Have conditions of permit approval been met? ☒ Yes ☐ No**H. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	1.20 AF
	<u>Totals:</u>	0.040 CFS	1.20 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

Field Examiner's Name

Date

Reviewer

Date

A. Taylor
E. [Signature]

7/23/12
7/24/2012

SUZYMAP12.mxd - ArcMap - ArcView

File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help

Identify

Identify from: Taxlots
DAWSON, GARY L

Location: 2,303,117.769 1,795,270.252 Meters

Field	Value
ID	192215
UPDATED	11/3/2010
PIN	RP004500200500A
OWNER	DAWSON, GARY L
ADDRESS1	5111 S ADAMS STREET
ADDRESS2	
CITY	SEATTLE
STATE	WA
ZIPCODE	98118
P_ADDRESS	1060 SHEPHERD ROAD
P_ZIPCODE	83861
SUB_NAME	SHADOWY ST. JOE LAGOON SUBDIVISION
LEGAL1	SHADOWY ST JOE LAGOON 1ST ADD LOT 50 S...
LEGAL2	
LEGAL3	
LEGAL4	
LEGAL5	<null>
ACRES	0.8
COUNTY	Benewah
SOURCE	<null>
YEAR_BUILT	0

Identified 1 feature
Table Of Contents Identify

2303117.769 1795270.252 Meters

8:19 AM