

Christensen, Kelly

From: Christensen, Kelly
Sent: Thursday, May 03, 2012 3:48 PM
To: 'hvs@speedyquick.net'
Subject: 63-32569 permit subject to licensing
Attachments: 63-32569 e-mail letter for info.docx

Attached is a letter describing some issues associated with the permit that I would like to discuss with you. I would also like to set a date that we could meet at your property to gather some additional field information associated with the permit.

Kelly K Christensen
Sr Water Resource Agent
Department of Water Resources
Western Region
(208) 334-2190



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

April 25, 2012

As an e-mail

VAN SLYKE FARMS INC
17605 VAN SLYKE RD
PO BOX 39
WILDER ID 83678

RE: PERMIT SUBJECT TO LICENSING

Dear Howard

I am reviewing your permit for licensing purposes and I need to confirm some information. Ultimately I plan on doing an in-field verification and we can discuss the permit and the points I am raising here in greater detail at that time. I would like to visit with you to schedule a time for a field verification of the issues identified in this letter and possibly additional elements associated with this system.

In the aerial photo clip attached, it shows the ground obviously irrigated as a system. The most significant observation is that it appears that a portion of the field actually is above the S½NE¼ of Sec 6. While this difference can be managed in the ultimate recommendation for licensing purposes, I want to confirm that you own that strip of ground. If correct this will require an amendment to the permitted place of use (POU). I have also marked the location of the point of diversion (POD) where it appears that the well would be located. The photo clip to the right shows a close-up of the area.

In reviewing information contained in the adjudication file for 63-2857 it appears that that right is also associated with this well. The file also indicated that the pump was 5 HP. I will need to confirm the hp during the field visit.

You can reach me at 208-334-2190 (ask for Kelly) and we can discuss the permit and the licensing process in greater detail. I look forward to meeting with you at your home to finalize the permit review for the licensing process.



Sincerely

Kelly K Christensen
Sr Water Resource Agent
Western Region
e-mail address kelly.christensen@idwr.idaho.gov

63-32569

03N, 4W, Sec 6 S½NE¼
(Permit POU)

2011 AERIAL PHOTO

