

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 95-10638

Exam Date: 6/25/2012

1. Current Owner: BONNIE MAUTH
3833 BRIDGEVIEW DR
HARRISON ID 83833
(509)993-5921

2. Accompanied by: In office exam.

3. **SOURCE**

COEUR D ALENE LAKE

TRIBUTARY

SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None.
2. Other water rights with the same point of diversion: None.

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

COEUR D ALENE LAKE

NE1/4SW1/4

Sec. 32, Twp 50N, Rge 03W, B.M.

KOOTENAI County

Method of Determination: Aerial photography, Bing Maps and Arc Map Data.

2.

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>Totals</u>
50N 03W 32									X								

Method of Determination: Aerial photography, Bing Maps and Arc Map Data.

3. N/A Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
Yes Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
Yes Aerial Photo Attached (required for irrigation of 10+ acres).
N/A Photo of Diversion and System Attached

4.

Well or Diversion Information not needed.**D. FLOW MEASUREMENTS**

Flow measurement not required as per IDAPA RULE 37.03.02.035.01.r.iii.

E. FLOW CALCULATIONS

The diversion rate for this domestic right is limited to 0.04 cfs or 18 gpm.

F. VOLUME CALCULATIONS

The annual volume for this domestic right is limited to 1.2 AF.

G. NARRATIVE/REMARKS/COMMENTS

This office exam is conducted in accordance with IDAPA RULE 37.03.02.035.01. The verification for this right is based upon the following:

1. Statement of completion
2. Tax Lot information
3. Aerial photography, Bing Maps and Arc Map Data

Have conditions of permit approval been met? ☒ Yes ☐ No**H. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	1.20 AF
<u>Totals:</u>		0.040 CFS	1.20 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

Field Examiner's Name AP. T. G. Date 7/3/12
Reviewer [Signature] Date 7-03-2012

SUZMAP12.mxd - ArcMap - ArcView

File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help

1.327 Editor

Am Safety UIC WRA WSB Hydrologic

Identify

Identify from: Taxlots

Taxlots

MAUTH, BONNIE M

Location: 2,294,301.645 1,828,988.121 Meters

Field	Value
ID	585788
UPDATED	1/13/2012
PIN	0-2520-005-007-0
OWNER	MAUTH, BONNIE M
ADDRESS1	3833 E BRIDGEVIEW DR
ADDRESS2	
CITY	HARRISON
STATE	ID
ZIPCODE	83833
P_ADDRESS	3833 E BRIDGEVIEW DR
P_ZIPCODE	
SUB_NAME	
LEGAL1	THE FINNEY TR., LT 7 BLK 5
LEGAL2	
LEGAL3	
LEGAL4	
LEGAL5	
LEGAL6	<null>
ACRES	0.5
COUNTY	Kootenai
SOURCE	<null>
YEAR_BUILT	2008

Identified 1 feature

Identify Table Of Contents

Hyperlink

Drawing

Triggers hyperlinks from features

start

Inbox - Micr...

SUZMAP12...

2 Microsoft...

Information ...

Links Desktop

2294301.645 1828988.121 Meters

2:48 PM