

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 35-14256

Priority: April 24, 2012

Maximum Diversion Rate: 0.04 CFS

This is to certify, that KATHLEEN HANSON And/Or
LOEL SCOTT HANSON
7546 S 55 W
IDAHO FALLS ID 83402

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7 Twp 01N Rge 37E, B.M. BONNEVILLE County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	37E	7																	X

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **July 01, 2013**.
2. Subject to all prior water rights.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. Domestic use is for 1 home.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
6. Place of use is located within Bonneville County, Parcel Number RP01N37E077585.
7. Point of diversion is located within Bonneville County, Parcel Number RP01N37E077490.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 14th day of June, 20 12.


for GARY SPACKMAN, Interim Director