

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 47-16824**Date of Priority:** September 19, 2001**Maximum Diversion Rate:** 0.04 CFS**Maximum Diversion Volume:**Comes now W T WILLIAMS INC
3094 N 3200 E

TWIN FALLS ID 83301 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 47-16824, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:


GROUND WATER SE1/4SE1/4NE1/4 Sec. 32, Twp 13S, Rge 17E, B.M.
TWIN FALLS County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13S 17E 18															X		
13S 17E 19				X											L 6		
13S 17E 30			X	X												X	
13S 17E 31	X								X					X			
13S 17E 32									X	X							
14S 17E 5							X										
14S 17E 6	X						L 3							X			
	L 1																

WATER RIGHT NO. 47-16824

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 3 day of MAY, 2012.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 47-16824

FOR DEPARTMENT USE ONLY

Preliminary check by BS Fee = \$100.00 Receipted by BS # 5032536 Date 5/3/2012

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 47-16824 with the following:

CONDITIONS OF APPROVAL

1. Rights 47-16824 and 47-17325 when combined shall not exceed a total diversion rate of 0.07 cfs
and a total maximum daily diversion volume of 13,000 gallons per day.

Witness my hand this 25th day of May, 2012.

FOR


GARY SPACKMAN
Interim Director