

RECEIVED
APR 03 2012
DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No: C094985
Receipt By: DAB
Date Received: 4/3/2012

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been completed and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, please contact any Department office or visit the Department's website at: www.idwr.idaho.gov for an *Assignment of Permit* form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No.: 67-14859 Telephone No.: 208-355-3242
2. Name of Permit Holder(s): Judy Huston
3. Mailing Address: 2262 Waite Rd. City: Midvale
State: ID Zip: 83645 Email: Juston666@gmail.com
4. Source of Water: Ground water If **GROUND WATER** (well), Date Drilled: mo. 1 / yr. 1997
Well Driller: Dallas Drilling Drilling Permit Number: 67-96 W 0111 000
5. Extent of use(s) completed (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): 4 Goats, 3 Donkeys
Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion or storage volume for which proof is submitted: 0.17 cfs OR _____ acre-feet.
7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit: **Refer to the approval conditions on your permit and respond accordingly. The Department will not issue a license if permit conditions are not met.**
- Measuring Device: Is a measuring device required? Yes ☐ No ☒
If yes, has the measuring device been installed? Yes ☐ No ☐
- Lockable Controlling Device: Is a lockable device required to control the diversion? Yes ☐ No ☒
If yes, has the lockable device been installed? Yes ☐ No ☐
- Other Conditions of Permit: Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.
Improvements _____ Completed? Yes ☒ No ☐
8. Fee Enclosed: \$ 100 See fee schedule on back of the instructions for filing proof of beneficial use.
Proofs filed without an appropriate fee, will be considered incomplete.
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Judy Huston Telephone Number: 208-355-3242
Mailing Address: 2262 Waite Rd. City: Midvale
State: ID Zip: 83645 Email: Juston666@gmail.com

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of permit holder: Judy Huston Date: 03/30/12
(Include your title, if on behalf of company or organization)

Mail to: Idaho Department of Water Resources, PO Box 83720, Boise, ID 83720-0098

04/01/12

Idaho Dept. of Water Resources
P. O. Box 83720
Boise, ID 83720-0098

Re: Improvements - *permit # 67-14859*

A frost free faucet was replaced at the point of the beginning. From here hoses and sprinklers are used by setting manually to water the grass, garden area, strawberry patch, flowers, trees, and shrubs, and irrigate one pasture. A local excavation company was hired to dig a trench to bury the water supply equipment. Electrical wiring was extended in this trench as well. One inch poly pipe and fittings were used to extend the water supply to the barn area. The distance of the extension is approximately 250 feet. At the ending point a frost free faucet was installed. From there hoses and sprinklers are used to manually irrigate one pasture and supply water to livestock.

Thank you,



Judy Huston
2262 Waite Rd.
Midvale, ID 83645
208-355-3242