

State of Idaho
Department of Water Resources

AMENDED**Water Right License****AMENDED****WATER RIGHT NO. 63-09890****Priority:** April 19, 1982

Maximum Diversion Rate: 1.43 CFS
Maximum Diversion Volume: 628.6 AF

It is hereby certified that VETERANS ADMINISTRATION MEDICAL CENTER
500 W FORT ST
BOISE ID 83702-4598 has complied with the terms and conditions of the
permit, issued pursuant to Application for Permit dated April 19, 1982; and has submitted Proof of
Beneficial Use on November 28, 1989. An examination confirms water is diverted from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
HEATING	01/01 to 12/31	1.43 CFS	628.6 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE¼SW¼ Sec. 2, Twp 03N, Rge 02E, B.M. ADA County

PLACE OF USE: HEATING

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N 02E 2									X		X	X					

CONDITIONS OF APPROVAL

1. Upon specific notification by the Department, the right holder shall (a) install and maintain acceptable measuring device(s), including data logger(s), temperature gauge(s), and totalizing fluid meter(s), at the authorized point(s) of diversion and reinjection in accordance with Department specifications; (b) report measuring information to the Department upon its request; and (c) contribute a reasonable pro-rata share of costs for periodic updating of the Idaho Water Resources Research Institute, University of Idaho, Boise Front Low Temperature Geothermal Resource Management Area aquifer computer model or its successor. This condition will not be construed to obligate the expenditure of funds by any public agency beyond the amounts available to the agency for such purposes through lawful authorization and appropriation. Part (c) is a condition in an agreement between the right holder and other Boise Front low temperature geothermal water users -- the State of Idaho, City of Boise, Boise Warm Springs Water District, and Terteling Co., Inc. -- dated September 23, 2008, to which the Idaho Department of Water Resources is not a party and which may be enforceable by a court of law. The Idaho Department of Water Resources will not determine or enforce the provisions of part(c) of this condition.
2. All water diverted pursuant to this water right is to be reinjected into the geothermal aquifer from which it is diverted.
3. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-09890

4. Heating use is for the space heating of buildings.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 11th day of April, 2012.



for GARY SPACKMAN
Interim Director