

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09392

Priority: May 23, 2007

Maximum Diversion Rate: 0.22 CFS
Maximum Diversion Volume: 21.1 AF

It is hereby certified that KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 23, 2007; and has
submitted Proof of Beneficial Use on May 27, 2009. An examination indicates that the works have a
diversion capacity of 0.28 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	3.1 AF
IRRIGATION	04/01 to 11/30	0.11 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER, NW¼NE¼NW¼, Sec. 29, Twp 51N, Rge 05W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION, DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	05W	29					3.0	3.0											6.0

Total Acres: 6

CONDITIONS OF APPROVAL

1. When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
2. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
3. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
4. Domestic use is for County Waste Transfer Station public and employee restroom facilities. Irrigation of lawn, garden and landscaping associated with the transfer station is authorized under the irrigation component of this right.
5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
7. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 31 day of January, 2012.


GARY SPACKMAN
Interim Director