

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 47-08406

RECEIVED
MAR 12 2012
DEPARTMENT OF
WATER RESOURCES

Date of Priority: December 12, 1996

Maximum Diversion Rate: 6.00 CFS

Comes now CITY OF TWIN FALLS
PO BOX 1907
TWIN FALLS ID 83303-1907 and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 47-08406, and requests that the permit be changed as follows:


Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	6.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER TWIN FALLS County	SE1/4SW1/4SE1/4	Sec. 29, Twp 10S, Rge 17E, B.M.
GROUND WATER TWIN FALLS County	SE1/4SE1/4SE1/4	Sec. 29, Twp 10S, Rge 17E, B.M.
GROUND WATER TWIN FALLS County	NE1/4SE1/4SE1/4	Sec. 14, Twp 10S, Rge 17E, B.M.
GROUND WATER TWIN FALLS County	NE1/4SE1/4SE1/4	Sec. 14, Twp 10S, Rge 17E, B.M.

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk. Signed this 6th day of February, 2012.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 47-08406

FOR DEPARTMENT USE ONLY

Preliminary check by CP Fee = 150 Received by SGT # 1094951 Date 3/28/12


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 47-08406 with the following:

CONDITIONS OF APPROVAL

1. Place of use is within the service area of the City of Twin Falls municipal water supply system as provided for under Idaho Law.
2. A map depicting the place of use boundary for this water right at the time of this approval is attached to this document for illustrative purposes.
3. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
4. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
5. After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
6. The right holder shall install and maintain a totalizing measuring device of a type approved by the department as part of the diverting works at each point of diversion.
7. This right does not grant any right-of-way or easement across the land of another.
8. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

Witness my hand this 30th day of March, 2012.


for GARY SPACKMAN
Interim Director