

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 95-10027

AFTER SPLIT

WATER RIGHT NUMBER: 95-10027

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	PAUL WOOD 227 LOST IN THE WOODS LN ATHOL, ID 83801 (208)683-3480
Current Owner	JUDITH WOOD 227 LOST IN THE WOODS LN ATHOL, ID 83801 (208)683-3480

Priority Date: 11/30/2006

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.020 CFS	
IRRIGATION	04/01 to 10/31	0.020 CFS	
	<u>Total Diversion:</u>	0.040 CFS	

Location of Point(s) of Diversion

GROUND WATER	NE1/4SW1/4	Sec. 33, Twp 54N, Rge 03W, B.M.
BONNER County		

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03W	33									X								

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03W	33									.5								.5

Total Acres: 0.5

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report 95-10027

Conditions of Approval:

1. R66 This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. 174 This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
3. 175 When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
4. 071 The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. X60 Place of use is located within Lot 2, Bright Sky Subdivision formally known as Northern Sky Subdivision.
7. 132 Domestic use is for 1 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
8. 01R When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
9. 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
10. X59 Point of diversion is located within Lot 1, Northern Sky Subdivision.

Remarks:Comments:

1. eretelle 5/16/2007 POD
Comment: Updated shape
2. eretelle 5/16/2007 POU
Comment: Updated Shape
3. eretelle 5/16/2007 POU
Comment: Updated Shape
4. Renumber 1/13/2009 8:24:44 AM Renumber WR 95-10027
Comment: This has been renumbered from 96-9311
5. jhersley 3/26/2012 split right
Comment: Permit no. 95-10027 has been split by ownership change into permit nos. 95-10027 and 95-16432.
6. jhersley 3/26/2012 11:16:49 AM POU
Comment: Updated Shape
7. jhersley 3/26/2012 11:17:01 AM POU
Comment: Updated Shape

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 95-10027

Dates and Other Information:

Permit Proof Due Date: 5/1/2012
Permit Proof Made Date:
Permit Approved Date: 5/16/2007
Permit Moratorium Expiration Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Field Exam Date:
Date Sent to State Office:
Date Received at State Office:
State or Federal:
Owner Name Connector: And
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre: 3
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Combined Use Limits:

Water Supply Bank:

State of Idaho
Department of Water Resources
Permit to Appropriate Water

95-10027

Water Service Area Boundary for Paul Wood *After Split*



0 0.025 0.05 0.1 Miles

- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

