

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77565**

This is to certify that: CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150  
 (208) 240-4074

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

**Summary of Water Rights Before the Proposed Change**

| <u>Right</u> | <u>Origin/Basis</u> | <u>Priority</u> | <u>Rate</u> | <u>Volume</u> | <u>Acre Limit</u> | <u>Total Acres</u> | <u>Source</u> |
|--------------|---------------------|-----------------|-------------|---------------|-------------------|--------------------|---------------|
| 45-2643      | WR/Decreed          | 03/03/1961      | 2.92 cfs    | 1316 af       | 329.0             | 365.5              | GROUND WATER  |
| 45-11867     | WR/Decreed          | 06/30/1985      | 0.29 cfs    | N/A           | 36.5              | 365.5              | GROUND WATER  |
| 45-2356B     | WR/Decreed          | 11/27/1950      | 4.28 cfs    | 1160.4 af     | 290.1             | 304.0              | GROUND WATER  |
| 45-2480      | WR/Decreed          | 05/19/1954      | 4.2 cfs     | 1280 af       | 320.0             | 393.0              | GROUND WATER  |
| 45-10984     | WR/Decreed          | 06/30/1985      | 0.78 cfs    | N/A           | 73.0              | 393.0              | GROUND WATER  |
| 45-2592A     | WR/Decreed          | 11/12/1959      | 1.9 cfs     | 396 af        | 99.0              | 157.0              | GROUND WATER  |
| 45-13472     | WR/Decreed          | 06/30/1985      | 0.7 cfs     | N/A           | 58.0              | 157.0              | GROUND WATER  |
| 45-2592B     | WR/Decreed          | 11/12/1959      | 1.86 cfs    | 388 af        | 97.0              | 154.0              | GROUND WATER  |
| 45-13471     | WR/Decreed          | 06/30/1985      | 0.69 cfs    | N/A           | 57.0              | 154.0              | GROUND WATER  |
| 45-2440      | WR/Decreed          | 02/26/1953      | 3.12 cfs    | 624 af        | N/A               | 156.0              | GROUND WATER  |
| 45-2400A     | WR/Decreed          | 11/14/1951      | 3.57 cfs    | 1044 af       | 261.0             | 2,437.1            | GROUND WATER  |
| 45-2376C     | WR/Decreed          | 04/28/1951      | 2.8 cfs     | 912 af        | 228.0             | 2,437.1            | GROUND WATER  |
| 45-2398      | WR/Decreed          | 09/04/1951      | 2.6 cfs     | N/A           | 130.0             | 2,437.1            | GROUND WATER  |
| 45-2451      | WR/Decreed          | 06/02/1953      | 6 cfs       | 1280 af       | 320.0             | 2,437.1            | GROUND WATER  |
| 45-2548      | WR/Decreed          | 04/17/1957      | 2.8 cfs     | 960 af        | 240.0             | 2,437.1            | GROUND WATER  |
| 45-2553      | WR/Decreed          | 08/01/1957      | 5.92 cfs    | 1440 af       | 360.0             | 2,437.1            | GROUND WATER  |
| 45-2554      | WR/Decreed          | 08/14/1957      | 4.12 cfs    | 960 af        | 240.0             | 2,437.1            | GROUND WATER  |
| 45-4198      | WR/Decreed          | 03/15/1962      | 0.47 cfs    | 120 af        | 30.0              | 2,437.1            | GROUND WATER  |
| 45-4215A     | WR/Decreed          | 03/15/1955      | 3.52 cfs    | 944 af        | 236.0             | 2,437.1            | GROUND WATER  |
| 45-4216A     | WR/Decreed          | 06/30/1985      | 4.99 cfs    | N/A           | 391.1             | 2,437.1            | GROUND WATER  |
| 45-2538      | WR/Decreed          | 12/26/1956      | 3.9 cfs     | 1188 af       | 297.0             | 636.0              | GROUND WATER  |
| 45-10789     | WR/Decreed          | 02/16/1961      | 2.08 cfs    | 715 af        | 339.0             | 636.0              | GROUND WATER  |
| 45-2353B     | WR/Decreed          | 10/24/1950      | 1.64 cfs    | 328 af        | 82.0              | 1,111.0            | GROUND WATER  |
| 45-2357B     | WR/Decreed          | 12/13/1960      | 1.96 cfs    | 912 af        | 228.0             | 1,111.0            | GROUND WATER  |

**SUPPORT DATA**

**IN FILE #** 45-2353B

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77565**

|          |            |            |          |        |       |         |              |
|----------|------------|------------|----------|--------|-------|---------|--------------|
| 45-2377F | WR/Decreed | 05/14/1951 | 0.5 cfs  | 244 af | 288.0 | 1,111.0 | GROUND WATER |
| 45-2378B | WR/Decreed | 05/14/1951 | 0.73 cfs | 356 af | 288.0 | 1,111.0 | GROUND WATER |
| 45-2423B | WR/Decreed | 10/02/1952 | 1.27 cfs | 260 af | 65.0  | 1,111.0 | GROUND WATER |
| 45-2424B | WR/Decreed | 10/02/1952 | 1.74 cfs | 452 af | 113.0 | 1,111.0 | GROUND WATER |
| 45-2475B | WR/Decreed | 03/29/1954 | 1.19 cfs | 296 af | 74.0  | 1,111.0 | GROUND WATER |
| 45-2533B | WR/Decreed | 09/04/1956 | 1.64 cfs | 800 af | 228.0 | 1,111.0 | GROUND WATER |
| 45-2534D | WR/Decreed | 09/04/1956 | 0.41 cfs | 200 af | 288.0 | 1,111.0 | GROUND WATER |
| 45-2606D | WR/Decreed | 03/03/1960 | 2.45 cfs | 352 af | 288.0 | 1,111.0 | GROUND WATER |
| 45-2702B | WR/Decreed | 02/17/1964 | 0.99 cfs | 116 af | 168.0 | 1,111.0 | GROUND WATER |
| 45-4076B | WR/Decreed | 10/24/1950 | 0.39 cfs | 188 af | 47.0  | 1,111.0 | GROUND WATER |
| 45-13798 | WR/Decreed | 06/30/1985 | 0.2 cfs  | N/A    | 13.9  | 304.0   | GROUND WATER |
| 45-13781 | WR/Decreed | 06/30/1985 | 2.43 cfs | N/A    | 125.0 | 1,111.0 | GROUND WATER |
| 45-13805 | WR/Decreed | 03/15/1955 | 0.36 cfs | 116 af | 31.0  | 1,111.0 | GROUND WATER |
| 45-13806 | WR/Decreed | 03/15/1959 | 0.4 cfs  | 109 af | 29.0  | 1,111.0 | GROUND WATER |

**Purpose of Transfer (Changes Proposed)**

| <u>Current Number</u> | <u>Split</u> | <u>POD</u> | <u>POU</u> | <u>Add POD</u> | <u>Period of Use</u> | <u>Nature of Use</u> |
|-----------------------|--------------|------------|------------|----------------|----------------------|----------------------|
| 45-2643               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-11867              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2356B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2480               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-10984              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2592A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13472              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2592B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13471              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2440               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2400A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2376C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2398               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2451               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2548               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2553               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2554               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4198               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4215A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4216A              | NO           | NO         | YES        | NO             | NO                   | NO                   |

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**TRANSFER OF WATER RIGHT**

TRANSFER NO. 77565

**Purpose of Transfer (Changes Proposed)**

| <u>Current Number</u> | <u>Split</u> | <u>POD</u> | <u>POU</u> | <u>Add POD</u> | <u>Period of Use</u> | <u>Nature of Use</u> |
|-----------------------|--------------|------------|------------|----------------|----------------------|----------------------|
| 45-2538               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-10789              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2353B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2357B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2377F              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2378B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2423B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2424B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2475B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2533B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2534D              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2606D              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2702B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4076B              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13798              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13781              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13805              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13806              | NO           | NO         | YES        | NO             | NO                   | NO                   |

**Summary of Water Rights After the Approved Change**

| <u>Existing Right</u> | <u>New No. (changed portion)</u> | <u>Transfer Rate</u> | <u>Transfer Volume</u> | <u>Acre Limit</u> | <u>Total Acres</u> | <u>New No. (remaining portion)</u> | <u>Remaining Rate</u> | <u>Remaining Volume</u> | <u>Remaining Acre Limit</u> | <u>Remaining Total Acres</u> |
|-----------------------|----------------------------------|----------------------|------------------------|-------------------|--------------------|------------------------------------|-----------------------|-------------------------|-----------------------------|------------------------------|
| 45-2643               | <b>45-2643</b>                   | 2.92 cfs             | 1316 af                | 329.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-11867              | <b>45-11867</b>                  | 0.29 cfs             | N/A                    | 36.5              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2356B              | <b>45-2356B</b>                  | 4.28 cfs             | 1160.4 af              | 290.1             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2480               | <b>45-2480</b>                   | 4.2 cfs              | 1280 af                | 320.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-10984              | <b>45-10984</b>                  | 0.78 cfs             | N/A                    | 73.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2592A              | <b>45-2592A</b>                  | 1.9 cfs              | 396 af                 | 99.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-13472              | <b>45-13472</b>                  | 0.7 cfs              | N/A                    | 58.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2592B              | <b>45-2592B</b>                  | 1.86 cfs             | 388 af                 | 97.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-13471              | <b>45-13471</b>                  | 0.69 cfs             | N/A                    | 57.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2440               | <b>45-2440</b>                   | 3.12 cfs             | 624 af                 | 156.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2400A              | <b>45-2400A</b>                  | 3.57 cfs             | 1044 af                | 261.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2376C              | <b>45-2376C</b>                  | 2.8 cfs              | 912 af                 | 228.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2398               | <b>45-2398</b>                   | 2.6 cfs              | N/A                    | 130.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2451               | <b>45-2451</b>                   | 6 cfs                | 1280 af                | 320.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77565**

**Summary of Water Rights After the Approved Change**

| Existing Right  | New No. (changed portion) | Transfer Rate   | Transfer Volume   | Acre Limit    | Total Acres | New No. (remaining portion) | Remaining Rate | Remaining Volume | Remaining Acre Limit | Remaining Total Acres |
|-----------------|---------------------------|-----------------|-------------------|---------------|-------------|-----------------------------|----------------|------------------|----------------------|-----------------------|
| 45-2548         | <b>45-2548</b>            | 2.8 cfs         | 960 af            | 240.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2553         | <b>45-2553</b>            | 5.92 cfs        | 1440 af           | 360.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2554         | <b>45-2554</b>            | 4.12 cfs        | 960 af            | 240.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-4198         | <b>45-4198</b>            | 0.47 cfs        | 120 af            | 30.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-4215A        | <b>45-4215A</b>           | 3.52 cfs        | 944 af            | 236.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-4216A        | <b>45-4216A</b>           | 4.99 cfs        | N/A               | 391.1         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2538         | <b>45-2538</b>            | 3.9 cfs         | 1188 af           | 297.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-10789        | <b>45-10789</b>           | 2.08 cfs        | 715 af            | 339.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2353B        | <b>45-2353B</b>           | 1.64 cfs        | 328 af            | 82.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2357B        | <b>45-2357B</b>           | 1.96 cfs        | 912 af            | 228.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2377F        | <b>45-2377F</b>           | 0.5 cfs         | 244 af            | 288.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2378B        | <b>45-2378B</b>           | 0.73 cfs        | 356 af            | 288.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2423B        | <b>45-2423B</b>           | 1.27 cfs        | 260 af            | 65.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2424B        | <b>45-2424B</b>           | 1.74 cfs        | 452 af            | 113.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2475B        | <b>45-2475B</b>           | 1.19 cfs        | 296 af            | 74.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2533B        | <b>45-2533B</b>           | 1.64 cfs        | 800 af            | 228.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2534D        | <b>45-2534D</b>           | 0.41 cfs        | 200 af            | 288.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2606D        | <b>45-2606D</b>           | 2.45 cfs        | 352 af            | 288.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2702B        | <b>45-2702B</b>           | 0.99 cfs        | 116 af            | 168.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-4076B        | <b>45-4076B</b>           | 0.39 cfs        | 188 af            | 47.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13798        | <b>45-13798</b>           | 0.2 cfs         | N/A               | 13.9          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13781        | <b>45-13781</b>           | 2.43 cfs        | N/A               | 125.0         | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13805        | <b>45-13805</b>           | 0.36 cfs        | 116 af            | 31.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13806        | <b>45-13806</b>           | 0.4 cfs         | 109 af            | 29.0          | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| <b>COMBINED</b> |                           |                 |                   |               |             |                             |                |                  |                      |                       |
| <b>TOTALS</b>   |                           | <b>68.12cfs</b> | <b>18955.4 af</b> | <b>5713.6</b> | <b>7502</b> |                             | N/A            | N/A              | N/A                  | N/A                   |

Detailed Water Right Description(s) attached

Dated this 4<sup>th</sup> day of January, 2012

  
 Southern Region Manager

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |       | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE    |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0 |        |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 157.0 |        |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0 |        |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0 |        |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0 |        |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 |      | 7.0  |      |      | 393.0 |        |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0 |        |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |        |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |        |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 601.0 |        |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 156.0 |        |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |        |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |        |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |        |
| 11S | 23E | 31  | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |        |
| 12S | 22E | 1   |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      | L 3  | L 4  |      | 62.0  |        |
| 12S | 22E | 2   | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |        |
| 12S | 22E | 3   | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 611.0 |        |

**WATER RIGHT NO. 45-2440**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
2. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
3. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
4. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
6. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

**WATER RIGHT NO. 45-2440**  
**As Modified by Transfer No. 77565**

9. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12



Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      | 38.0        | 41.0        |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      | 40.0<br>L 4 | 21.0        |      |      | 1.0  |      |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2592B**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

**CONDITIONS OF APPROVAL**


1. Right No. 45-13471 is an expansion of this right pursuant to Section 42-1416B, Idaho Code.
2. The period of use for the irrigation described in this approval may be extended to a beginning date of 3/15 and an ending date of 11/15 provided that beneficial use of the water can be shown and other elements of the right are not exceeded. The use of water before 4/1 and after 10/31 is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than 5/6/2005.
3. Rights 45-2592A, 45-2592B, 45-13471, 45-13472 are also diverted through the point of diversion described above.
4. This right is limited to the irrigation of 97 acres within the authorized place of use in a single irrigation season.
5. Rights 45-2592B and 45-13471 when combined shall not exceed a total diversion rate of 1.86 cfs, a total annual maximum diversion volume of 388.0 af at the field headgate, and the irrigation of 154.0 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
7. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
8. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2592B**  
**As Modified by Transfer No. 77565**

9. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
11. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
12. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
13. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
14. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |       | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|-------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE    |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0  | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0  | 157.0  |
| 11S | 22E | 24  |             |             |             |      | 38.0        | 41.0        |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |             |             |       | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0  | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0        | 38.0        | 399.0 |        |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |       | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0        | 38.0        | 474.0 |        |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      | 41.0 | 40.0 | 39.0        | 40.0        | 309.0 |        |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0  | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0  | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0  | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0  | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |       | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |       | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0  | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0  | 311.0  |
| 12S | 22E | 1   |             |             |             |      | 40.0<br>L 4 | 21.0        |      |      | 1.0  |      |      |      |      |             |             |       | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |       | 589.0  |

**WATER RIGHT NO. 45-13471**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No. 45-2592B pursuant to Section 42-1416B, Idaho Code.
2. Rights 45-2592A, 45-2592B, 45-13471, 45-13472 are also diverted through the point of diversion described above.
3. This right is limited to the irrigation of 57 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2592B and 45-13471 when combined shall not exceed a total diversion rate of 1.86 cfs, a total annual maximum diversion volume of 388.0 af at the field headgate, and the irrigation of 154.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-13471**  
**As Modified by Transfer No. 77565**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      | 38.0        | 41.0        |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      | 40.0<br>L 4 | 21.0        |      |      | 1.0  |      |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2592A**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

**CONDITIONS OF APPROVAL**


- Right No.45-13472 is an expansion of this right pursuant to Section 42-1416B, Idaho Code.
- The period of use for the irrigation described in this approval may be extended to a beginning date of 3/15 and an ending date of 11/15 provided that beneficial use of the water can be shown and other elements of the right are not exceeded. The use of water before 4/1 and after 10/31 is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than 5/6/2005.
- Rights 45-2592A, 45-2592B, 45-13471, 45-13472 are also diverted through the point of diversion described above.
- This right is limited to the irrigation of 99 acres within the authorized place of use in a single irrigation season.
- Rights 45-2592A and 45-13472 when combined shall not exceed a total diversion rate of 1.90 cfs, a total annual maximum diversion volume of 396.0 af at the field headgate, and the irrigation of 157.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2592A**  
**As Modified by Transfer No. 77565**

9. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
11. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
12. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
13. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
14. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-13472**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No.45-2592A pursuant to Section 42-1416B, Idaho Code.
2. Rights 45-2592A and 45-13472 when combined shall not exceed a total diversion rate of 1.90 cfs, a total annual maximum diversion volume of 396.0 af at the field headgate, and the irrigation of 157.0 acres.
3. This right is limited to the irrigation of 58 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2592A, 45-2592B, 45-13471, 45-13472 is also diverted through the point of diversion described above.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-13472**  
**As Modified by Transfer No. 77565**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 39.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2538**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 297 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2538 and 45-10789 when combined shall not exceed a total diversion rate of 3.90 cfs, a total annual maximum diversion volume of 1903.0 af at the field headgate, and the irrigation of 636.0 acres.
3. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights are being processed as two companion transfers, 77562 and 77565, and this condition defines the combined use limits for both transfers.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
5. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
6. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2538**  
**As Modified by Transfer No. 77565**

7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
9. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             |             | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0<br>L 1 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0<br>L 1 | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0        | 33.0        | 6.0  | 589.0  |

**WATER RIGHT NO. 45-10789**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 339 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2538 and 45-10789 when combined shall not exceed a total diversion rate of 3.90 cfs, a total annual maximum diversion volume of 1903.0 af at the field headgate, and the irrigation of 636.0 acres.
3. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
5. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
6. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.


**WATER RIGHT NO. 45-10789**  
**As Modified by Transfer No. 77565**

9. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2356B**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**

- Right No. 45-13798 is an expansion of this right pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 290.1 acres within the authorized place of use in a single irrigation season.
- Rights 45-2356B and 45-13798 when combined shall not exceed a total diversion rate of 4.28 cfs, a total annual maximum diversion volume of 1160.4 af at the field headgate, and the irrigation of 304.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-2356B**


**WATER RIGHT NO. 45-2356B**  
**As Modified by Transfer No. 77565**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE          |             |      |       | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|-------------|-------------|------|-------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE          | NW          | SW   | SE    |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0 |        |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0 |        |
| 11S | 22E | 24  |             |             |             |      | 38.0        | 41.0        |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0 |        |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0 |        |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0 |        |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 |      | 7.0         |             |      | 393.0 |        |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0 |        |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0 |        |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0 |        |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0        | 40.0        | 38.0 | 601.0 |        |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0 |        |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0 |        |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0  |        |
| 11S | 23E | 29  |             |             |             |      |             |             |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0 |        |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0 |        |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0 |        |
| 12S | 22E | 1   |             |             |             |      | 40.0<br>L 4 | 21.0        |      |      | 1.0  |      |      |      |             |             |      | 62.0  |        |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0        | 33.0        | 6.0  | 589.0 |        |

**WATER RIGHT NO. 45-13798**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No. 45-2356B pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 13.9 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2356B and 45-13798 when combined shall not exceed a total diversion rate of 4.28 cfs, a total annual maximum diversion volume of 1160.4 af at the field headgate, and the irrigation of 304.0 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13798**  
**As Modified by Transfer No. 77565**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2643**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |       | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No. 45-11867 is an expansion of this right pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 329 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2643 and 45-11867 when combined shall not exceed a total diversion rate of 2.92 cfs, a total annual maximum diversion volume of 1316.0 af at the field headgate, and the irrigation of 365.5 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-2643**  
**As Modified by Transfer No. 77565**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
\_\_\_\_\_  
Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-11867**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No. 45-2643 pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 36.5 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2643 and 45-11867 when combined shall not exceed a total diversion rate of 2.92 cfs, a total annual maximum diversion volume of 1316.0 af at the field headgate, and the irrigation of 365.5 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-11867**  
**As Modified by Transfer No. 77565**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager



| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2480**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No. 45-10984 is an expansion of this right pursuant to Section 42-1416B, Idaho Code.
2. Right 45-10984 is also diverted through the point of diversion described above.
3. This right is limited to the irrigation of 320 acres within the authorized place of use in a single irrigation season.
4. Rights 45-2480 and 45-10984 when combined shall not exceed a total diversion rate of 4.20 cfs, a total annual maximum diversion volume of 1280.0 af at the field headgate, and the irrigation of 393.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.

**WATER RIGHT NO. 45-2480**  
**As Modified by Transfer No. 77565**

10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      | 38.0        | 41.0        |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 39.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      | 40.0<br>L 4 | 21.0        |      |      | 1.0  |      |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-10984**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No.45-2480 pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 73 acres within the authorized place of use in a single irrigation season.
3. Right 45-2480 is also diverted through the point of diversion described above.
4. Rights 45-2480 and 45-10984 when combined shall not exceed a total diversion rate of 4.20 cfs, a total annual maximum diversion volume of 1280.0 af at the field headgate, and the irrigation of 393.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-10984**  
**As Modified by Transfer No. 77565**

10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager



**WATER RIGHT NO. 45-2353B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2353B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 24, 1950

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.64 CFS              | 328.0 AF      |
|                       |             |           | 1.64 CFS              | 328.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2353B**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|------|------|------|------|-------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 4.0  | 40.0 | 37.0 | 38.0 | 38.0  | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 31.0 | 41.0 |      |       | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |      |       | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 39.0 | 38.0 | 38.0 | 39.0  | 307.0 |
| 11S 23E 31 |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      | L 3  | L 4  |       |       |
|            | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 40.0 | 41.0 | 39.0 | 39.0  | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      | L 3  | L 4  |       |       |
| 12S 22E 1  |      |      |      |      |      |      | 40.0 | 21.0 |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       | 62.0  |
|            |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |  |      |      |      |      |       | 589.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |  |      |      |      |      |       | 611.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |  |      |      |      |      |       | 623.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 82 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353B and 45-4076B when combined shall not exceed a total diversion rate of 1.73cfs, a total annual maximum diversion volume of 516 af at the field headgate.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2353B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2357B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2357B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** December 13, 1960

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.96 CFS              | 912.0 AF      |
|                       |             |           | 1.96 CFS              | 912.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2357B**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36        | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29        |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30        | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31        | 39.0 | L 1  | L 2  | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | L 3  | L 4  | 39.0 | 311.0 |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 62.0  |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
| 12S 22E 3         | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      | 611.0 |
| 12S 22E 4         | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |      |      |      | 623.0 |
| 12S 22E 10        | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 228 acres within the authorized place of use in a single irrigation season.
- Rights 45-2533B and 45-2357B when combined shall not exceed a total annual maximum diversion volume of 912 af at the field headgate, and the irrigation of 228 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2357B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12



Southern Region Manager

**WATER RIGHT NO. 45-2377F**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2377F is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.50 CFS              | 244.0 AF      |
|                       |             |           | 0.50 CFS              | 244.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2377F**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|--|------|------|------|------|-------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  | 39.0 | 40.0 | 39.0 | 38.0 |       | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |  | 4.0  | 40.0 | 37.0 | 38.0 | 38.0  | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      | 31.0 | 41.0 |      |       | 72.0  |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      | L 3  | L 4  |      |       |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |     |  |      |      |      |      |       | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      | 39.0 | 38.0 | 38.0 | 39.0  | 307.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      |      | L 3  | L 4  |       |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      | 40.0 | 41.0 | 39.0 | 39.0  | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      |      | L 3  | L 4  |       |       |
| 12S 22E 1  |      |      |      |      |      |      | 40.0 | 21.0 |      |      |      |      | 1.0  |      |      |      |     |  |      |      |      |      |       | 62.0  |
|            |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |     |  |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0 |  |      |      |      |      | 589.0 |       |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |     |  |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |     |  |      |      |      |      | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |  |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |     |  |      |      |      |      | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |  |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |  |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 288 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377F, 45-2378B, 45-2534D and 45-2606D when combined shall not exceed a total annual maximum diversion volume of 1152 af at the field headgate, and the irrigation of 288 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2377F**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2378B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2378B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.73 CFS              | 356.0 AF      |
|                       |             |           | 0.73 CFS              | 356.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2378B**  
**As Modified by Transfer No. 77565**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36        | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30        | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31        | 39.0 | L 1  | L 2  | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | L 3  | L 4  |      | 311.0 |
| 12S 22E 1         |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 62.0  |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
| 12S 22E 3         | 38.0 | L 1  | L 2  | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      | 611.0 |
| 12S 22E 4         | 38.0 | L 1  | L 2  | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |      |      |      | 623.0 |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 288 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377F, 45-2378B, 45-2534D and 45-2606D when combined shall not exceed a total annual maximum diversion volume of 1152 af at the field headgate, and the irrigation of 288 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2378B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2423B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2423B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.27 CFS              | 260.0 AF      |
|                       |             |           | 1.27 CFS              | 260.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2423B**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|------|------|------|-------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 40.0 | 39.0 | 38.0  | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      |      | 4.0  |      |      |      |      |  | 40.0 | 37.0 | 38.0 | 38.0  | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 31.0 | 41.0 |       | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |       | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 38.0 | 38.0 | 39.0  | 307.0 |
| 11S 23E 31 | 39.0 | L 1  | L 2  | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |  | 40.0 | 41.0 | 39.0 | 39.0  | 311.0 |
| 12S 22E 1  |      |      |      |      |      |      | 40.0 | 21.0 |      |      |      |      | 1.0  |      |      |      |      |  |      | L 3  | L 4  |       | 62.0  |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |  |      |      |      | 589.0 |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |      |      |      | 611.0 |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |  |      |      |      | 623.0 |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 65 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423B, 45-2475B and 45-2702B when combined shall not exceed a total annual maximum diversion volume of 672 af at the field headgate, and the irrigation of 168 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2423B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2424B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2424B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.74 CFS              | 452.0 AF      |
|                       |             |           | 1.74 CFS              | 452.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2424B**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|------|------|------|------|------|-------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |       | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 31.0 | 41.0 |      |      |       | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |      |      |       | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 39.0 | 38.0 | 38.0 | 39.0 |       | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 40.0 | 41.0 | 39.0 | 39.0 |       | 311.0 |
| 12S 22E 1  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |      |       | 62.0  |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |  |      |      |      |      |      |       | 589.0 |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |  |      |      |      |      |      |       | 611.0 |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |  |      |      |      |      |      |       | 623.0 |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |      |       | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 113 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.

**WATER RIGHT NO. 45-2424B**  
**As Modified by Transfer No. 77565**

6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2475B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2475B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 29, 1954

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.19 CFS              | 296.0 AF      |
|                       |             |           | 1.19 CFS              | 296.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2475B**  
**As Modified by Transfer No. 77565**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|------|------|------|------|-------|
| 11S 22E 35   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36   | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29   |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |  |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30   | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |      |       |
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |  | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |  |      |      |      |      | 62.0  |
|              |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |  |      |      |      |      | 589.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |  |      |      |      |      | 611.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |  |      |      |      |      | 623.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 74 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423B, 45-2475B and 45-2702B when combined shall not exceed a total annual maximum diversion volume of 672 af at the field headgate, and the irrigation of 168 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2475B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2533B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2533B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 04, 1956

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.64 CFS              | 800.0 AF      |
|                       |             |           | 1.64 CFS              | 800.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2533B**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|------|------|------|------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |  |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |  | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | L 1  | L 2  | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |  | 40.0 | L 3  | L 4  | 39.0 | 311.0 |
| 12S 22E 1  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |      | L 3  | L 4  |      | 62.0  |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |  |      |      |      |      | 589.0 |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |  |      |      |      |      | 611.0 |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |  |      |      |      |      | 623.0 |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |  |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 228 acres within the authorized place of use in a single irrigation season.
- Rights 45-2357B and 45-2533B when combined shall not exceed a total annual maximum diversion volume of 912 af at the field headgate, and the irrigation of 228 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2533B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2534D**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2534D is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 04, 1956

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.41 CFS              | 200.0 AF      |
|                       |             |           | 0.41 CFS              | 200.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2534D**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      | 611.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 37.0 |      |      |      |      | 623.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 288 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377F, 45-2378B, 45-2534D and 45-2606D when combined shall not exceed a total annual maximum diversion volume of 1152 af at the field headgate, and the irrigation of 288 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2534D**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2606D**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2606D is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 03, 1960

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.45 CFS              | 352.0 AF      |
|                       |             |           | 2.45 CFS              | 352.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-2606D**  
**As Modified by Transfer No. 77565**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|-------|
| 11S 22E 35   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36   | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |     | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30   | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |     | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |     | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |     |      |      |      |      | 62.0  |
|              |      |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0 |      |      |      |      | 589.0 |
|              | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |     |      |      |      |      | 611.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |     |      |      |      |      | 623.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 288 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377F, 45-2378B, 45-2534D and 45-2606D when combined shall not exceed a total annual maximum diversion volume of 1152 af at the field headgate, and the irrigation of 288 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2606D**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2702B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2702B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** February 17, 1964

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.99 CFS              | 116.0 AF      |
|                       |             |           | 0.99 CFS              | 116.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S 22E 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |

**WATER RIGHT NO. 45-2702B**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 | L 3  | L 4  | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 307.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |       |
| 12S 22E 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      | 62.0  |
|            |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 168 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423B, 45-2475B and 45-2702B when combined shall not exceed a total annual maximum diversion volume of 672 af at the field headgate, and the irrigation of 168 acres.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2702B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-4076B**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-4076B is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 24, 1950

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.39 CFS              | 188.0 AF      |
|                       |             |           | 0.39 CFS              | 188.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-4076B**  
**As Modified by Transfer No. 77565**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|-------|
| 11S 22E 35   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36   | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |     | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29   |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |     |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30   | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |     | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |     | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |     |      |      |      |      | 62.0  |
|              |      |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0 |      |      |      |      | 589.0 |
|              | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |     |      |      |      |      | 611.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |     |      |      |      |      | 623.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 47 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353B and 45-4076B when combined shall not exceed a total diversion rate of 1.73cfs, a total annual maximum diversion volume of 516 af at the field headgate.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-4076B**  
**As Modified by Transfer No. 77565**

6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
8. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-13781**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-13781 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** June 30, 1985

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> |
|-----------------------|-------------|-----------|-----------------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.43 CFS              |
|                       |             |           | 2.43 CFS              |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-13781**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      |      |      | 4.0  |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
|            | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      |      |      | 40.0 | 21.0 |      |      |      |      |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      |      | 611.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |      |      |      |      | 623.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13805 and 45-13806 pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 125 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-13781**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-13805**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-13805 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1955

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.36 CFS              | 116.0 AF      |
|                       |             |           | 0.36 CFS              | 116.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-13805**  
**As Modified by Transfer No. 77565**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36   | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30   | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      |      |      |      | 62.0  |
|              |      |      |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
|              | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      | 611.0 |
|              | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |      |      |      | 623.0 |
|              | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 31 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-13805**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-13806**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-13806 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1959

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.40 CFS              | 109.0 AF      |
|                       |             |           | 0.40 CFS              | 109.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |        |                 |         |               |
|--------------|--------|-----------------|---------|---------------|
| GROUND WATER | SWSW   | Sec. 24 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW   | Sec. 25 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSWNE | Sec. 26 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SESE   | Sec. 26 Twp 11S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |

**WATER RIGHT NO. 45-13806**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      | 4.0  |      |      |      |      |      |      |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      |      |      |      | 589.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      |      |      |      | 611.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      |      |      |      | 623.0 |
|            | L 1  | L 2  |      |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13781 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 29 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805 and 45-13806 when combined shall not exceed a total diversion rate of 14.61 cfs, a total annual maximum diversion volume of 3704.0 af at the field headgate, and the irrigation of 1111.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-13806**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2376C**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2376C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** April 28, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.80 CFS              | 912.0 AF      |
|                       |             |           | 2.80 CFS              | 912.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2376C**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 228 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2376C**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2398**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2398 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 04, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> |
|-----------------------|-------------|-----------|-----------------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.60 CFS              |
|                       |             |           | 2.60 CFS              |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2398**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 130 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2398**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2400A**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2400A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** November 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 3.57 CFS              | 1,044.0 AF    |
|                       |             |           | 3.57 CFS              | 1,044.0 AF    |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2400A**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 | L 3  | L 4  |      |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | L 1  | L 2  | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |       |
| 12S 22E 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 261 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2400A**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2451**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2451 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** June 02, 1953

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 6.00 CFS              | 1,280.0 AF    |
|                       |             |           | 6.00 CFS              | 1,280.0 AF    |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2451**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No.45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 320 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2451**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2548**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2548 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** April 17, 1957

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.80 CFS              | 960.0 AF      |
|                       |             |           | 2.80 CFS              | 960.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2548**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      |      | 1.0  |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 240 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2548**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2553**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2553 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** August 01, 1957

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 5.92 CFS              | 1,440.0 AF    |
|                       |             |           | 5.92 CFS              | 1,440.0 AF    |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2553**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      |      | 1.0  |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 360 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2553**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2554**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-2554 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** August 14, 1957

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 4.12 CFS              | 960.0 AF      |
|                       |             |           | 4.12 CFS              | 960.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-2554**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 | L 3  | L 4  |      |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |       |
| 12S 22E 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**

1. Right No.45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 240 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-2554**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-4198**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-4198 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1962

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.47 CFS              | 120.0 AF      |
|                       |             |           | 0.47 CFS              | 120.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-4198**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |      |      | 630.0 |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |      | 601.0 |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0 |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0  |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      |      | 158.0 |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0 |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 |      | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No.45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 30 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-4198**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-4215A**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-4215A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1955

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 3.52 CFS              | 944.0 AF      |
|                       |             |           | 3.52 CFS              | 944.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-4215A**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      |      | 1.0  |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-4216A is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 236 acres within the authorized place of use in a single irrigation season.
- Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-4215A**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-4216A**  
**As Modified by Transfer No. 77565**

In accordance with the approval of Transfer No. 77565, Water Right No. 45-4216A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** June 30, 1985

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> |
|-----------------------|-------------|-----------|-----------------------|
| IRRIGATION            | 03/15       | to 11/15  | 4.99 CFS              |
|                       |             |           | 4.99 CFS              |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |             |                 |         |               |
|--------------|-------------|-----------------|---------|---------------|
| GROUND WATER | SWSWSE      | Sec. 35 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENWSE      | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | SWSE        | Sec. 36 Twp 11S | Rge 22E | CASSIA County |
| GROUND WATER | NENENE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SESESE      | Sec. 30 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | L1 (NWNWNE) | Sec. 31 Twp 11S | Rge 23E | CASSIA County |
| GROUND WATER | SWSWSE      | Sec. 3 Twp 12S  | Rge 22E | CASSIA County |
| GROUND WATER | SESWNE      | Sec. 10 Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |

**WATER RIGHT NO. 45-4216A**  
**As Modified by Transfer No. 77565**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0  | 309.0 |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |       |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0 |       |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |       |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |       |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |       |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |       |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |       |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |       |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      |      |      | 1.0  |      |      |      |      |      | 62.0  |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |       |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Rights 45-2400A, 45-2376C, 45-2398, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 392.1 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 31.33 cfs, a total annual maximum diversion volume of 8184.0 af at the field headgate, and the irrigation of 2437.1 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 68.12 cfs, a total annual maximum diversion volume of 18,955.4 af at the field headgate, and the irrigation of 5,713.60 acres.

**WATER RIGHT NO. 45-4216A**  
**As Modified by Transfer No. 77565**

5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77565, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.


This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

# Attachment To Transfer Of Water Right

Rights: 45-2353B, 45-2356B, 45-2357B, 45-2376C, 45-2377F, 45-2378B, 45-2398,  
45-2400A, 45-2423B, 45-2424B, 45-2440, 45-2451, 45-2475B, 45-2480,  
45-2533B, 45-2534D, 45-2538, 45-2548, 45-2553, 45-2554, 45-2592A,  
45-2592B, 45-2606D, 45-2643, 45-2702B, 45-4076B, 45-4198, 45-4215A,  
45-4216A, 45-10789, 45-10984, 45-11867, 45-13471, 45-13472, 45-13781,  
45-13798, 45-13805, 45-13806



A horizontal number line representing distance in miles. It starts at 0 and ends at 2. Major tick marks are labeled at 0, 0.5, 1, and 2 Miles. There are 10 equal intervals between 0 and 1, and 10 equal intervals between 1 and 2. Each interval represents 0.1 miles. There are 19 small tick marks in total, one at each 0.1-mile interval.

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

 Place Of Use Boundary  
 Townships  
 PLS Sections  
 Quarter Quarters

