

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 35-14219

Priority: December 27, 2011

Maximum Diversion Rate: 0.12 CFS

This is to certify, that RICHARD KOOMPIN And
CHERYL HAMILTON KOOMPIN
2229 W 1000 S
STERLING ID 83210

And

DALENE SASSER
2221 W 1000 S
STERLING ID 83210

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 29 Twp 04S Rge 32E, B.M. BINGHAM County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
04S	32E	29			X	X									X	X			

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **March 01, 2013**.
2. Subject to all prior water rights.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre, per home.
5. Domestic use is for 3 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 9th day of February, 2012.


for GARY SPACKMAN, Interim Director