

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77562**

This is to certify that: CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150  
 (208) 240-4074

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

**Summary of Water Rights Before the Proposed Change**

| <u>Right</u> | <u>Origin/Basis</u> | <u>Priority</u> | <u>Rate</u> | <u>Volume</u> | <u>Acre Limit</u> | <u>Total Acres</u> | <u>Source</u> |
|--------------|---------------------|-----------------|-------------|---------------|-------------------|--------------------|---------------|
| 45-2590      | WR/Decreed          | 09/29/1959      | 1.5 cfs     | 584 af        | 146.0             | 159.0              | GROUND WATER  |
| 45-2441      | WR/Decreed          | 04/09/1953      | 0.2 cfs     | 97.6 af       | 100.0             | 159.0              | GROUND WATER  |
| 45-10975     | WR/Decreed          | 06/09/1960      | 0.1 cfs     | 40 af         | 10.0              | 159.0              | GROUND WATER  |
| 45-11037     | WR/Decreed          | 09/29/1959      | 0.08 cfs    | 16 af         | 4.0               | 159.0              | GROUND WATER  |
| 45-2353A     | WR/Decreed          | 10/24/1950      | 1.44 cfs    | 288 af        | 72.0              | 980.0              | GROUND WATER  |
| 45-2357A     | WR/Decreed          | 12/13/1960      | 1.73 cfs    | 804 af        | 201.0             | 980.0              | GROUND WATER  |
| 45-2377E     | WR/Decreed          | 05/14/1951      | 0.44 cfs    | 219 af        | 253.0             | 980.0              | GROUND WATER  |
| 45-2378A     | WR/Decreed          | 05/14/1951      | 0.64 cfs    | 312 af        | 253.0             | 980.0              | GROUND WATER  |
| 45-2423A     | WR/Decreed          | 10/02/1952      | 1.12 cfs    | 232 af        | 58.0              | 980.0              | GROUND WATER  |
| 45-2424A     | WR/Decreed          | 10/02/1952      | 1.53 cfs    | 396 af        | 99.0              | 980.0              | GROUND WATER  |
| 45-2475A     | WR/Decreed          | 03/29/1954      | 1.05 cfs    | 260 af        | 65.0              | 980.0              | GROUND WATER  |
| 45-2533A     | WR/Decreed          | 09/04/1956      | 1.44 cfs    | 703 af        | 201.0             | 980.0              | GROUND WATER  |
| 45-2534C     | WR/Decreed          | 09/04/1956      | 0.36 cfs    | 176 af        | 253.0             | 980.0              | GROUND WATER  |
| 45-2606C     | WR/Decreed          | 03/03/1960      | 2.16 cfs    | 305 af        | 253.0             | 980.0              | GROUND WATER  |
| 45-2702A     | WR/Decreed          | 02/17/1964      | 0.87 cfs    | 104 af        | 149.0             | 980.0              | GROUND WATER  |
| 45-4076A     | WR/Decreed          | 07/13/1954      | 0.34 cfs    | 168 af        | 42.0              | 980.0              | GROUND WATER  |
| 45-2353C     | WR/Decreed          | 10/24/1950      | 0.92 cfs    | 184 af        | 46.0              | 629.0              | GROUND WATER  |
| 45-2357C     | WR/Decreed          | 12/13/1960      | 1.11 cfs    | 516 af        | 129.0             | 629.0              | GROUND WATER  |
| 45-2377G     | WR/Decreed          | 05/14/1951      | 0.28 cfs    | 137 af        | 163.0             | 629.0              | GROUND WATER  |
| 45-2378C     | WR/Decreed          | 05/14/1951      | 0.41 cfs    | 200 af        | 163.0             | 629.0              | GROUND WATER  |
| 45-2423C     | WR/Decreed          | 10/02/1952      | 0.72 cfs    | 148 af        | 37.0              | 629.0              | GROUND WATER  |
| 45-2475C     | WR/Decreed          | 03/29/1954      | 0.67 cfs    | 168 af        | 42.0              | 629.0              | GROUND WATER  |
| 45-2424C     | WR/Decreed          | 10/02/1952      | 0.98 cfs    | 252 af        | 63.0              | 629.0              | GROUND WATER  |
| 45-2533C     | WR/Decreed          | 09/04/1956      | 0.92 cfs    | 449 af        | 129.0             | 629.0              | GROUND WATER  |
| 45-2534E     | WR/Decreed          | 09/04/1956      | 0.23 cfs    | 112 af        | 163.0             | 629.0              | GROUND WATER  |
| 45-2606E     | WR/Decreed          | 03/03/1960      | 1.39 cfs    | 203 af        | 163.0             | 629.0              | GROUND WATER  |
| 45-2702C     | WR/Decreed          | 02/17/1964      | 0.56 cfs    | 68 af         | 96.0              | 629.0              | GROUND WATER  |

**SUPPORT DATA**

IN FILE # 45-2353A

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77562**

**Summary of Water Rights Before the Proposed Change**

|          |            |            |          |        |       |       |              |
|----------|------------|------------|----------|--------|-------|-------|--------------|
| 45-4076C | WR/Decreed | 07/13/1954 | 0.22 cfs | 108 af | 27.0  | 629.0 | GROUND WATER |
| 45-13803 | WR/Decreed | 03/15/1959 | 0.34 cfs | 94 af  | 25.0  | 980.0 | GROUND WATER |
| 45-13804 | WR/Decreed | 03/15/1955 | 0.38 cfs | 102 af | 27.0  | 980.0 | GROUND WATER |
| 45-13782 | WR/Decreed | 06/30/1985 | 1.47 cfs | N/A    | 112.0 | 980.0 | GROUND WATER |
| 45-13807 | WR/Decreed | 03/15/1959 | 0.2 cfs  | 60 af  | 16.0  | 629.0 | GROUND WATER |
| 45-13808 | WR/Decreed | 03/15/1955 | 0.23 cfs | 68 af  | 18.0  | 629.0 | GROUND WATER |
| 45-13811 | WR/Decreed | 06/30/1985 | 0.93 cfs | N/A    | 71.0  | 629.0 | GROUND WATER |

**Purpose of Transfer (Changes Proposed)**

| <u>Current Number</u> | <u>Split</u> | <u>POD</u> | <u>POU</u> | <u>Add POD</u> | <u>Period of Use</u> | <u>Nature of Use</u> |
|-----------------------|--------------|------------|------------|----------------|----------------------|----------------------|
| 45-2590               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2441               | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-10975              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-11037              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2353A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2357A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2377E              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2378A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2423A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2424A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2475A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2533A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2534C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2606C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2702A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4076A              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2353C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2357C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2377G              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2378C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2423C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2475C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2424C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2533C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2534E              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-2606E              | NO           | NO         | YES        | NO             | NO                   | NO                   |

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**TRANSFER OF WATER RIGHT**  
**TRANSFER NO. 77562**

**Purpose of Transfer (Changes Proposed)**

| <u>Current Number</u> | <u>Split</u> | <u>POD</u> | <u>POU</u> | <u>Add POD</u> | <u>Period of Use</u> | <u>Nature of Use</u> |
|-----------------------|--------------|------------|------------|----------------|----------------------|----------------------|
| 45-2702C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-4076C              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13803              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13804              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13782              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13807              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13808              | NO           | NO         | YES        | NO             | NO                   | NO                   |
| 45-13811              | NO           | NO         | YES        | NO             | NO                   | NO                   |

**Summary of Water Rights After the Approved Change**

| <u>Existing Right</u> | <u>New No. (changed portion)</u> | <u>Transfer Rate</u> | <u>Transfer Volume</u> | <u>Acre Limit</u> | <u>Total Acres</u> | <u>New No. (remaining portion)</u> | <u>Remaining Rate</u> | <u>Remaining Volume</u> | <u>Remaining Acre Limit</u> | <u>Remaining Total Acres</u> |
|-----------------------|----------------------------------|----------------------|------------------------|-------------------|--------------------|------------------------------------|-----------------------|-------------------------|-----------------------------|------------------------------|
| 45-2590               | <b>45-2590</b>                   | 1.5 cfs              | 584 af                 | 146.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2441               | <b>45-2441</b>                   | 0.2 cfs              | 97.6 af                | 100.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-10975              | <b>45-10975</b>                  | 0.1 cfs              | 40 af                  | 10.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-11037              | <b>45-11037</b>                  | 0.08 cfs             | 16 af                  | 4.0               | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2353A              | <b>45-2353A</b>                  | 1.44 cfs             | 288 af                 | 72.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2357A              | <b>45-2357A</b>                  | 1.73 cfs             | 804 af                 | 201.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2377E              | <b>45-2377E</b>                  | 0.44 cfs             | 219 af                 | 253.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2378A              | <b>45-2378A</b>                  | 0.64 cfs             | 312 af                 | 253.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2423A              | <b>45-2423A</b>                  | 1.12 cfs             | 232 af                 | 58.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2424A              | <b>45-2424A</b>                  | 1.53 cfs             | 396 af                 | 99.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2475A              | <b>45-2475A</b>                  | 1.05 cfs             | 260 af                 | 65.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2533A              | <b>45-2533A</b>                  | 1.44 cfs             | 703 af                 | 201.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2534C              | <b>45-2534C</b>                  | 0.36 cfs             | 176 af                 | 253.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2606C              | <b>45-2606C</b>                  | 2.16 cfs             | 305 af                 | 253.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2702A              | <b>45-2702A</b>                  | 0.87 cfs             | 104 af                 | 149.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-4076A              | <b>45-4076A</b>                  | 0.34 cfs             | 168 af                 | 42.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2353C              | <b>45-2353C</b>                  | 0.92 cfs             | 184 af                 | 46.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2357C              | <b>45-2357C</b>                  | 1.11 cfs             | 516 af                 | 129.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2377G              | <b>45-2377G</b>                  | 0.28 cfs             | 137 af                 | 163.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2378C              | <b>45-2378C</b>                  | 0.41 cfs             | 200 af                 | 163.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2423C              | <b>45-2423C</b>                  | 0.72 cfs             | 148 af                 | 37.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2475C              | <b>45-2475C</b>                  | 0.67 cfs             | 168 af                 | 42.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2424C              | <b>45-2424C</b>                  | 0.98 cfs             | 252 af                 | 63.0              | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2533C              | <b>45-2533C</b>                  | 0.92 cfs             | 449 af                 | 129.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |
| 45-2534E              | <b>45-2534E</b>                  | 0.23 cfs             | 112 af                 | 163.0             | 7,502.0            |                                    | N/A                   | N/A                     | N/A                         | N/A                          |

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**TRANSFER OF WATER RIGHT**  
TRANSFER NO. 77562

Summary of Water Rights After the Approved Change

| Existing Right         | New No. (changed portion) | Transfer Rate   | Transfer Volume | Acre Limit  | Total Acres | New No. (remaining portion) | Remaining Rate | Remaining Volume | Remaining Acre Limit | Remaining Total Acres |
|------------------------|---------------------------|-----------------|-----------------|-------------|-------------|-----------------------------|----------------|------------------|----------------------|-----------------------|
| 45-2606E               | <b>45-2606E</b>           | 1.39 cfs        | 203 af          | 163.0       | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-2702C               | <b>45-2702C</b>           | 0.56 cfs        | 68 af           | 96.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-4076C               | <b>45-4076C</b>           | 0.22 cfs        | 108 af          | 27.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13803               | <b>45-13803</b>           | 0.34 cfs        | 94 af           | 25.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13804               | <b>45-13804</b>           | 0.38 cfs        | 102 af          | 27.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13782               | <b>45-13782</b>           | 1.47 cfs        | N/A             | 112.0       | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13807               | <b>45-13807</b>           | 0.2 cfs         | 60 af           | 16.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13808               | <b>45-13808</b>           | 0.23 cfs        | 68 af           | 18.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| 45-13811               | <b>45-13811</b>           | 0.93 cfs        | N/A             | 71.0        | 7,502.0     |                             | N/A            | N/A              | N/A                  | N/A                   |
| <b>COMBINED TOTALS</b> |                           | <b>22.98cfs</b> | <b>5996 af</b>  | <b>1768</b> | <b>7502</b> |                             | N/A            | N/A              | N/A                  | N/A                   |

Detailed Water Right Description(s) attached

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2353A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2353A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 24, 1950

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.44 CFS              | 288.0 AF      |
|                       |             |           | 1.44 CFS              | 288.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |                                      |
|--------------|------|--------------------------------------|
| GROUND WATER | NWNW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SWSW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SESW | Sec. 4 Twp 12S Rge 22E CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S 22E 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S 22E 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S 23E 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|             |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S 23E 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S 23E 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|             |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2353A**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|              |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 72 acres within the authorized place of use in a single irrigation season.
- Rights 45-4076A and 43-2353A when combined shall not exceed a total diversion rate of 1.52 cfs, a total annual maximum diversion volume of 456 af at the field headgate.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2353A**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2353C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2353C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 24, 1950

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.92 CFS              | 184.0 AF      |
|                       |             |           | 0.92 CFS              | 184.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 31  | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2353C**

**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1         |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      |      | 62.0  |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 46 acres within the authorized place of use in a single irrigation season.
- Rights 45-4076C and 45-2353C when combined shall not exceed a total diversion rate of 0.97 cfs, a total annual maximum diversion volume of 292 af at the field headgate.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2353C**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2357A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2357A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** December 13, 1960

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.73 CFS              | 804.0 AF      |
|                       |             |           | 1.73 CFS              | 804.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2357A**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 201 acres within the authorized place of use in a single irrigation season.
- Rights 45-2533A and 45-2357A when combined shall not exceed a total annual maximum diversion volume of 804 af at the field headgate, and the irrigation of 201 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2357A**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2357C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2357C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** December 13, 1960

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.11 CFS              | 516.0 AF      |
|                       |             |           | 1.11 CFS              | 516.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER                      NWNW                      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER                      NWSW                      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
| 11S | 23E | 31  |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
|     |     |     | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2357C**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 129 acres within the authorized place of use in a single irrigation season.
- Rights 45-2533C and 45-2537C when combined shall not exceed a total annual maximum diversion volume of 516 af at the field headgate, and the irrigation of 129 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2357C**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2377E**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2377E is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.44 CFS              | 219.0 AF      |
|                       |             |           | 0.44 CFS              | 219.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2377E**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 253 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377E, 45-2378A, 45-2534C and 45-2606C when combined shall not exceed a total annual maximum diversion volume of 1012 af at the field headgate, and the irrigation of 253 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2377E**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2377G**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2377G is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.28 CFS              | 137.0 AF      |
|                       |             |           | 0.28 CFS              | 137.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |             |             | NE   |      |      |      | NW   |      |      |      | SW   |      |             |             | SE   |        |  |  |  |
|------------|------|-------------|-------------|------|------|------|------|------|------|------|------|------|------|-------------|-------------|------|--------|--|--|--|
|            | NE   | NW          | SW          | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   | Totals |  |  |  |
| 11S 22E 21 |      |             |             |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |  |  |  |
| 11S 22E 23 |      |             |             |      |      |      |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0  |  |  |  |
| 11S 22E 24 |      |             |             |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |  |  |  |
| 11S 22E 25 | 39.0 | 38.0        | 40.0        | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |  |  |  |
| 11S 22E 26 | 40.0 | 40.0        | 41.0        | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |  |  |  |
| 11S 22E 27 | 1.0  | 35.0        | 33.0        | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |  |  |  |
| 11S 22E 28 | 39.0 | 40.0        | 40.0        | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |  |  |  |
| 11S 22E 32 | 40.0 | 28.0        | 40.0        | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |  |  |  |
| 11S 22E 33 | 38.0 | 40.0        | 40.0        | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |  |  |  |
| 11S 22E 34 | 38.0 | 36.0        | 40.0        | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |  |  |  |
| 11S 22E 35 |      |             |             |      |      |      |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |  |  |  |
| 11S 22E 36 | 32.0 | 39.0        | 38.0        | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |  |  |  |
| 11S 23E 19 |      |             |             |      |      |      |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |  |  |  |
| 11S 23E 29 |      |             |             |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |  |  |  |
| 11S 23E 30 | 36.0 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |  |  |  |

**WATER RIGHT NO. 45-2377G**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 163 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377G, 45-2378C, 45-2534E and 45-2606E when combined shall not exceed a total annual maximum diversion volume of 652 af at the field headgate, and the irrigation of 163 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2377G**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2378C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2378C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.41 CFS              | 200.0 AF      |
|                       |             |           | 0.41 CFS              | 200.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 31  | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2378C****As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0   |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 38.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- Rights 5-2377G, 45-2378C, 45-2534E and 45-2606E when combined shall not exceed a total annual maximum diversion volume of 652 af at the field headgate, and the irrigation of 163 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2378C**  
**As Modified by Transfer No. 77562**

8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2423A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2423A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.12 CFS              | 232.0 AF      |
|                       |             |           | 1.12 CFS              | 232.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:** IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2423A**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No.45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 58 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423A, 45-2475A and 45-2702A when combined shall not exceed a total annual maximum diversion volume of 596 af at the field headgate, and the irrigation of 149 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2423A**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2423C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2423C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.72 CFS              | 148.0 AF      |
|                       |             |           | 0.72 CFS              | 148.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 31  | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2423C**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 37 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423C, 45-2475C and 45-2702C when combined shall not exceed a total annual maximum diversion volume of 384 af at the field headgate, and the irrigation of 96 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2423C**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2424A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2424A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.53 CFS              | 396.0 AF      |
|                       |             |           | 1.53 CFS              | 396.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2424A**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 99 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2424A**  
**As Modified by Transfer No. 77562**

7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-2424C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2424C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** October 02, 1952

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.98 CFS              | 252.0 AF      |
|                       |             |           | 0.98 CFS              | 252.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0   |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 | L 3  | L 4  |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0  |
| 11S | 23E | 31  | 39.0 | L 1  | L 2  | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |

**WATER RIGHT NO. 45-2424C**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0   |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 38.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 63 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2424C**  
**As Modified by Transfer No. 77562**

8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
\_\_\_\_\_  
Southern Region Manager

| Twp | Rge | Sec | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE   |             |             |      | Totals |
|-----|-----|-----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|--------|
|     |     |     | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |        |
| 11S | 22E | 21  |             |             |             |      |             |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0  |
| 11S | 22E | 23  |             |             |             |      |             |             |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0 | 157.0  |
| 11S | 22E | 24  |             |             |             |      |             | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0  |
| 11S | 22E | 25  | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0  |
| 11S | 22E | 28  | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 | 601.0  |
| 11S | 22E | 35  |             |             |             |      |             |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0  |
| 11S | 23E | 19  |             |             |             |      |             |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0   |
| 11S | 23E | 29  |             |             |             |      |             |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0  |
| 11S | 23E | 30  | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0  |
| 11S | 23E | 31  | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0  |
| 12S | 22E | 1   |             |             |             |      |             | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0   |
| 12S | 22E | 2   | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0        | 6.0         |      | 589.0  |

**WATER RIGHT NO. 45-2441**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 100 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2590 and 45-2441 when combined shall not exceed a total annual maximum diversion volume of 584 af at the field headgate.
3. Rights 45-2441, 45-2590, 45-10975 and 45-11037 when combined shall not exceed a total annual maximum diversion volume of 636.0 af at the field headgate, and the irrigation of 159.0 acres.
4. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-2441**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager



**WATER RIGHT NO. 45-2475A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2475A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 29, 1954

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.05 CFS              | 260.0 AF      |
|                       |             |           | 1.05 CFS              | 260.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-2475A**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 65 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423A, 45-2475A and 45-2702A when combined shall not exceed a total annual maximum diversion volume of 596 af at the field headgate, and the irrigation of 149 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2475A**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2475C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2475C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 29, 1954

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.67 CFS              | 168.0 AF      |
|                       |             |           | 0.67 CFS              | 168.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      |      | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      |      | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      |      | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0  |
|     |     |     | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |
| 11S | 23E | 31  | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0  |
|     |     |     | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |

**WATER RIGHT NO. 45-2475C**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0   |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 42 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423C, 45-2475C and 45-2702C when combined shall not exceed a total annual maximum diversion volume of 384 af at the field headgate, and the irrigation of 96 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2475C**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
13. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
14. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-2533A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2533A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 04, 1956

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 1.44 CFS              | 703.0 AF      |
|                       |             |           | 1.44 CFS              | 703.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |             |             | NE   |      |      |      | NW   |      |      |      | SW   |      |             |             | SE   |  |       |  | Totals |
|------------|------|-------------|-------------|------|------|------|------|------|------|------|------|------|------|-------------|-------------|------|--|-------|--|--------|
|            | NE   | NW          | SW          | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW          | SW          | SE   |  |       |  |        |
| 11S 22E 21 |      |             |             |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 |  | 318.0 |  |        |
| 11S 22E 23 |      |             |             |      |      |      |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 |  | 157.0 |  |        |
| 11S 22E 24 |      |             |             |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      |  | 241.0 |  |        |
| 11S 22E 25 | 39.0 | 38.0        | 40.0        | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 |  | 629.0 |  |        |
| 11S 22E 26 | 40.0 | 40.0        | 41.0        | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 |  | 399.0 |  |        |
| 11S 22E 27 | 1.0  | 35.0        | 33.0        | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      |  | 393.0 |  |        |
| 11S 22E 28 | 39.0 | 40.0        | 40.0        | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 |  | 474.0 |  |        |
| 11S 22E 32 | 40.0 | 28.0        | 40.0        | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 |  | 309.0 |  |        |
| 11S 22E 33 | 38.0 | 40.0        | 40.0        | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 |  | 630.0 |  |        |
| 11S 22E 34 | 38.0 | 36.0        | 40.0        | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0        | 40.0        | 38.0 |  | 601.0 |  |        |
| 11S 22E 35 |      |             |             |      |      |      |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 |  | 156.0 |  |        |
| 11S 22E 36 | 32.0 | 39.0        | 38.0        | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 |  | 304.0 |  |        |
| 11S 23E 19 |      |             |             |      |      |      |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      |  | 72.0  |  |        |
| 11S 23E 29 |      |             |             |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      |  | 158.0 |  |        |
| 11S 23E 30 | 36.0 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 |  | 307.0 |  |        |

**WATER RIGHT NO. 45-2533A**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 201 acres within the authorized place of use in a single irrigation season.
- Rights 45-2357A and 45-2533A when combined shall not exceed a total annual maximum diversion volume of 804 af at the field headgate, and the irrigation of 201 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2533A**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |       | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE    |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |        |
| 11S        | 23E | 29 |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      | 62.0  |        |

**WATER RIGHT NO. 45-2533C**  
**As Modified by Transfer No. 77562**

|                   |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S               | 22E | 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   |     |    | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S               | 22E | 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   |     |    | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S               | 22E | 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   |     |    | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S               | 22E | 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 129 acres within the authorized place of use in a single irrigation season.
- Rights 45-2533C and 45-2357C when combined shall not exceed a total annual maximum diversion volume of 516 af at the field headgate, and the irrigation of 129 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2533C**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2534C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2534C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 04, 1956

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.36 CFS              | 176.0 AF      |
|                       |             |           | 0.36 CFS              | 176.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2534C**  
**As Modified by Transfer No. 77562**

|     |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-----|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|     |     |    |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S | 22E | 1  |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|     |     |    |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S | 22E | 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|     |     |    | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S | 22E | 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|     |     |    | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S | 22E | 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|     |     |    | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S | 22E | 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|     |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No.45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 253 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2377E, 45-2378A, 45-2534C and 45-2606C when combined shall not exceed a total annual maximum diversion volume of 1012 af at the field headgate, and the irrigation of 253 acres.
4. Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
5. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
6. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
7. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2534C**  
**As Modified by Transfer No. 77562**

8. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp RgeSec |     |    | NE          |             |             |      | NW          |      |      |      | SW   |      |      |      | SE          |             |      |       | Totals |
|------------|-----|----|-------------|-------------|-------------|------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|-------|--------|
|            |     |    | NE          | NW          | SW          | SE   | NE          | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE          | NW          | SW   | SE    |        |
| 11S        | 22E | 21 |             |             |             |      |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |             |             |             |      |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |             |             |             |      | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 7.0         |             |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0        | 28.0        | 40.0        | 41.0 |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0        | 40.0        | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |             |             |             |      |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0        | 39.0        | 38.0        | 38.0 |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |             |             |             |      |             |      |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0  |        |
| 11S        | 23E | 29 |             |             |             |      |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0<br>L 1 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0<br>L 1 | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |             |             |             |      | 40.0<br>L 4 | 21.0 |      |      | 1.0  |      |      |      |             |             |      | 62.0  |        |

**WATER RIGHT NO. 45-2534E**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 163 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377G, 45-2378C, 45-2534E and 45-2606E when combined shall not exceed a total annual maximum diversion volume of 652 af at the field headgate, and the irrigation of 163 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2534E**  
**As Modified by Transfer No. 77562**

9. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
10. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
11. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
14. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

| Twp RgeSec |     |    | NE          |             |             |      | NW          |             |      |      | SW   |      |      |      | SE          |             |      |       | Totals |
|------------|-----|----|-------------|-------------|-------------|------|-------------|-------------|------|------|------|------|------|------|-------------|-------------|------|-------|--------|
|            |     |    | NE          | NW          | SW          | SE   | NE          | NW          | SW   | SE   | NE   | NW   | SW   | SE   | NE          | NW          | SW   | SE    |        |
| 11S        | 22E | 21 |             |             |             |      |             |             |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |             |             |             |      |             |             |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |             |             |             |      | 38.0        | 41.0        |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0        | 38.0        | 40.0        | 40.0 | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0        | 40.0        | 41.0        | 38.0 |             | 41.0        | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0         | 35.0        | 33.0        | 1.0  | 39.0        | 39.0        | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0         |             |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0        | 40.0        | 40.0        | 40.0 | 40.0        | 40.0        | 40.0 |      |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0        | 28.0        | 40.0        | 41.0 |             |             |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0        | 40.0        | 40.0        | 39.0 | 40.0        | 39.0        | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0        | 36.0        | 40.0        | 39.0 | 29.0        | 39.0        | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0        | 40.0        | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |             |             |             |      |             |             |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0        | 39.0        | 38.0        | 38.0 |             |             |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |             |             |             |      |             |             |      |      |      |      |      |      | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0  |        |
| 11S        | 23E | 29 |             |             |             |      |             |             |      | 39.0 | 40.0 | 40.0 | 39.0 |      |             |             |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0        | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |             |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0        | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |             |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |             |             |             |      | 40.0<br>L 4 | 21.0        |      | 1.0  |      |      |      |      |             |             |      | 62.0  |        |
| 12S        | 22E | 2  | 40.0<br>L 1 | 40.0<br>L 2 | 40.0        | 40.0 | 40.0<br>L 3 | 39.0<br>L 4 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0        | 33.0        | 6.0  | 589.0 |        |

**WATER RIGHT NO. 45-2590**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 146 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2441 and 45-2590 when combined shall not exceed a total annual maximum diversion volume of 584 af at the field headgate.
3. Rights 45-2441, 45-2590, 45-10975 and 45-11037 when combined shall not exceed a total annual maximum diversion volume of 636.0 af at the field headgate, and the irrigation of 159.0 acres.
4. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

**WATER RIGHT NO. 45-2590**  
**As Modified by Transfer No. 77562**

11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
\_\_\_\_\_  
Southern Region Manager



**WATER RIGHT NO. 45-2606C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2606C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 03, 1960

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 2.16 CFS              | 305.0 AF      |
|                       |             |           | 2.16 CFS              | 305.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2606C**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 253 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377E, 45-2378A, 45-2534C and 45-2606C when combined shall not exceed a total annual maximum diversion volume of 1012 af at the field headgate, and the irrigation of 253 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2606C**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |       | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE    |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 7.0  |      |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |        |
| 11S        | 23E | 29 |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      | L 3  | L 4  |      | 62.0  |        |

**WATER RIGHT NO. 45-2606E**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 163 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377G, 45-2378C, 45-2534E, and 45-2606E when combined shall not exceed a total annual maximum diversion volume of 652 af at the field headgate, and the irrigation of 163 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.

**WATER RIGHT NO. 45-2606E**  
**As Modified by Transfer No. 77562**

10. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
11. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
12. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
13. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
14. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
15. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-2702A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2702A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** February 17, 1964

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.87 CFS              | 104.0 AF      |
|                       |             |           | 0.87 CFS              | 104.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |                                      |
|--------------|------|--------------------------------------|
| GROUND WATER | NWNW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SWSW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SESW | Sec. 4 Twp 12S Rge 22E CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2702A**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 589.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 611.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 623.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No.45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 149 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423A, 45-2475A and 45-2702A when combined shall not exceed a total annual maximum diversion volume of 596 af at the field headgate, and the irrigation of 149 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2702A**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

| Twp RgeSec |     |    | NE   |             |             |      | NW          |      |      |      | SW   |      |      |      | SE          |             |      |       | Totals |
|------------|-----|----|------|-------------|-------------|------|-------------|------|------|------|------|------|------|------|-------------|-------------|------|-------|--------|
|            |     |    | NE   | NW          | SW          | SE   | NE          | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE          | NW          | SW   | SE    |        |
| 11S        | 22E | 21 |      |             |             |      |             |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0        | 39.0        | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |      |             |             |      |             |      |      |      |      |      |      | 39.0 | 40.0        | 40.0        | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |      |             |             |      | 38.0        | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |             |             |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0 | 38.0        | 40.0        | 40.0 | 39.0        | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0        | 39.0        | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0 | 40.0        | 41.0        | 38.0 |             | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0        | 40.0        | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0  | 35.0        | 33.0        | 1.0  | 39.0        | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 7.0         |             |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0 | 40.0        | 40.0        | 40.0 | 40.0        | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0        | 38.0        | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0 | 28.0        | 40.0        | 41.0 |             |      |      |      |      |      |      | 41.0 | 40.0        | 39.0        | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0 | 40.0        | 40.0        | 39.0 | 40.0        | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0        | 40.0        | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0 | 36.0        | 40.0        | 39.0 | 29.0        | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0        | 40.0        | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |      |             |             |      |             |      |      |      |      |      |      | 39.0 | 40.0        | 39.0        | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0 | 39.0        | 38.0        | 38.0 |             |      |      |      |      |      | 4.0  | 40.0 | 37.0        | 38.0        | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |      |             |             |      |             |      |      |      |      |      |      |      | 31.0        | 41.0        |      | 72.0  |        |
| 11S        | 23E | 29 |      |             |             |      |             |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3         | L 4         |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |             |      |      |      |      |      |      | 39.0 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0 | 33.0<br>L 1 | 40.0<br>L 2 | 40.0 |             |      |      |      |      |      |      | 40.0 | 41.0<br>L 3 | 39.0<br>L 4 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |      |             |             |      | 40.0<br>L 4 | 21.0 |      | 1.0  |      |      |      |      |             |             |      | 62.0  |        |

**WATER RIGHT NO. 45-2702C**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 96 acres within the authorized place of use in a single irrigation season.
- Rights 45-2423C, 45-2475C and 45-2702C when combined shall not exceed a total annual maximum diversion volume of 384 af at the field headgate, and the irrigation of 96 acres.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-2702C**  
**As Modified by Transfer No. 77562**

10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager



| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |       | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE    |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0  |        |
| 11S        | 23E | 29 |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0 |        |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |        |
| 12S        | 22E | 1  |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      | L 3  | L 4  |      | 62.0  |        |
| 12S        | 22E | 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |        |
| 12S        | 22E | 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |        |

**WATER RIGHT NO. 45-10975**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 10 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2441, 45-2590, 45-10975 and 45-11037 when combined shall not exceed a total annual maximum diversion volume of 636.0 af at the field headgate, and the irrigation of 159.0 acres.
3. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
5. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
6. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
9. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.


**WATER RIGHT NO. 45-10975**  
**As Modified by Transfer No. 77562**

10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager



**WATER RIGHT NO. 45-11037**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-11037 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** September 29, 1959

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.08 CFS              | 16.0 AF       |
|                       |             |           | 0.08 CFS              | 16.0 AF       |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      SWSWNE      Sec. 25 Twp 11S    Rge 22E    CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      | 157.0  |
| 11S        | 22E | 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      | 399.0  |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      | 474.0  |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      | 309.0  |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0  |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
| 11S        | 23E | 29 |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      | 158.0  |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0  |
| 12S        | 22E | 1  |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      | 62.0   |
| 12S        | 22E | 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0  |

**WATER RIGHT NO. 45-11037**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**As Modified by Transfer No. 77562**

**CONDITIONS OF APPROVAL**


1. This right is limited to the irrigation of 4 acres within the authorized place of use in a single irrigation season.
2. Rights 45-2441, 45-2590, 45-10975 and 45-11037 when combined shall not exceed a total annual maximum diversion volume of 636.0 af at the field headgate, and the irrigation of 159.0 acres.
3. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
4. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
5. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
6. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
8. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
9. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.


**WATER RIGHT NO. 45-11037**  
**As Modified by Transfer No. 77562**

10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager



**WATER RIGHT NO. 45-4076C**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-4076C is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** July 13, 1954

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.22 CFS              | 108.0 AF      |
|                       |             |           | 0.22 CFS              | 108.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
| 11S 23E 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |  |  | 311.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-4076C****As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 |      | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 27 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353C and 45-4076C when combined shall not exceed a total diversion rate of 0.97 cfs, a total annual maximum diversion volume of 292 af at the field headgate.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-4076C**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-13807**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13807 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1959

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.20 CFS              | 60.0 AF       |
|                       |             |           | 0.20 CFS              | 60.0 AF       |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      NWSW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      | 157.0  |
| 11S        | 22E | 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      |      | 399.0  |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      |      | 474.0  |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      |      | 309.0  |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0  |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0   |
| 11S        | 23E | 29 |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      |      | 158.0  |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0  |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0  |
|            |     |    | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |

**WATER RIGHT NO. 45-13807**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0   |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 |      | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 38.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 |      | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0  |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 16 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
4. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13807**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
\_\_\_\_\_  
Southern Region Manager



**WATER RIGHT NO. 45-13808**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13808 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1955

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.23 CFS              | 68.0 AF       |
|                       |             |           | 0.23 CFS              | 68.0 AF       |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 4 Twp 12S Rge 22E CASSIA County

GROUND WATER      NWSW      Sec. 4 Twp 12S Rge 22E CASSIA County

**PLACE OF USE:** IRRIGATION

| Twp RgeSec |     |    | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|------------|-----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|            |     |    | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S        | 22E | 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S        | 22E | 23 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      | 157.0  |
| 11S        | 22E | 24 |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |      | 241.0  |
| 11S        | 22E | 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S        | 22E | 26 | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      |      | 399.0  |
| 11S        | 22E | 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S        | 22E | 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      | 474.0  |
| 11S        | 22E | 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      | 309.0  |
| 11S        | 22E | 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S        | 22E | 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S        | 22E | 35 |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      | 156.0  |
| 11S        | 22E | 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S        | 23E | 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|            |     |    |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S        | 23E | 29 |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      | 158.0  |
| 11S        | 23E | 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0  |
|            |     |    | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S        | 23E | 31 | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0  |
|            |     |    | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-13808**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


- Right No. 45-13811 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 18 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13808**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager



**WATER RIGHT NO. 45-13811**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13811 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** June 30, 1985

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> |
|-----------------------|-------------|-----------|-----------------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.93 CFS              |
|                       |             |           | 0.93 CFS              |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER                      NWNW                      Sec. 4   Twp 12S   Rge 22E   CASSIA County

GROUND WATER                      NWSW                      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |      |      | 157.0  |
| 11S | 22E | 24  |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |      | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      | 39.0 | 41.0 | 40.0 | 38.0 |      |      |      | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      | 39.0 | 40.0 | 38.0 | 38.0 |      |      | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |      |      | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |      | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |      |      | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |      | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |      | 72.0   |
| 11S | 23E | 29  |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      | L 3  | L 4  |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |      | 307.0  |
| 11S | 23E | 31  | 39.0 | L 1  | L 2  | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 |      | 311.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |      |        |

**WATER RIGHT NO. 45-13811**  
**As Modified by Transfer No. 77562**

|            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12S 22E 1  |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0 |       |
|            |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2  | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3  | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4  | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|            | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10 | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |

Total Acres: 7502

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Right No. 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 71 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808 and 45-13811 when combined shall not exceed a total diversion rate of 8.24 cfs, a total annual maximum diversion volume of 2096.0 af at the field headgate, and the irrigation of 629.0 acres.
4. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13811**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager



**WATER RIGHT NO. 45-2378A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-2378A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** May 14, 1951

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.64 CFS              | 312.0 AF      |
|                       |             |           | 0.64 CFS              | 312.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER      NWNW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SWSW      Sec. 3   Twp 12S   Rge 22E   CASSIA County

GROUND WATER      SESW      Sec. 4   Twp 12S   Rge 22E   CASSIA County

**PLACE OF USE:**    IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-2378A**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|              |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 611.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 42-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 253 acres within the authorized place of use in a single irrigation season.
- Rights 45-2377E, 45-2378A, 45-2534C and 45-2606C when combined shall not exceed a total annual maximum diversion volume of 1012 af at the field headgate, and the irrigation of 253 acres.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-2378A**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
\_\_\_\_\_  
Southern Region Manager

**WATER RIGHT NO. 45-4076A**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-4076A is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** July 13, 1954

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.34 CFS              | 168.0 AF      |
|                       |             |           | 0.34 CFS              | 168.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |        |         |         |               |
|--------------|------|--------|---------|---------|---------------|
| GROUND WATER | NWNW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SESW | Sec. 4 | Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp RgeSec |      |      | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |  |  | Totals |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--------|
|            | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |  |  |        |
| 11S 22E 21 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 |  |  | 318.0  |
| 11S 22E 23 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 157.0  |
| 11S 22E 24 |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      |  |  | 241.0  |
| 11S 22E 25 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 |  |  | 629.0  |
| 11S 22E 26 | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 |  |  | 399.0  |
| 11S 22E 27 | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      |  |  | 393.0  |
| 11S 22E 28 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 |  |  | 474.0  |
| 11S 22E 32 | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 |  |  | 309.0  |
| 11S 22E 33 | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 |  |  | 630.0  |
| 11S 22E 34 | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 |  |  | 601.0  |
| 11S 22E 35 |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 |  |  | 156.0  |
| 11S 22E 36 | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 |  |  | 304.0  |
| 11S 23E 19 |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      |  |  | 72.0   |
|            |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |
| 11S 23E 29 |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |  |  | 158.0  |
| 11S 23E 30 | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 |  |  | 307.0  |
|            |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |  |  |        |

**WATER RIGHT NO. 45-4076A**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 42 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353A and 45-4076A when combined shall not exceed a total diversion rate of 1.52 cfs, a total annual maximum diversion volume of 456 af at the field headgate.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-4076A**  
**As Modified by Transfer No. 77562**

9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
10. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
11. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
12. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
13. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager

**WATER RIGHT NO. 45-13782**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13782 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** June 30, 1985

**Source:** GROUND WATER

|                              |                    |                  |                              |
|------------------------------|--------------------|------------------|------------------------------|
| <b><u>BENEFICIAL USE</u></b> | <b><u>From</u></b> | <b><u>To</u></b> | <b><u>Diversion Rate</u></b> |
| IRRIGATION                   | 03/15              | to 11/15         | 1.47 CFS                     |
|                              |                    |                  | 1.47 CFS                     |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |        |         |         |               |
|--------------|------|--------|---------|---------|---------------|
| GROUND WATER | NWNW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SESW | Sec. 4 | Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp RgeSec |     |    | NE          |             |             |      | NW   |      |      |      | SW   |      |      |             | SE          |             |      |       | Totals |
|------------|-----|----|-------------|-------------|-------------|------|------|------|------|------|------|------|------|-------------|-------------|-------------|------|-------|--------|
|            |     |    | NE          | NW          | SW          | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE          | NE          | NW          | SW   | SE    |        |
| 11S        | 22E | 21 |             |             |             |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0        | 41.0        | 39.0        | 38.0 | 318.0 |        |
| 11S        | 22E | 23 |             |             |             |      |      |      |      |      |      |      |      | 39.0        | 40.0        | 40.0        | 38.0 | 157.0 |        |
| 11S        | 22E | 24 |             |             |             |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |             |             |             |      | 241.0 |        |
| 11S        | 22E | 25 | 39.0        | 38.0        | 40.0        | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0        | 40.0        | 39.0        | 38.0 | 629.0 |        |
| 11S        | 22E | 26 | 40.0        | 40.0        | 41.0        | 38.0 |      | 41.0 | 41.0 |      |      |      |      | 39.0        | 41.0        | 40.0        | 38.0 | 399.0 |        |
| 11S        | 22E | 27 | 1.0         | 35.0        | 33.0        | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |             | 7.0         |             |      | 393.0 |        |
| 11S        | 22E | 28 | 39.0        | 40.0        | 40.0        | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0        | 40.0        | 38.0        | 38.0 | 474.0 |        |
| 11S        | 22E | 32 | 40.0        | 28.0        | 40.0        | 41.0 |      |      |      |      |      |      |      | 41.0        | 40.0        | 39.0        | 40.0 | 309.0 |        |
| 11S        | 22E | 33 | 38.0        | 40.0        | 40.0        | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0        | 40.0        | 40.0        | 39.0 | 630.0 |        |
| 11S        | 22E | 34 | 38.0        | 36.0        | 40.0        | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0        | 39.0        | 40.0        | 40.0 | 601.0 |        |
| 11S        | 22E | 35 |             |             |             |      |      |      |      |      |      |      |      | 39.0        | 40.0        | 39.0        | 38.0 | 156.0 |        |
| 11S        | 22E | 36 | 32.0        | 39.0        | 38.0        | 38.0 |      |      |      |      |      |      | 4.0  | 40.0        | 37.0        | 38.0        | 38.0 | 304.0 |        |
| 11S        | 23E | 19 |             |             |             |      |      |      |      |      |      |      |      |             | 31.0<br>L 3 | 41.0<br>L 4 |      | 72.0  |        |
| 11S        | 23E | 29 |             |             |             |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |             |             |             |      | 158.0 |        |
| 11S        | 23E | 30 | 36.0<br>L 1 | 40.0<br>L 1 | 40.0<br>L 2 | 37.0 |      |      |      |      |      |      |      | 39.0<br>L 3 | 38.0<br>L 3 | 38.0<br>L 4 | 39.0 | 307.0 |        |

**WATER RIGHT NO. 45-13782**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 611.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


1. This right is an expansion of Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13803 and 45-13804 pursuant to Section 42-1416B, Idaho Code.
2. This right is limited to the irrigation of 112 acres within the authorized place of use in a single irrigation season.
3. Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
4. Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
5. Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
7. Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.

**WATER RIGHT NO. 45-13782**  
**As Modified by Transfer No. 77562**

8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 2012

  
Southern Region Manager

**WATER RIGHT NO. 45-13803**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13803 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1959

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.34 CFS              | 94.0 AF       |
|                       |             |           | 0.34 CFS              | 94.0 AF       |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |        |         |         |               |
|--------------|------|--------|---------|---------|---------------|
| GROUND WATER | NWNW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SWSW | Sec. 3 | Twp 12S | Rge 22E | CASSIA County |
| GROUND WATER | SESW | Sec. 4 | Twp 12S | Rge 22E | CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|             | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S 22E 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S 22E 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S 22E 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S 22E 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S 22E 26  | 40.0 | 40.0 | 41.0 | 38.0 |      |      | 41.0 | 41.0 |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S 22E 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S 22E 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S 22E 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S 22E 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S 22E 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S 22E 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S 22E 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      |      | 4.0  | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S 23E 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|             |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S 23E 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S 23E 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|             |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-13803**  
**As Modified by Transfer No. 77562**

|              |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31   | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|              |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1    |      |      |      |      | 40.0 | 21.0 |      | 1.0  |      |      |      |      |      |      |      | 62.0  |
|              |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2    | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  | 589.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3    | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4    | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|              | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10   | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
| Total Acres: | 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No.45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 25 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13803**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager



**WATER RIGHT NO. 45-13804**  
**As Modified by Transfer No. 77562**

In accordance with the approval of Transfer No. 77562, Water Right No. 45-13804 is now described as follows.

**Right Holder:** CORP OF THE PRESIDING BISHOP  
 CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS  
 SALT LAKE CITY UT 84150

**Priority Date:** March 15, 1955

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>From</u> | <u>To</u> | <u>Diversion Rate</u> | <u>Volume</u> |
|-----------------------|-------------|-----------|-----------------------|---------------|
| IRRIGATION            | 03/15       | to 11/15  | 0.38 CFS              | 102.0 AF      |
|                       |             |           | 0.38 CFS              | 102.0 AF      |

**LOCATION OF POINT(S) OF DIVERSION:**

|              |      |                                      |
|--------------|------|--------------------------------------|
| GROUND WATER | NWNW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SWSW | Sec. 3 Twp 12S Rge 22E CASSIA County |
| GROUND WATER | SESW | Sec. 4 Twp 12S Rge 22E CASSIA County |

**PLACE OF USE:** IRRIGATION

| Twp | Rge | Sec | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      | Totals |
|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
|     |     |     | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   | NE   | NW   | SW   | SE   |        |
| 11S | 22E | 21  |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 40.0 | 41.0 | 39.0 | 38.0 | 318.0  |
| 11S | 22E | 23  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 38.0 | 157.0  |
| 11S | 22E | 24  |      |      |      |      |      | 38.0 | 41.0 |      | 41.0 | 41.0 | 40.0 | 40.0 |      |      |      |      | 241.0  |
| 11S | 22E | 25  | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 38.0 | 40.0 | 40.0 | 39.0 | 38.0 | 629.0  |
| 11S | 22E | 26  | 40.0 | 40.0 | 41.0 | 38.0 |      | 41.0 | 41.0 |      |      |      |      |      | 39.0 | 41.0 | 40.0 | 38.0 | 399.0  |
| 11S | 22E | 27  | 1.0  | 35.0 | 33.0 | 1.0  | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 |      | 7.0  |      |      | 393.0  |
| 11S | 22E | 28  | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |      |      |      |      | 39.0 | 40.0 | 38.0 | 38.0 | 474.0  |
| 11S | 22E | 32  | 40.0 | 28.0 | 40.0 | 41.0 |      |      |      |      |      |      |      |      | 41.0 | 40.0 | 39.0 | 40.0 | 309.0  |
| 11S | 22E | 33  | 38.0 | 40.0 | 40.0 | 39.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 36.0 | 40.0 | 40.0 | 39.0 | 630.0  |
| 11S | 22E | 34  | 38.0 | 36.0 | 40.0 | 39.0 | 29.0 | 39.0 | 40.0 | 29.0 | 38.0 | 40.0 | 37.0 | 39.0 | 39.0 | 40.0 | 40.0 | 38.0 | 601.0  |
| 11S | 22E | 35  |      |      |      |      |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 39.0 | 38.0 | 156.0  |
| 11S | 22E | 36  | 32.0 | 39.0 | 38.0 | 38.0 |      |      |      |      |      |      | 4.0  |      | 40.0 | 37.0 | 38.0 | 38.0 | 304.0  |
| 11S | 23E | 19  |      |      |      |      |      |      |      |      |      |      |      |      |      | 31.0 | 41.0 |      | 72.0   |
|     |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |
| 11S | 23E | 29  |      |      |      |      |      |      |      |      | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      | 158.0  |
| 11S | 23E | 30  | 36.0 | 40.0 | 40.0 | 37.0 |      |      |      |      |      |      |      |      | 39.0 | 38.0 | 38.0 | 39.0 | 307.0  |
|     |     |     |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |        |

**WATER RIGHT NO. 45-13804**  
**As Modified by Transfer No. 77562**

|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 11S 23E 31        | 39.0 | 33.0 | 40.0 | 40.0 |      |      |      |      |      |      |      |      | 40.0 | 41.0 | 39.0 | 39.0 | 311.0 |
|                   |      | L 1  | L 2  |      |      |      |      |      |      |      |      |      |      | L 3  | L 4  |      |       |
| 12S 22E 1         |      |      |      |      |      | 40.0 | 21.0 |      |      | 1.0  |      |      |      |      |      |      | 62.0  |
|                   |      |      |      |      |      | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 2         | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 33.0 | 40.0 | 33.0 | 6.0  |      | 589.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 3         | 38.0 | 39.0 | 40.0 | 39.0 | 38.0 | 25.0 | 39.0 | 39.0 | 39.0 | 40.0 | 40.0 | 39.0 | 39.0 | 40.0 | 39.0 | 38.0 | 611.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 4         | 38.0 | 39.0 | 40.0 | 38.0 | 39.0 | 39.0 | 40.0 | 40.0 | 40.0 | 40.0 | 39.0 | 39.0 | 36.0 | 40.0 | 39.0 | 37.0 | 623.0 |
|                   | L 1  | L 2  |      |      | L 3  | L 4  |      |      |      |      |      |      |      |      |      |      |       |
| 12S 22E 10        | 39.0 | 40.0 | 40.0 | 39.0 |      |      |      |      |      |      |      |      |      |      |      |      | 158.0 |
|                   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
| Total Acres: 7502 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |

**CONDITIONS OF APPROVAL**


- Right No. 45-13782 is an expansion of this right and others pursuant to Section 42-1416B, Idaho Code.
- This right is limited to the irrigation of 27 acres within the authorized place of use in a single irrigation season.
- Rights 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803 and 45-13804 when combined shall not exceed a total diversion rate of 12.86 cfs, a total annual maximum diversion volume of 3264.0 af at the field headgate, and the irrigation of 980.0 acres.
- Rights 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804 when combined shall not exceed a total diversion rate of 22.98 cfs, a total annual maximum diversion volume of 5996.0 af at the field headgate, and the irrigation of 1768.0 acres.
- Rights 45-2440, 45-2592B, 45-13471, 45-2592A, 45-13472, 45-2538, 45-10789, 45-2356B, 45-13798, 45-2643, 45-11867, 45-2480, 45-10984, 45-2441, 45-2590, 45-10975, 45-11037, 45-2353C, 45-2357C, 45-2377G, 45-2378C, 45-2423C, 45-2424C, 45-2475C, 45-2533C, 45-2534E, 45-2606E, 45-2702C, 45-4076C, 45-13807, 45-13808, 45-13811, 45-2353A, 45-2357A, 45-2377E, 45-2378A, 45-2423A, 45-2424A, 45-2475A, 45-2533A, 45-2534C, 45-2606C, 45-2702A, 45-4076A, 45-13782, 45-13803, 45-13804, 45-2353B, 45-2357B, 45-2377F, 45-2378B, 45-2423B, 45-2424B, 45-2475B, 45-2533B, 45-2534D, 45-2606D, 45-2702B, 45-4076B, 45-13781, 45-13805, 45-13806, 45-2376C, 45-2398, 45-2400A, 45-2451, 45-2548, 45-2553, 45-2554, 45-4198, 45-4215A and 45-4216A when combined shall not exceed a total diversion rate of 91.10 cfs, a total annual maximum diversion volume of 24,951.4 af at the field headgate, and the irrigation of 7,481.6 acres. Rights have been processed in two companion transfers, 77562 and 77565, and this condition specifies the total combined use limits for both transfers.
- Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized points of diversion in accordance with Department specifications.
- Prior to the diversion and use of water under Transfer approval 77562, the right holder shall install and maintain acceptable measuring devices at the authorized points of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.


**WATER RIGHT NO. 45-13804**  
**As Modified by Transfer No. 77562**

9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 140.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.


Dated this 4<sup>th</sup> day of January, 20 12

  
Southern Region Manager



# Attachment To Transfer Of Water Right

Rights: 45-2353A, 45-2353C, 45-2357A, 45-2357C, 45-2377E, 45-2377G, 45-2378A, 45-2378C, 45-2423A, 45-2423C, 45-2424A, 45-2424C, 45-2441, 45-2475A, 45-2475C, 45-2533A, 45-2533C, 45-2534C, 45-2534E, 45-2590, 45-2606C, 45-2606E, 45-2702A, 45-2702C, 45-4076A, 45-4076C, 45-10975, 45-11037, 45-13782, 45-13803, 45-13804, 45-13807, 45-13808, 45-13811



## Legend

-