

Saxton, Craig

From: Peppersack, Jeff
Sent: Monday, January 23, 2012 2:34 PM
To: Saxton, Craig
Cc: Keen, Shelley
Subject: FW: Wendell Cemetery 36-8242 information
Attachments: Wendell Cemetery Drill log1.jpg; Wendell Cemetery Drill log1a.jpg; Wendell Cemetery Publication.jpg; Wendell Cemetery bid - pmnt.jpg; 36-8242 memo.doc

Craig,

I'm forwarding this information to you in preparation to process a pending application that slipped through the cracks back in 1990. Once we have all the information, the application should be processed per the attached memo.

Thanks,
Jeff

From: Paul Isaacson [<mailto:paul@positiveway.com>]
Sent: Monday, January 23, 2012 2:08 PM
To: Peppersack, Jeff
Subject: Wendell Cemetery 36-8242 information

Mr. Peppersack,

The information you requested is a bit harder to find than we had anticipated. the original application date was 10 April 1984 per IDWR receipt # 33047. As you can see from the enclosed information the well was drilled in Jan of 1986. The initial start-up date of the pump was in April of 1986 per the listing in the Cemetery accounting ledger with a payment to Idaho Power in May of 1986. The well has been in continuous use from that date to now with the exception of off season shut-down.

We are looking through our warehoused records for the initial billing from Idaho Power and will get back to you with that information as soon as practicable.

Thank you for your help in this matter.

Paul D. Isaacson
P.O. Box 728
152 East Main
Wendell, ID 83355
Home (208) 536-6187
Fax (208)-536-6187
Cell (208) 539-7160
paul@positiveway.com

Saxton, Craig

From: Peppersack, Jeff
Sent: Monday, January 23, 2012 4:48 PM
To: Saxton, Craig
Subject: FW: Wendell cemetery 36-8242 Info Idaho Power
Attachments: Wendell Cemetery Power1986a.jpg; Wendell cemetery Power 1986b.jpg

Craig,

Here's the rest of Wendell Cemetery district's submittal. Looks like they did not develop prior to Oct. 1984, so any approval would be considered trust water.

Jeff

From: Paul Isaacson [<mailto:paul@positiveway.com>]
Sent: Monday, January 23, 2012 4:28 PM
To: Peppersack, Jeff
Subject: Wendell cemetery 36-8242 Info Idaho Power

Mr. Peppersack,

Here are the Idaho Power bills for the year 1986

Thank you once again,

Paul D. Isaacson
P.O. Box 728
152 East Main
Wendell, ID 83355
Home (208) 536-6187
Fax (208)-536-6187
Cell (208) 539-7160
paul@positiveway.com

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Wendell Cemetery
City of Wendell - Commercial
Address _____
Owner's Permit No. _____

7. WATER LEVEL

Static water level 123 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>0.25</u> inches	<u>8 5/8</u> inches	<u>0</u> feet	<u>19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 1 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Pudding clay ☒ Drilling mudSealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	6	top soil		x
6	6	8	gray lava		x
3	8	10	Gravel		x
10	10	14	gray lava		x
14	14	24	Black lava	x	
24	24	34	gray lava		x
34	34	37	Black lava		x
37	37	41	gray lava		x
41	41	43	Brown lava		x
43	43	44	Black lava	x	
44	44	46	Sand	x	
46	46	47	Brown lava	x	
47	47	57	Black lava & Drilling mud	x	
57	57	117	Black lava & Drilling mud	x	
117	117	120	Black lava	x	

RECEIVED

JAN 23 2012

DEPARTMENT OF
WATER RESOURCES

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
0.25 inches	8 5/8 inches	0 feet	19 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19 Material used in seal: ☒ Cement grout

☐ Bentonite ☐ Puddling clay ☒ Drill casing

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent


Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Crook

1/4 1/4 Sec. 32, T. 1 S, R. 15 E/W

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	6	top soil		
10	6	8	gray loam		
10	8	10	gravel		
10	10	14	gray loam		
10	14	24	Black loam		
10	24	34	gray loam		
10	34	37	Black loam		
10	37	41	gray loam		
10	41	42	Black loam		
10	42	43	Black loam		
10	43	44	Sand		
10	44	45	Brown loam		
10	45	46	Black loam		
10	46	47	Black loam		
10	47	48	Black loam		
10	48	49	Black loam		
10	49	50	Black loam		
10	50	51	Black loam		
10	51	52	Black loam		
10	52	53	Black loam		
10	53	54	Black loam		
10	54	55	Black loam		
10	55	56	Black loam		
10	56	57	Black loam		
10	57	58	Black loam		
10	58	59	Black loam		
10	59	60	Black loam		
10	60	61	Black loam		
10	61	62	Black loam		
10	62	63	Black loam		
10	63	64	Black loam		
10	64	65	Black loam		
10	65	66	Black loam		
10	66	67	Black loam		
10	67	68	Black loam		
10	68	69	Black loam		
10	69	70	Black loam		
10	70	71	Black loam		
10	71	72	Black loam		
10	72	73	Black loam		
10	73	74	Black loam		
10	74	75	Black loam		
10	75	76	Black loam		
10	76	77	Black loam		
10	77	78	Black loam		
10	78	79	Black loam		
10	79	80	Black loam		
10	80	81	Black loam		
10	81	82	Black loam		
10	82	83	Black loam		
10	83	84	Black loam		
10	84	85	Black loam		
10	85	86	Black loam		
10	86	87	Black loam		
10	87	88	Black loam		
10	88	89	Black loam		
10	89	90	Black loam		
10	90	91	Black loam		
10	91	92	Black loam		
10	92	93	Black loam		
10	93	94	Black loam		
10	94	95	Black loam		
10	95	96	Black loam		
10	96	97	Black loam		
10	97	98	Black loam		
10	98	99	Black loam		
10	99	100	Black loam		

RECEIVED
JAN 23 2012
DEPARTMENT OF
WATER RESOURCES

10.

Work started 1-28-86 finished 1-28-86

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name CB Fabrication Firm No. 1

Address Wendell Date 1-28-86

Signed by (Firm Official) _____

and

(Operator) B. M. McLaughlin



FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION									
CUSTOMER NAME WENDELL CEMETERY					SERVICE LOCATION W5330N 1705E 0065				
CUSTOMER NUMBER 0157-003261-0					TYPE OF SERVICE IRRIGATION				
ACCOUNT INFORMATION AS OF MAY 01, 1986									
BALANCE FORWARD ►									
METER NUMBER OR NUMBER OF LAMPS	RATE	SERVICE		DAYS	METER READING		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
		FROM	TO	*	PREVIOUS	PRESENT			
493595365	24	403	428	250	07773	00781	1	22	781
ACCOUNT BALANCE									2224



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION									
CUSTOMER NAME WENDELL CEMETERY					SERVICE LOCATION W5330N 1705E 0065				
CUSTOMER NUMBER 0157-003261-0					TYPE OF SERVICE IRRIGATION				
ACCOUNT INFORMATION AS OF JUNE 02, 1986									
BALANCE FORWARD ►									
METER NUMBER OR NUMBER OF LAMPS	RATE	SERVICE		DAYS	METER READING		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
		FROM	TO	*	PREVIOUS	PRESENT			
493595365	24	428	528		00781	03291	1	22	2510
ACCOUNT BALANCE									7697



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION									
CUSTOMER NAME WENDELL CEMETERY					SERVICE LOCATION W5330N 1705E 0065				
CUSTOMER NUMBER 0157-003261-0					TYPE OF SERVICE IRRIGATION				
ACCOUNT INFORMATION AS OF JULY 01, 1986									
BALANCE FORWARD ►									
METER NUMBER OR NUMBER OF LAMPS	RATE	SERVICE		DAYS	METER READING		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
		FROM	TO	*	PREVIOUS	PRESENT			
493595365	24	528	626		003291	06384	1	22	3093
ACCOUNT BALANCE									12667



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION									
CUSTOMER NAME WENDELL CEMETERY					SERVICE LOCATION W5330N 1705E 0065				
CUSTOMER NUMBER 0157-003261-0					TYPE OF SERVICE IRRIGATION				
ACCOUNT INFORMATION AS OF JULY 31, 1986									
BALANCE FORWARD ►									
METER NUMBER OR NUMBER OF LAMPS	RATE	SERVICE		DAYS	METER READING		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
		FROM	TO	*	PREVIOUS	PRESENT			
493595365	24	626	728		006384	11229	1	23	4845
ACCOUNT BALANCE									17177

RECEIVED

JAN 23 2012

DEPARTMENT OF
WATER RESOURCES

TO **WENDELL CEMETERY DIST** FROM **C. B. EATON & SONS, INC.**
GENERAL CONTRACTORS
 P.O. BOX 255 PHONE 6-3225
 WENDELL, IDAHO

DATE **7-22-85** SUBJECT **Drill Well FURNISH Pump** REFER TO **Bid SPEC'S**

MESSAGE		Per ft	TOTAL
180 ft	12" Diameter	18.00	3240.00
20 ft	12" casing	15.00	300.00
20 ft	over run Hole	0	0
1- 20HP Pump + motor	NO CHARGE		2452.00
1- 20HP Pumping Plant Panel			450.00
147.4" Gal Pipe and #8-4 conductor wire	Per ft. 6.80		999.60
Pump Wiring + Installations as per SPEC'S			
Including 5ft 6" Discharge Pipe	Lump Sum Price		1500.00
SIGNED		Total Prev. Bid \$8941.60	

REPLY DATE To

5% Cashier, Check enclosed. 450.00

C. B. Eaton & Sons Inc.
 By Earl H. Fulton pres.

SENDER: SEND WHITE AND PINK COPIES. 5-12-86 # 2145. REPLY ON WHITE COPY—RETAIN PINK COPY

Eaton & Sons
 Drill Well & Pump
 10,572.73

RECEIVED
 JAN 23 2012
 DEPARTMENT OF
 WATER RESOURCES



FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION

CUSTOMER NAME WENDELL CEMETERY		SERVICE LOCATION W5330N 1705E 0065						
CUSTOMER NUMBER 0157-003261-0		TYPE OF SERVICE IRRIGATION						
ACCOUNT INFORMATION AS OF AUGUST 29, 1986								
BALANCE FORWARD ►								
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO	D A Y S	* METER READING PREVIOUS PRESENT	METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS	
493595365	24	728 826		011229 15429	1	23	4200	15662
ACCOUNT BALANCE								15662



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION

CUSTOMER NAME WENDELL CEMETERY		SERVICE LOCATION W5330N 1705E 0065						
CUSTOMER NUMBER 0157-003261-0		TYPE OF SERVICE IRRIGATION						
ACCOUNT INFORMATION AS OF SEPTEMBER 30, 1985								
BALANCE FORWARD ► 5288CR								
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO	D A Y S	* METER READING PREVIOUS PRESENT	METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS	
553978616	24 00	826 925		06902 07592	1	10	690	33 13 56CR
INTEREST CREDIT								
ACCOUNT BALANCE								20 81CR



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
536-5711 134 E MAIN, WENDELL

CUSTOMER IDENTIFICATION


CUSTOMER NAME WENDELL CEMETERY		SERVICE LOCATION W5330N 1705E 0065						
CUSTOMER NUMBER 0157-003261-0		TYPE OF SERVICE IRRIGATION						
ACCOUNT INFORMATION AS OF OCTOBER 30, 1985								
BALANCE FORWARD ► 2031CR								
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO	D A Y S	* METER READING PREVIOUS PRESENT	METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS	
553978616	24 00	925 1025		007592 07773	1	9	181	1500MN 28CR
INTEREST CREDIT								
ACCOUNT BALANCE								559CR

RECEIVED
JAN 23 2012
DEPARTMENT OF
WATER RESOURCES

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
County of Gooding)

Frank T. Crow, Jr., being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 2 day of July 19 85, and the date of the last publication was on the 9 day of July 19 85.



Subscribed and sworn to before me this _____

day of _____, 19_____
(SEAL)

Linda E. Stearns
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>38.00</u>
Number of Insertions	<u>2</u>
Lines tabular at 48¢	
<u>38</u> Lines straight at 38¢	<u>14.44</u>
<u>38</u> Subsequent lines at .285¢	<u>10.83</u>
Total Cost	<u>25.27</u>

COPY OF NOTICE (Paste Here)

INVITATION TO BID TITLE OF NOTICE

PLAINTIFF ATTORNEY

INVITATION TO BID

Sealed bids will be received by the Wendell Cemetery Maintenance District for a well and pump to supply water for an irrigation system for the Wendell Cemetery. The project is to be completed by September 1, 1985.

The District will receive the bids at the Office of Patricia D. Gaw, Attorney at Law, P.O. Box 818, 150 East Main Street, Wendell, Idaho 83355. Bids will be opened and publicly read at the Wendell Fire Station at 7:00 p.m., on July 22, 1985, with announcement of the successful bid on or before July 27, 1985.

Wen
Me
Wen
nt. Dis
Sec.

Each bid shall be accompanied by a certified check, cashier's check, or bid bond in the amount of five percent (5%) of the total bid and made payable to the Wendell Cemetery Maintenance District.

Job plans and specifications will be available at 150 East Main Street, Wendell.

The District reserves the right to reject any or all bids and to waive formalities or to do whatever deemed best for the District.

Estimated cost of project: \$10,500.00.

**WENDELL CEMETERY
MAINTENANCE DISTRICT**
By /s/ Merilee Galbraith
Merilee Galbraith, Secretary
PIB: 7-2, 9 #3720

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)
7 pt. per line, straight 38¢
7 pt. per line, tabular 48¢
7 pt. per line, successive
insertions 28.5¢

RECEIVED

No. 3720 JAN 23 2012

DEPARTMENT OF
WATER RESOURCES