

RECEIVED

75461

94-9437 APR 03 2009

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

IDWR / NORTH

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

1. Name: ANDREW WAITE AND/OR
ANNALEE WAITE
3739 KNOLLWOOD ST
HOUSTON, TX 77019
(713)907-7226

2. Source: PEND OREILLE LAKE Tributary to: PEND OREILLE RIVER

3. Location of Point of Diversion:

#1 PEND OREILLE LAKE, L1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$), Sec. 32, Twp 57N, Rge 01W, B.M., BONNER County

4. Water will be used for the following purposes:

<u>Purpose</u>	<u>From</u> <u>To</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.20 CFS

5. Total quantity to be appropriated is: 0.20 CFS

6. Proposed diverting works:

POINT OF DIVERSION #1

a. Type and size of devices used to divert water from the source: 0.75 HP SUBMERSIBLE PUMP
1.25 INCH INTAKE LINE TO MANIFOLD TO 0.75 INCH SPRINKLER LINES

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 year(s).

8.

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01W	32	5.8	3.2	1.3														10.3
			L1	L1															

Total Acres: 10.3

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

75461


96-9427

10. Remarks:

USING A 0.75 HP SUBMERSIBLE PUMP ATTACHED TO AN EXISTING DOCK PILING A 1.25 INCH DIAMETER INTAKE PIPE WOULD SUPPLY AN UNDERGROUND AUTOMATIC SPRINKLER SYSTEM FOR WATERING RESIDENTIAL LANDSCAPING. ALTERNATIVELY A LAND BASED PUMP MAY BE SUBSTITUTED.

11. Map of proposed point of diversion and place of use attached? [x]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by cm Date 4/3/09 Time _____ Preliminary check by _____
Publication prepared by db Date 4/8/09 Published in Boise Co Daily Bee
Publication approved db Date 5/4/09 4/16/23 09

Receipt No. N020042

Date: 3/11/09
Receipted by: cm