



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

June 30, 2008

Mr. Allen Merritt
Idaho Department of Water Resources
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380

Re: PPU Transfer Application
Flying Hat Ranch

Dear Mr. Merritt:

The attached application is submitted on behalf of Mr. Eccles for the permissible place of use transfer in response to your June 12, 2008 letter. This transfer is being submitted as a resolution to the department notice of violation on Flying Hat Ranch. The submitted permissible place of use reflects Mr. Eccles current irrigation practices as well as currently owned tracts of land. Note that the proposed PPU reflects only changes in place of use with in the 675 acre PPU with the same allowable irrigated acreage of 596 acres.

We would like to work with your staff in their review of this application. Please review the attached application and contact our office if you have any questions or concerns.

Sincerely,

Charles E. Brockway, P.E.

Cc: Spencer F. Eccles (Applicant)
Evan Robertson
Marc Reinemann

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D., P.E.

2016 NORTH
WASHINGTON
STREET • SUITE 4

TWIN FALLS,
IDAHO 83301

208•736•8543

FAX: 736•8506

RECEIVED
JUL 02 2008
DEPT. OF WATER RESOURCES
SOUTHERN REGION