

WATER RIGHT NO. 25-13999

Maximum Diversion Rate: 0.12 CFS
Maximum Diversion Volume: 10.0 AF

IDAHO FALLS ID 83405 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-13999, and requests that the permit be changed as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	4.0 AF
COMMERCIAL	01/01 to 12/31	0.12 CFS	6.0 AF

GROUND WATER BONNEVILLE County	SE1/4NE1/4	Sec. 8, Twp 02N, Rge 38E, B.M.
GROUND WATER BONNEVILLE County	SE1/4NE1/4	Sec. 8, Twp 02N, Rge 38E, B.M.

[illegible]

PLACE OF USE: COMMERCIAL

[illegible]

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 25-13999

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 5 day of December, 2002011

Xopine Stone
(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-13999

FOR DEPARTMENT USE ONLY

Preliminary check by DC Fee = \$100.- Received by JB # E037169 Date 12/7/2011


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, GARY SPACKMAN, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-13999 with the following:

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
2. Rights 25-10009 and 25-13999 when combined shall not exceed a total diversion rate of 0.12 cfs, a total annual maximum diversion volume of 10 af.
3. This right does not authorize the irrigation of land not previously irrigated.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
5. Commercial use is for an office building, boiler and steam cleaner for road oil company.
6. Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality standards of the Department of Environmental Quality.
7. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

Witness my hand this 19th day of December, 2011.


GARY SPACKMAN
Interim Director