

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-22854

1. Owner Thomas A. Cerovski Phone No. (208) 259-3442

Current address 27 Southfork Dr., Lowman ID 83637

2. Examiner's name Kay Walker EXAM DATE 10/20/2010

3. Accompanied by Owner/Permit Holder Email Angie Grimm, IDWR

Address same as above

Relationship to permit holder same Phone No. _____

4. Source South Fork Payette River tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use 65-13931, 65-13025

2. Other water rights with the same point of diversion none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident. No.	Gov't Lot	1/4	1/4	1/4	Sec	Twp	Rge	County	Method of Determination/Remarks
	N/A		SW	SE	18	9N	9E	Boise	field exam

2. Place(s) of Use: Method of determination field exam

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	9E	18															D		

Per ArcView HES 336 - see attached plat.
* No Government Lot.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe diameter (inside), as applicable. Use the space provided or ☐ see attached.

Scale: 1" = _____

- ☒ Copy of USGS Quadrangle attached showing location(s) of point(s) of diversion and place(s) of use (**required**)
☒ Aerial photo attached (required for irrigation of 10+ acres)
☒ Photo of diversion and system attached

4. *Pump had been pulled for winter - no maint. possible*

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A0 Smith	1.5	26707FM	Boulds GT15	J07858L

*Code to correspond with no. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Theoretical:*

$$\frac{8.8 \times 1.5 \times 0.70}{20 + (2.31 \times 45)} = 0.07 \text{ cfs}$$

↑
assumed pressure

E. NARRATIVE/REMARKS/COMMENTS

① P/U aka Lots 10+11, Blk. 3, Scenic Properties Subdivision. P/D located on Lot 11, Blk. 3, Scenic Properties Subdivision.

② Access to Water Association water - utilize spring water under 65-13025 for domestic (in-house) use. Also can use well water if needed (65-13931).


③ Lots = 0.64 acres. There are multiple buildings on the lots (i.e. house w/porch = 1152', woodshed = 120', storage shed = 168', garage = 576') for approx. 0.05 ac. - Lots include land all the way to river, & driveway. So not all in lawn. One domestic use of $\frac{1}{2}$ acre should cover all of irrigated property. Permit holder Filed 65-23310 to cover all irrigation over $\frac{1}{2}$ ac. Recommend that permit be voided since cannot allow 2 domestic rights for 1 home.

④ System consists of 1.5 hp pump that sits on cement pad; 1.5" PVC pipe that delivers water to place of use. Lift

Has the permit holder met all conditions of permit approval, including any mitigation requirements and/or measuring device installation requirements? ☒ Yes ☐ No If no, what must be done to meet the permit requirements?

is approximately 20' from pump to place of use. System has buried pipelines to sprinklers. See sprinklers in photos on page 2 of pictures.

9N, 9E, S18





SWSE, S18 - No gov't lot
HFS 336

SE1/4, S18, 9N, 9E



SWSE, S18, 9N, 9E





T. 9 N., R. 9 E.
Surveyed accepted

Plat of
**HOMESTEAD
ENTRY SURVEY**

No. 336

in the

**BOISE
NATIONAL FOREST**

in

Section 17, surveyed, T. 9 N., R. 9 E.
Section 18, surveyed, T. 9 N., R. 9 E.

of the

**BOISE BASE AND MERIDIAN
IDAHO**

This plat of Homestead Entry Survey
No. 336 State of Idaho is strictly
conformable to the field notes thereof
on file in this office, which have been
examined and approved.

U. S. Surveyor General's Office

Boise, Idaho

December 9, 1916

Edward Hedden

U. S. Surveyor General

SCALE 10 chains to 1 inch

Survey Designated	By whom Surveyed	Tract, Cont., Group	When Surveyed	Date of Approval
Subdivisions		No. Date	Begin. Completed	
H. E. S. No. 337	Dana Parkinson	337	Mar 27, 1915	June 22, 1915
H. E. Survey No. 336	Dana Parkinson Deputy Forest Supervisor	336	March 27, 1915	June 19, 1915

H. E. Survey No. 336		Areas in Acres
		Conflicts
Tract A Sec 17	30.20	
Tract B Sec 17	11.47	
Tract A Sec 18	64.17	
Tract B Sec 18	30.26	
Total	136.10	

Act of June 11, 1906	Act of June 30, 1914
List No. 4-1011	Dated Sept 4, 1912
Latitude 44° 07' N.	
Longitude 115° 26' W.	
Mean Mag. Decl. 20° 19' E.	
At Corner No. 1	



1.5 hp pump (in garage for winter) used to divert water from South Fork Payette River



Place of use – building in picture is garage

Permit s 65-22854 and 65-23310
Field exam 10/20/2010



Place of use – home in picture




Picture showing more of the place of use

Field exam 10/20/2010
Permit s 65-22854 and 65-23310



Point of diversion location – cement slab where pump is located when in use. Also see 1.5 inch pvc pipe that pushes water up hillside (approx. 20 feet of lift) to place of use



Picture showing diversion point from river and lift to place of use

Field exam 10/20/2010
Permit s 65-22854 and 65-23310