

RECEIVED

AUG 10 2011

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMITIdent. No. 23-11418

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Jeffrey/Michelle Aleixo Phone 208-523-0620Mailing address: 40 ROB HAERIS Holden, Kidwell PO BOX 50130 City Idaho Falls
State ID Zip 83405 Email: _____2. Source of water supply Palisades Creek which is a tributary of SNAKE RIVER

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
1N	44E	25			SW	NW	Bonneville	Palisades Crk	
1N	44E	25			SW	NW			

4. Water will be used for the following purposes:

Amount 1.5 for Recreation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per year)Amount 1.5 for Aesthetic purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) 1.5 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. PIPELINE IN CREEK TO PUMP SYSTEM INTO POND TO PIPELINE OUTLET.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ Noe. If well is already drilled, when? _____; drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. _____

d. Domestic; show number of households _____

e. Other; describe fully. water feature flow thru into a pond
RECREATION/AESTHETIC FLOW THRU

23-11418

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	44E	25							R/A				R/A						

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 23-11387

10. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. this right is a NON CONSUMPTIVE FLOW THRU RIGHT FOR A POND DEVELOPED UNDER 23-11387. THE SYSTEM IS IN PLACE. INLET PIPELINE TO POND TO OUTLET PIPELINE BACK INTO PALISADES CRK. APPROX. 190' BETWEEN THE INLET AND OUTLET ON PALISADES CRK. OWNS PALISADES SHARES FOR MITIGATION

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by BJ Date 8/10/2011 Time _____ Preliminary check by _____



Fee \$ 290. Received by JB Receipt No. E036877 Date 8/10/2011

23-11418



Idaho Department of Water Resources

Application
23-11418
(RECREATION)



Bonneville County

IDWR Basin 23

Prepared by Kidman, Denise
On September 16, 2011
2004 Aerial Photography




T01N

23-11418



SCALE: 1"=60'



**ESTIMATED
IRRIGATED AREA**

1.9280 Acres


Jeff Aleixo
Irrigated Property at Lot 27
Palisades Creek Ranch Div. No. 1
Schiess & Associates
ENGINEERING • PLANNING • LAND SURVEYING
Idaho Falls 522-1244 Rexburg 358-6092

ALEIXO APPLICATION FOR PERMIT



- Legend**
- Bonn.Cty.Lot
 - App_Aleixo_Property
 - Surrounding_Lots
 - Section_Lines
 - CQ

Prepared by:
Robert L. Harris
June 6, 2011
2009 NAIP Aerial Photo



LOT 21

POD/INLET

SANDPOINT

PALISADES CREEK 190'

OUTLET


POND

JEFF ALEIXO

LOT 27

3.489 acres

CUTTHROAT
RUN


NORTH
SCALE: 1"=100'



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

September 28, 2011

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

JEFFREY ALEIXO
MICHELLE ALEIXO
C/O HOLDEN KIDWELL HAHN & CRAPO PLLC
PO BOX 50130
IDAHO FALLS, ID 83405-0130

Application For Permit No. 23-11418

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the POST-REGISTER on October 6 and 13, 2011. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Sharla Cox
Administrative Assistant



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

September 28, 2011

LYLE SWANK
WATER DISTRICT #01
900 N SKYLINE DR STE A
IDAHO FALLS, ID 83402-1718

RE: Application for Permit 23-11418

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

September 28, 2011

KERRIE MATHEWS
STREAM CHANNEL
900 N SKYLINE DR STE A
IDAHO FALLS, ID 83402-1718

RE: Application for Permit 23-11418

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region, 900 North Skyline Drive, Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

September 28, 2011

STATE OF IDAHO
DEPT OF FISH & GAME
4279 COMMERCE CIR
IDAHO FALLS, ID 83401

RE: Application for Permit 23-11418

STATE OF IDAHO:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

The Department can publish notice of the application as soon as the initial review is completed. Therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days of the final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure(s)

Cox, Sharla

From: Cox, Sharla
Sent: Wednesday, September 28, 2011 11:19 AM
To: 'Post Register (legalnotices@postregister.com)'
Subject: Legal Notice for your paper
Attachments: Post Register E-Mail.doc

Contacts: Post Register

Sharla

Sharla Cox
Administrative Assistant
Idaho Department of Water Resources
900 N. Skyline Dr. Ste. A
Idaho Falls ID 83402
208-525-7161 - telephone
208-525-7177 - fax
sharla.cox@idwr.idaho.gov