

RECEIVED

SEP 16 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08713

Proposed Priority: June 17, 1993 Maximum Diversion Rate: 0.04 CFS

This is to certify, that FRANK W CROSSEN
3435 S 1800 E
WENDELL ID 83355

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESENE , Sec. 30, Township 08S, Range 15E
GOODING County

PLACE OF USE: STOCKWATER
TWN RGE SEC

08S 15E 30


SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The daily diversion volume for the stockwater use authorized under this permit shall not exceed 13,000 gallons per day in accordance with the provisions of Section 42-111(A), Idaho Code.
5. Stockwater use is for 1000 beef cattle in feedlot.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of September, 1993.


for R. Keith Higginson, Director

36-08713

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank W. Crumley
(Applicant)