

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 35-14144

Priority: June 07, 2011

Maximum Diversion Rate: 0.04 CFS

This is to certify, that RYAN YANCEY
367 W 150 N
BLACKFOOT ID 83221

has applied for a permit to appropriate water from:

Source: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUNDWATER NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28 Twp 02S Rge 35E, B.M. BINGHAM County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02S	35E	28																	X

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2012**.
2. Subject to all prior water rights.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
5. Place of use and point of diversion are located within Lot 2, Block 2 of the New Meadows II Subdivision, Phase I.
6. Domestic use is for 1 townhouse with 2 units.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 3rd day of August, 2011.


for GARY SPACKMAN, Interim Director