

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-33341

Priority: February 18, 2010

Maximum Diversion Rate: 0.80 CFS

This is to certify, that CITY OF BOISE
PARKS & RECREATION DEPT
1104 ROYAL BLVD
BOISE ID 83706-2898

has applied for a permit to appropriate water from:

Source: BOISE RIVER

Tributary: SNAKE RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

RATE OF DIVERSION

0.80 CFS

LOCATION OF POINT(S) OF DIVERSION:

BOISE RIVER

L8 (SE1/4NE1/4)

Sec. 30, Twp 03N, Rge 03E, B.M., ADA County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	03E	19											11.0	29.0			17.0		57.0
													L 5						
03N	03E	30	3.0	31.0	13.0	2.0	10.0			1.0									60.0
			L 9	L 9		L 8													

Total Acres: 117

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 15, 2016**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 63, Boise River.
5. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.
6. This right is limited to the irrigation of 40 acres within the authorized place of use in a single irrigation season.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-33341

7. To mitigate for the depletion of water resulting from the use of water under this right and to prevent injury to senior water right holders, the right holder shall cease diverting and using water as authorized by the following water rights for the purposes and amounts specified below. Moreover, the official record for the following water right will be changed to show that diversion and use of water is not authorized because the rights, or portion thereof, are being dedicated to mitigation purposes.


Right No.	Use Changed to Mitigation	Mitigation Rate (cfs)	Mitigation Volume (AF)	Mitigation Acres
63-243G	Irrigation	0.80	180.0	40

The land that will no longer be irrigated under this right is located within the authorized boundary of the South Boise Mutual Irrigation Company Ltd.

If the specified mitigation right, or portion thereof, is sold, transferred, leased, used on any place of use, or is not deliverable due to a shortage of water or a priority call, then the amount of water authorized for diversion under this right approval shall be reduced by the same proportion as the reduction to the mitigation rights.

8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
9. Upon specific notification by the Department, this right shall be limited to the irrigation of a specific 40 acres within the 117 acre place of use authorized by this right in a single irrigation season. If required, the specific 40 acres to be irrigated by the right holder shall be identified prior to use by submittal of a land list and a representative electronic shape file or by submittal of a land list and a map sufficiently detailed to allow creation of an electronic shape file to be associated with this right in the geographic information system component of the water rights database maintained by the department. If required, before changing the 40 acres to be irrigated within the 117 acre place of use, the right holder shall submit a new land list and representative electronic shape file or map to the Department prior to the irrigation season in which the change will occur.
10. This right does not grant any right-of-way or easement across the land of another.
11. This right is diverted through the Walling Ditch.
12. Place of use is Marianne Williams Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of August, 20 11.


JOHN WESTRA, Western Regional Manager



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

August 2, 2011

CITY OF BOISE
PARKS & RECREATION DEPT
1104 ROYAL BLVD
BOISE ID 83706-2898

RE: Permit No.63-33341

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-334-2190.

Sincerely,

for 
John Westra
Western Regional Manager

Enclosure(s)

cc: SPF WATER ENGINEERING LLC

CERTIFICATE OF SERVICE

I hereby certify that on August 2, 2011 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 63-33052 63-33341 63-33454

CITY OF BOISE
PARKS & RECREATION DEPT
1104 ROYAL BLVD
BOISE ID 83706-2898

SPF WATER ENGINEERING LLC
C/O ROXANNE BROWN
300 E MALLARD DR, STE 350
BOISE ID 83706

A handwritten signature in cursive script, reading "Jean Hersley", is written over a horizontal line.

Jean Hersley
Office Specialist II

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: Files

FROM: Steve Lester 

DATE: July 25, 2011

RE: Applications 63-33052, 63-33341 & 63-33454

Boise Parks & Recreation filed 3 applications for 2 projects:

1. Marianne Williams Park in southeast Boise: 63-33052 municipal storage for excavated shallow ground water ponds covering 6 acres, 63-33341 irrigate 40 acres from the Boise River.
2. Platt Garden at Boise Depot: 63-33454 municipal, shallow well for maintaining the grounds, including several very small ponds (not excavated ground water) covered by the 24-hour fill. Use is equivalent to 5 acres of irrigation. This application replaces application 63-11811 filed in 1992 and voided last year.

Consumptive use for Marianne Williams Park is covered by a mitigation plan from South Boise Mutual Irrigation Co Ltd (Company). The Company proposes to leave 0.92 cfs (46 acres) in the river under right 63-243G. Consumptive use for the Depot is provided by leaving 0.10 cfs (5 acres) from Company right 63-283A in the river. The plans identify separate rights offered for mitigation due to timing etc. issues associated with the projects.

The Company diverts river water via the Bubb Canal located across the river from the park (see attached). With mitigation, senior river rights will not be injured by the park development adjacent to the Company boundary. The Depot site is downstream from the Company boundary. With mitigation, the shallow well for this site will not injure senior river rights.

See the attached list of Company river rights and 1 waste water right (latter per drainage district issues resolved in SRBA). Company rights are fully valid based on 2009 decrees. The combined reduction in Company irrigation is 51 acres. Per the attached email exchange with SO, specific acres in specific tracts do not need to be identified in mitigation condition 170 in approving the permits.

The 2 irrigation rights offered for mitigation will be changed based on 0.02 cfs and 4.5 af for each acre changed for mitigation use. Total Company irrigation will be reduced by 51 acres (6 + 40 + 5) from 246.6 to 195.6 acres. This includes the mitigation rights and all associated rights.

Therefore, the following changes will be made to the Company rights:

- 63-243G: irrigation 0.42 cfs, mitigation 0.92 cfs & 207 af, total acres 195.6, modify condition K06 for acres.
- 63-283A: irrigation 0.60 cfs & 135 af (was decreed with irrigation volume), mitigation 0.10 cfs & 22.5 af, total acres 195.6, modify condition K06 for acres.

- Associated rights: total acres 195.6, modify condition K06 for acres.

All the company rights except waste water right 63-2392E derive from the Stewart Decree and provide rationed cuts (100, 75, 60%) before any total curtailment of an individual Company right can occur (condition 155). The Company river rights have priorities from 1865 to 1889 and provide at least 1 inch/acre. Diverting at 60% under those rights still provides full irrigation volume. The rights are available for mitigation unless totally curtailed by the Watermaster. While it would be very difficult to quantify when or if any Company rights might be totally curtailed in a given year, the array of Company rights and the advantages derived from the Stewart Decree indicate the Company rights offer viable mitigation for the applications.

For future situations, it is reasonable to conclude that most Stewart Decree rights, usually identified by condition 155, can be used to mitigate new consumptive uses.

Miscellaneous Information

Based on October 2010 discussion with SO, an application for permit for ponds accompanied by a mitigation plan should include pond capacity plus refill/evaporation volume in the new right. Older applications for these situations can simply include pond capacity if originally filed that way, and the additional volume is presumed to be “in the mitigation right.” This arrangement avoids some convoluted discussions, amended applications, possible re-advertising etc. Storage factors include:

- Application 63-33341 for direct diversion from the river via the Walling Ditch does describe irrigation water routed to 1 aesthetic pond listed under 63-33502. This will not constitute storage of river water as described in my April 20, 2011 letter to the applicant.
- Application 63-33052 was filed before October 2010. The application does not include evaporation volume.
- Application 63-33454 was filed after October 2010, implying it should include refill and evaporation volume for the minor ponds noted in the 24 hour fill approach. Since the application resulted from a lengthy void process for 63-11811 and many conversations about this occurred before last fall, treat this application as an older one: pond evaporation volume is not included in the application. Plus, storage is not a formal use in this setting.

Platt Garden application 63-33454 was amended as outlined by the application worksheet endorsed by the applicant. This non-standard method is acceptable in this case. The amended application clarifies but does not expand the proposal, leaving the priority date unchanged. The well was drilled in 1992 under emergency irrigation approval associated with application 63-11811 at that time.

The applications proposing municipal or municipal storage uses have a discrete POU instead of a larger service area. This is common with Boise Parks & Recreation approvals.

Watermaster comments were not received for any of these applications, indicating his approval under our processing protocol. Irrigation from the river will require Watermaster controls. Municipal use from the Depot well should remain subject to Watermaster control for future requirements, if needed. Controls are not possible or needed for the ponds in 63-33502, although a modified condition is used just in case.

Roxanne Brown at SPF is the representative for the 2 Marianne Williams Park applications. Attorney John Marshall is tangentially involved without any formal notice of appearance. The 3rd application

does not include a representative or attorney. However, send copies of all the approvals to both of them and the Company since this is a package deal.

Government lots are used for 63-33052 and 63-33341 where known, see attached.

Conditions of Approval

63-33052

- Proof 1 year, 26A n/a
- 220 – 2 ponds, 70 af, 6 acres
- 123 – gw levels
- 170 – mitigation, modified
- Water bearing zone 1-35 ft.
- R05 – District 63
- 01J – lock &/or measure upon notification, modified
- X60 – Marianne Williams Park

63-33341


- Proof 5 years
- 26A
- 170 – mitigation, modified
- R05 – District 63
- 01J – lock & measure
- X27 – 40 acres
- R65 – 0.02 cfs/4.5 af per acre
- 206 – specific acres/map, modified, not practical for park to identify specific acres unless warranted in future situation
- 004 – for part of POU
- X59 – diverted thru Walling Ditch
- X60 – Marianne Williams Park
- Note: acres rounded to integers per database standards, not an enlargement to round total boundary to 117 acres

63-33454

- Proof 1 year, 26A n/a
- 170 – mitigation, modified
- Water bearing zone 130-140 ft.
- 01J – modified, lock & measure upon notification
- X60 – Platt Gardens and Boise Depot, includes irrigation, landscape maintenance, filling and maintaining several ponds. Pond capacity and maintenance volume cannot exceed the volume that can be diverted within a 24 hour period under this right
- Note: 046 n/a for existing well

Conditions N/A: 180, 124, 102 for municipal; 121 for possible future mitigation since already mitigated.

Boise Park & SBMIC Diversion



3N 3E S. 19 & 30
2009 photo

* PARK POND Also
63-19098, APPEARS
NOT USED

	Basin	Sequence	Suffix	Process	Basis	Priority Date	Diversion Rate	Source List	Water Use List	Current Owner
*	63	242	B	Water Right	Decreed	5/1/1889	0.86	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	243	F	Water Right	Decreed	5/1/1889	0.02	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	243	G	Water Right	Decreed	5/1/1889	1.34	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	280		Water Right	Decreed	4/1/1865	1.80	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	281		Water Right	Decreed	4/1/1865	0.50	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	282		Water Right	Decreed	4/1/1870	0.30	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	283	A	Water Right	Decreed	4/1/1870	0.70	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	284	A	Water Right	Decreed	3/1/1889	0.84	BOISE RIVER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD
	63	2392	E	Water Right	Decreed	9/13/1927	2.25	WASTE WATER	IRRIGATION	SOUTH BOISE MUTUAL IRRIGATION CO LTD

8.61 cfs total
(5.85 cfs = River)

CURRENT Aves 246.6

River Rights $\frac{5.85 \text{ cfs}}{246.6 \text{ Aves}} \approx .024 \text{ cfs/Ave}$

OK 1"/Ave & mitigation plans

* 63.243G & 46 Acres } mitigation Rights
63.283A & 5 Acres }
51 Acres total reduction All SBMIC Rights

Lester, Steve

From: Peppersack, Jeff
Sent: Tuesday, July 19, 2011 11:18 AM
To: Lester, Steve
Cc: Keen, Shelley
Subject: RE: Mitigation Policy Question

Steve,

Sorry about the delay. I discussed this with Shelley and we both agreed that your approach is consistent with what we've done in the past for PPU's and service areas. Rather than modifying our standard condition, I think it can be modified as needed case-by-case. We can add some text to the condition description to indicate that the user can modify the language for PPU's and service areas.

Jeff

From: Lester, Steve
Sent: Friday, July 15, 2011 2:17 PM
To: Peppersack, Jeff
Subject: Mitigation Policy Question

Jeff:

I sent you an email 4/21/2011 with a mitigation question. Raises a policy issue to resolve before we can approve 3 new Boise Parks applications mitigated by leaving about 1.00 cfs in the river. 2 appls for Marianne Williams Park & 1 for Boise Depot.

Ads are done & no protests, ready to approve. Please see attached, same info that was in April email.

Thanks for the help.

Steve

Policy question/Answer

MITIGATION POLICY QUESTION

Typical mitigation plans in Western Region propose non-use under irrigation rights to offset depletions from pond evaporation in an application for permit.

The plans usually:

- are submitted by an irrigation delivery organization
- propose nonuse of irrigation water on previously irrigated land within the organization boundary - the 1:1 swap of irrigation for ponds.

In these typical examples, completing condition 170 in the application for permit to identify land that will no longer be irrigated is easy: same land where ponds will be developed.

What if the ponds will be on non-irrigated land in the boundary? What if the ponds will be on land outside of the boundary? In those cases, would the organization have to identify specific acres that cannot be irrigated? Would irrigation districts be treated the same as irrigation companies?

The key points are the amount of water to be left in the source and the reduced acre limit for the boundary. It is probably not necessary to prohibit irrigation of specific acres within the boundary provided the diversion and acre limit are appropriately reduced.

Another thought about verifying reduced irrigation involves timing of partial decrees issued for delivery organizations. If irrigation rights were decreed within the prior 5 years of a proposed mitigation plan, the rights are valid by definition. Does this still require identification of specific acres to be retired?

Does it matter if it has been more than 5 years since the irrigation rights were determined to be valid? It is useful to identify specific land in that case, at least to verify beneficial use that can be retired.

I am not sure we gain much by always requiring specific acres to be identified in condition 170. Current use of that condition seems to contradict the idea of an irrigation boundary. How about a two-tiered approach along these lines when mitigation is required:

1) New development on land currently irrigated: identify specific acres to be retired in condition 170.

The land that will no longer be irrigated under this right is located within the <SENW, Section 09, Township 21N, Range 22E, B.M.>

2) Otherwise, modify condition 170:

The land that will no longer be irrigated under this right is located within the authorized boundary of the <South Boise Mutual Irrigation Company Ltd.>.

We could update condition 170 for this two-tiered approach if adopted. That would alleviate concerns about having to remember two ways to handle things – the database would remind us.

Pending Examples

1) Boise Parks & Recreation applications 63-33052 and 63-33341¹ propose shallow ground water for aesthetic ponds and Boise River water for irrigation at the Marianne Williams Park north of the river along Warm Springs Avenue east of the new Parkcenter Bridge. This is a 46 acre equivalent of new consumptive use.

The mitigation plan proposes to leave 46 inches of South Boise Mutual Irrigation Co. water in the river. The SBMIC diversion (Bubb Canal) is across the river from the park (63-242B etc.). The irrigation rights were decreed in 2009 for about 250 acres within the company boundary on the south side of the river. The park is not in the SBMIC boundary but is adjacent to it. The plan looks viable. The only detail not identified is the ¼ ¼ location of land that will not be irrigated.

2) SBMIC water is also proposed to mitigate about a 5 acre equivalent for a shallow well in 63-33454.² This is for Boise Parks and Recreation, Platt Gardens at the train depot just downstream from the irrigation boundary. Same issue.

The combined SBMIC rights provide more than enough water to cover all the allowable acres in the boundary. The rights are valid. Like most delivery organizations in the local area, the rights were fully decreed for probably more acres than have actually been irrigated in the past few years due to urban development. Decreasing SBMIC irrigation rate and reducing its acre limit should adequately address injury issues.

When combined, the mitigation plans propose to leave about 1.00 cfs in the river, decreasing the SBMIC acre limit by about 20% within its 680 acre boundary. This situation provides a chance to revisit our mitigation details.

¹ Documents not scanned yet.

² Documents not scanned yet.



3w 3E 5 19 + 530

original survey 1868

no updates e these sections

5/19 NWSW 2.3 ✓ (possibly now includes SWSW but unknown)
 NWSW 2.4 ✓
 SE SW 2.5 ✓

5, 30 NENE } 2.9 ✓
 NWNE }
 50NB 2.8 ✓

✓
undermine: SW NE
N¹/₂ NW¹/₄

Park is All North side
of ~~River~~
RIVER

Idaho Statesman

The Newspaper of the Treasure Valley
IDAHOSTATESMAN.COM

PO Box 40, Boise, ID 83707-0040

LEGAL PROOF OF PUBLICATION

Account #	Ad Number	Identification	PO	Amount	Cols	Lines
47628	0000555911	LEGAL NOTICE	StarSewer&Water	\$550.42	3	114

Attention: Denise Buffington

IDAHO DEPT WATER RESOURCE

2735 AIRPORT WAY

BOISE ID 83705

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32644 STAR SEWER & WATER DISTRICT

PO BOX 400
STAR, ID 83669
Point of Diversion: N2W S16 T04N R01W AFA County Source: GROUND WATER Tributary
Point of Diversion: SE S28 T04N R01W AFA County Source: GROUND WATER Tributary
Point of Diversion: SE S28 T04N R01W AFA County Source: GROUND WATER Tributary
Point of Diversion: SW S28 T04N R01W AFA County Source: GROUND WATER Tributary
Point of Diversion: SW S28 T04N R01W AFA County Source: GROUND WATER Tributary
Use: MUNICIPAL 01/01 to 12/31 7.31 CFS
Total Diversion: 7.31 CFS
Date Filed: 4/11/2011
Place of Use: MUNICIPAL
Application previously published in June 2010 for 5 rds. Now amended for higher diversion rate and priority date therefore advanced to 5/24/2011. Municipal use is for the district service area in Ada and Canyon Counties. Water bearing zone to be appropriated is 150-190 ft. for 1 existing well and 450-550 ft. for 2 existing plus 2 proposed wells. Proposed wells will be near Hwy 44/Plummer Road and Hwy 44/Kingsbury Road. Proposed use is for reasonably anticipated future needs in a 25-year planning horizon based on 1996 Municipal Water Rights Act 9C 42-202B, etc. Published in the Idaho Statesman & Idaho Press Tribune on 5/16 & 6/23/2011

63-33052 CITY OF BOISE PARKS & RECREATION DEPT

1104 ROYAL BLVD
BOISE, ID 83706-2896
Point of Diversion: L5SE S20 T03N R03E ADA County Source: GROUND WATER Tributary BOISE RIVER
Point of Diversion: L5SE S20 T03N R03E ADA County Source: GROUND WATER Tributary BOISE RIVER
Use: MUNICIPAL STORAGE 01/01 to 12/31 70 AF
Total Diversion: 70 AF
Date Filed: 5/20/2008
Place of Use: MUNICIPAL STORAGE
T03N R03E S19 S20 S21 S22 S23 S24 S25 S26 S27 S28 S29 S30 S31 S32 S33 S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53 S54 S55 S56 S57 S58 S59 S60 S61 S62 S63 S64 S65 S66 S67 S68 S69 S70 S71 S72 S73 S74 S75 S76 S77 S78 S79 S80 S81 S82 S83 S84 S85 S86 S87 S88 S89 S90 S91 S92 S93 S94 S95 S96 S97 S98 S99 S100 S101 S102 S103 S104 S105 S106 S107 S108 S109 S110 S111 S112 S113 S114 S115 S116 S117 S118 S119 S120 S121 S122 S123 S124 S125 S126 S127 S128 S129 S130 S131 S132 S133 S134 S135 S136 S137 S138 S139 S140 S141 S142 S143 S144 S145 S146 S147 S148 S149 S150 S151 S152 S153 S154 S155 S156 S157 S158 S159 S160 S161 S162 S163 S164 S165 S166 S167 S168 S169 S170 S171 S172 S173 S174 S175 S176 S177 S178 S179 S180 S181 S182 S183 S184 S185 S186 S187 S188 S189 S190 S191 S192 S193 S194 S195 S196 S197 S198 S199 S200 S201 S202 S203 S204 S205 S206 S207 S208 S209 S210 S211 S212 S213 S214 S215 S216 S217 S218 S219 S220 S221 S222 S223 S224 S225 S226 S227 S228 S229 S230 S231 S232 S233 S234 S235 S236 S237 S238 S239 S240 S241 S242 S243 S244 S245 S246 S247 S248 S249 S250 S251 S252 S253 S254 S255 S256 S257 S258 S259 S260 S261 S262 S263 S264 S265 S266 S267 S268 S269 S270 S271 S272 S273 S274 S275 S276 S277 S278 S279 S280 S281 S282 S283 S284 S285 S286 S287 S288 S289 S290 S291 S292 S293 S294 S295 S296 S297 S298 S299 S300 S301 S302 S303 S304 S305 S306 S307 S308 S309 S310 S311 S312 S313 S314 S315 S316 S317 S318 S319 S320 S321 S322 S323 S324 S325 S326 S327 S328 S329 S330 S331 S332 S333 S334 S335 S336 S337 S338 S339 S340 S341 S342 S343 S344 S345 S346 S347 S348 S349 S350 S351 S352 S353 S354 S355 S356 S357 S358 S359 S360 S361 S362 S363 S364 S365 S366 S367 S368 S369 S370 S371 S372 S373 S374 S375 S376 S377 S378 S379 S380 S381 S382 S383 S384 S385 S386 S387 S388 S389 S390 S391 S392 S393 S394 S395 S396 S397 S398 S399 S400 S401 S402 S403 S404 S405 S406 S407 S408 S409 S410 S411 S412 S413 S414 S415 S416 S417 S418 S419 S420 S421 S422 S423 S424 S425 S426 S427 S428 S429 S430 S431 S432 S433 S434 S435 S436 S437 S438 S439 S440 S441 S442 S443 S444 S445 S446 S447 S448 S449 S450 S451 S452 S453 S454 S455 S456 S457 S458 S459 S460 S461 S462 S463 S464 S465 S466 S467 S468 S469 S470 S471 S472 S473 S474 S475 S476 S477 S478 S479 S480 S481 S482 S483 S484 S485 S486 S487 S488 S489 S490 S491 S492 S493 S494 S495 S496 S497 S498 S499 S500 S501 S502 S503 S504 S505 S506 S507 S508 S509 S510 S511 S512 S513 S514 S515 S516 S517 S518 S519 S520 S521 S522 S523 S524 S525 S526 S527 S528 S529 S530 S531 S532 S533 S534 S535 S536 S537 S538 S539 S540 S541 S542 S543 S544 S545 S546 S547 S548 S549 S550 S551 S552 S553 S554 S555 S556 S557 S558 S559 S560 S561 S562 S563 S564 S565 S566 S567 S568 S569 S570 S571 S572 S573 S574 S575 S576 S577 S578 S579 S580 S581 S582 S583 S584 S585 S586 S587 S588 S589 S590 S591 S592 S593 S594 S595 S596 S597 S598 S599 S600 S601 S602 S603 S604 S605 S606 S607 S608 S609 S610 S611 S612 S613 S614 S615 S616 S617 S618 S619 S620 S621 S622 S623 S624 S625 S626 S627 S628 S629 S630 S631 S632 S633 S634 S635 S636 S637 S638 S639 S640 S641 S642 S643 S644 S645 S646 S647 S648 S649 S650 S651 S652 S653 S654 S655 S656 S657 S658 S659 S660 S661 S662 S663 S664 S665 S666 S667 S668 S669 S670 S671 S672 S673 S674 S675 S676 S677 S678 S679 S680 S681 S682 S683 S684 S685 S686 S687 S688 S689 S690 S691 S692 S693 S694 S695 S696 S697 S698 S699 S700 S701 S702 S703 S704 S705 S706 S707 S708 S709 S710 S711 S712 S713 S714 S715 S716 S717 S718 S719 S720 S721 S722 S723 S724 S725 S726 S727 S728 S729 S730 S731 S732 S733 S734 S735 S736 S737 S738 S739 S740 S741 S742 S743 S744 S745 S746 S747 S748 S749 S750 S751 S752 S753 S754 S755 S756 S757 S758 S759 S760 S761 S762 S763 S764 S765 S766 S767 S768 S769 S770 S771 S772 S773 S774 S775 S776 S777 S778 S779 S780 S781 S782 S783 S784 S785 S786 S787 S788 S789 S790 S791 S792 S793 S794 S795 S796 S797 S798 S799 S800 S801 S802 S803 S804 S805 S806 S807 S808 S809 S810 S811 S812 S813 S814 S815 S816 S817 S818 S819 S820 S821 S822 S823 S824 S825 S826 S827 S828 S829 S830 S831 S832 S833 S834 S835 S836 S837 S838 S839 S840 S841 S842 S843 S844 S845 S846 S847 S848 S849 S850 S851 S852 S853 S854 S855 S856 S857 S858 S859 S860 S861 S862 S863 S864 S865 S866 S867 S868 S869 S870 S871 S872 S873 S874 S875 S876 S877 S878 S879 S880 S881 S882 S883 S884 S885 S886 S887 S888 S889 S890 S891 S892 S893 S894 S895 S896 S897 S898 S899 S900 S901 S902 S903 S904 S905 S906 S907 S908 S909 S910 S911 S912 S913 S914 S915 S916 S917 S918 S919 S920 S921 S922 S923 S924 S925 S926 S927 S928 S929 S930 S931 S932 S933 S934 S935 S936 S937 S938 S939 S940 S941 S942 S943 S944 S945 S946 S947 S948 S949 S950 S951 S952 S953 S954 S955 S956 S957 S958 S959 S960 S961 S962 S963 S964 S965 S966 S967 S968 S969 S970 S971 S972 S973 S974 S975 S976 S977 S978 S979 S980 S981 S982 S983 S984 S985 S986 S987 S988 S989 S990 S991 S992 S993 S994 S995 S996 S997 S998 S999 S1000 S1001 S1002 S1003 S1004 S1005 S1006 S1007 S1008 S1009 S1010 S1011 S1012 S1013 S1014 S1015 S1016 S1017 S1018 S1019 S1020 S1021 S1022 S1023 S1024 S1025 S1026 S1027 S1028 S1029 S1030 S1031 S1032 S1033 S1034 S1035 S1036 S1037 S1038 S1039 S1040 S1041 S1042 S1043 S1044 S1045 S1046 S1047 S1048 S1049 S1050 S1051 S1052 S1053 S1054 S1055 S1056 S1057 S1058 S1059 S1060 S1061 S1062 S1063 S1064 S1065 S1066 S1067 S1068 S1069 S1070 S1071 S1072 S1073 S1074 S1075 S1076 S1077 S1078 S1079 S1080 S1081 S1082 S1083 S1084 S1085 S1086 S1087 S1088 S1089 S1090 S1091 S1092 S1093 S1094 S1095 S1096 S1097 S1098 S1099 S1100 S1101 S1102 S1103 S1104 S1105 S1106 S1107 S1108 S1109 S1110 S1111 S1112 S1113 S1114 S1115 S1116 S1117 S1118 S1119 S1120 S1121 S1122 S1123 S1124 S1125 S1126 S1127 S1128 S1129 S1130 S1131 S1132 S1133 S1134 S1135 S1136 S1137 S1138 S1139 S1140 S1141 S1142 S1143 S1144 S1145 S1146 S1147 S1148 S1149 S1150 S1151 S1152 S1153 S1154 S1155 S1156 S1157 S1158 S1159 S1160 S1161 S1162 S1163 S1164 S1165 S1166 S1167 S1168 S1169 S1170 S1171 S1172 S1173 S1174 S1175 S1176 S1177 S1178 S1179 S1180 S1181 S1182 S1183 S1184 S1185 S1186 S1187 S1188 S1189 S1190 S1191 S1192 S1193 S1194 S1195 S1196 S1197 S1198 S1199 S1200 S1201 S1202 S1203 S1204 S1205 S1206 S1207 S1208 S1209 S1210 S1211 S1212 S1213 S1214 S1215 S1216 S1217 S1218 S1219 S1220 S1221 S1222 S1223 S1224 S1225 S1226 S1227 S1228 S1229 S1230 S1231 S1232 S1233 S1234 S1235 S1236 S1237 S1238 S1239 S1240 S1241 S1242 S1243 S1244 S1245 S1246 S1247 S1248 S1249 S1250 S1251 S1252 S1253 S1254 S1255 S1256 S1257 S1258 S1259 S1260 S1261 S1262 S1263 S1264 S1265 S1266 S1267 S1268 S1269 S1270 S1271 S1272 S1273 S1274 S1275 S1276 S1277 S1278 S1279 S1280 S1281 S1282 S1283 S1284 S1285 S1286 S1287 S1288 S1289 S1290 S1291 S1292 S1293 S1294 S1295 S1296 S1297 S1298 S1299 S1300 S1301 S1302 S1303 S1304 S1305 S1306 S1307 S1308 S1309 S1310 S1311 S1312 S1313 S1314 S1315 S1316 S1317 S1318 S1319 S1320 S1321 S1322 S1323 S1324 S1325 S1326 S1327 S1328 S1329 S1330 S1331 S1332 S1333 S1334 S1335 S1336 S1337 S1338 S1339 S1340 S1341 S1342 S1343 S1344 S1345 S1346 S1347 S1348 S1349 S1350 S1351 S1352 S1353 S1354 S1355 S1356 S1357 S1358 S1359 S1360 S1361 S1362 S1363 S1364 S1365 S1366 S1367 S1368 S1369 S1370 S1371 S1372 S1373 S1374 S1375 S1376 S1377 S1378 S1379 S1380 S1381 S1382 S1383 S1384 S1385 S1386 S1387 S1388 S1389 S1390 S1391 S1392 S1393 S1394 S1395 S1396 S1397 S1398 S1399 S1400 S1401 S1402 S1403 S1404 S1405 S1406 S1407 S1408 S1409 S1410 S1411 S1412 S1413 S1414 S1415 S1416 S1417 S1418 S1419 S1420 S1421 S1422 S1423 S1424 S1425 S1426 S1427 S1428 S1429 S1430 S1431 S1432 S1433 S1434 S1435 S1436 S1437 S1438 S1439 S1440 S1441 S1442 S1443 S1444 S1445 S1446 S1447 S1448 S1449 S1450 S1451 S1452 S1453 S1454 S1455 S1456 S1457 S1458 S1459 S1460 S1461 S1462 S1463 S1464 S1465 S1466 S1467 S1468 S1469 S1470 S1471 S1472 S1473 S1474 S1475 S1476 S1477 S1478 S1479 S1480 S1481 S1482 S1483 S1484 S1485 S1486 S1487 S1488 S1489 S1490 S1491 S1492 S1493 S1494 S1495 S1496 S1497 S1498 S1499 S1500 S1501 S1502 S1503 S1504 S1505 S1506 S1507 S1508 S1509 S1510 S1511 S1512 S1513 S1514 S1515 S1516 S1517 S1518 S1519 S1520 S1521 S1522 S1523 S1524 S1525 S1526 S1527 S1528 S1529 S1530 S1531 S1532 S1533 S1534 S1535 S1536 S1537 S1538 S1539 S1540 S1541 S1542 S1543 S1544 S1545 S1546 S1547 S1548 S1549 S1550 S1551 S1552 S1553 S1554 S1555 S1556 S1557 S1558 S1559 S1560 S1561 S1562 S1563 S1564 S1565 S1566 S1567 S1568 S1569 S1570 S1571 S1572 S1573 S1574 S1575 S1576 S1577 S1578 S1579 S1580 S1581 S1582 S1583 S1584 S1585 S1586 S1587 S1588 S1589 S1590 S1591 S1592 S1593 S1594 S1595 S1596 S1597 S1598 S1599 S1600 S1601 S1602 S1603 S1604 S1605 S1606 S1607 S1608 S1609 S1610 S1611 S1612 S1613 S1614 S1615 S1616 S1617 S1618 S1619 S1620 S1621 S1622 S1623 S1624 S1625 S1626 S1627 S1628 S1629 S1630 S1631 S1632 S1633 S1634 S1635 S1636 S1637 S1638 S1639 S1640 S1641 S1642 S1643 S1644 S1645 S1646 S1647 S1648 S1649 S1650 S1651 S1652 S1653 S1654 S1655 S1656 S1657 S1658 S1659 S1660 S1661 S1662 S1663 S1664 S1665 S1666 S1667 S1668 S1669 S1670 S1671 S1672 S1673 S1674 S1675 S1676 S1677 S1678 S1679 S1680 S1681 S1682 S1683 S1684 S1685 S1686 S1687 S1688 S1689 S1690 S1691 S1692 S1693 S1694 S1695 S1696 S1697 S1698 S1699 S1700 S1701 S1702 S1703 S1704 S1705 S1706 S1707 S1708 S1709 S1710 S1711 S1712 S1713 S1714 S1715 S1716 S1717 S1718 S1719 S1720 S1721 S1722 S1723 S1724 S1725 S1726 S1727 S1728 S1729 S1730 S1731 S1732 S1733 S1734 S1735 S1736 S1737 S1738 S1739 S1740 S1741 S1742 S1743 S1744 S1745 S1746 S1747 S1748 S1749 S1750 S1751 S1752 S1753 S1754 S1755 S1756 S1757 S1758 S1759 S1760 S1761 S1762 S1763 S1764 S1765 S1766 S1767 S1768 S1769 S1770 S1771 S1772 S1773 S1774 S1775 S1776 S1777 S1778 S1779 S1780 S1781 S1782 S1783 S1784 S1785 S1786 S1787 S1788 S1789 S1790 S1791 S1792 S1793 S1794 S1795 S1796 S1797 S1798 S1799 S1800 S1801 S1802 S1803 S1804 S1805 S1806 S1807 S1808 S1809 S1810 S1811 S1812 S1813 S1814 S1815 S1816 S1817 S1818 S1819 S1820 S1821 S1822 S1823 S1824 S1825 S1826 S1827 S1828 S1829 S1830 S1831 S1832 S1833 S1834 S1835 S1836 S1837 S1838 S1839 S1840 S1841 S1842 S1843 S1844 S1845 S1846 S1847 S1848 S1849 S1850 S1851 S1852 S1853 S1854 S1855 S1856 S1857 S1858 S1859 S1860 S1861 S1862 S1863 S1864 S1865 S1866 S1867 S1868 S1869 S1870 S1871 S1872 S1873 S1874 S1875 S1876 S1877 S1878 S1879 S1880 S1881 S1882 S1883 S1884 S1885 S1886 S1887 S1888 S1889 S1890 S1891 S1892 S1893 S1894 S1895 S1896 S1897 S1898 S1899 S1900 S1901 S1902 S1903 S1904 S1905 S1906 S1907 S1908 S1909 S1910 S1911 S1912 S1913 S1914 S1915 S1916 S1917 S1918 S1919 S1920 S1921 S1922 S1923 S1924 S1925 S1926 S1927 S1928 S1929 S1930 S1931 S1932 S1933 S1934 S1935 S1936 S1937 S1938 S1939 S1940 S1941 S1942 S1943 S1944 S1945 S1946 S1947 S1948 S1949 S1950 S1951 S1952 S1953 S1954 S1955 S1956 S1957 S1958 S1959 S1960 S1961 S1962 S1963 S1964 S1965 S1966 S1967 S1968 S1969 S1970 S1971 S1972 S1973 S1974 S1975 S1976 S1977 S1978 S1979 S1980 S1981 S1982 S1983 S1984 S1985 S1986 S1987 S1988 S1989 S1990 S1991 S1992 S1993 S1994 S1995 S1996 S1997 S1998 S1999 S2000 S2001 S2002 S2003 S2004 S2005 S2006 S2007 S2008 S2009 S2010 S2011 S2012 S2013 S2014 S2015 S2016 S2017 S2018 S2019 S2020 S2021 S2022 S2023 S2024 S2025 S2026 S2027 S2028 S2029 S2030 S2031 S2032 S2033 S2034 S2035 S2036 S2037 S2038 S2039 S2040 S2041 S2042 S2043 S2044 S2045 S2046 S2047 S2048 S2049 S2050 S2051 S2052 S2053 S2054 S2055 S2056 S2057 S2058 S2059 S2060 S2061 S2062 S2063 S2064 S2065 S2066 S2067 S2068 S2069 S2070 S2071 S2072 S2073 S2074 S2075 S2076 S2077 S2078 S2079 S2080 S2081 S2082 S2083 S2084 S2085 S2086 S2087 S2088 S2089 S2090 S2091 S2092 S2093 S2094 S2095 S2096 S2097 S2098 S2099 S2100 S2101 S2102 S2103 S2104 S2105 S2106 S2107 S2108 S2109 S2110 S2111 S2112 S2113 S2114 S2115 S2116 S2117 S2118 S2119 S2120 S2121 S2122 S2123 S2124 S2125 S2126 S2127 S2128 S2129 S2130 S2131 S2132 S2133 S2134 S2135 S2136 S2137 S2138 S2139 S2140 S2141 S2142 S2143 S2144 S2145 S2146 S2147 S2148 S2149 S2150 S2151 S2152 S2153 S2154 S2155 S2156 S2157 S2158 S2159 S2160 S2161 S2162 S2163 S2164 S2165 S2166 S2167 S2168 S2169 S2170 S2171 S2172 S2173 S2174 S2175 S2176 S2177 S2178 S2179 S2180 S2181 S2182 S2183 S2184 S2185 S2186 S2187 S2188 S2189 S2190 S2191 S2192 S2193 S2194 S2195 S2196 S2197 S2198 S2199 S2200 S2201 S2202 S2203 S2204 S2205 S2206 S2207 S2208 S2209 S2210 S2211 S2212 S2213 S2214 S2215 S2216 S2217 S2218 S2219 S2220 S2221 S2222 S2223 S2224 S2225 S2226 S2227 S2228 S2229 S2230 S2231 S2232 S2233 S2234 S2235 S2236 S2237 S2238 S2239 S2240 S2241 S2242 S2243 S2244 S2245 S2246 S2247 S2248 S2249 S2250 S2251 S2252 S2253 S2254 S2255 S2256 S2257 S2258 S2259 S2260 S2261 S2262 S2263 S2264 S2265 S2266 S2267 S2268 S2269 S2270 S2271 S2272 S2273 S2274 S2275 S2276 S2277 S2278 S2279 S2280 S2281 S2282 S2283 S2284 S2285 S2286 S2287 S2288 S2289 S2290 S2291 S2292 S2293 S2294 S2295 S2296 S2297 S2298 S2299 S2300 S2301 S2302 S2303 S2304 S2305 S2306 S2307 S2308 S2309 S2310 S2311 S2312 S2313 S2314 S2315 S2316 S2317 S2318 S2319 S2320 S2321 S2322 S2323 S2324 S2325 S2326 S2327 S2328 S2329 S2330 S2331 S2332 S2333 S2334 S2335 S2336 S2337 S2338 S2339 S2340 S2341 S2342 S2343 S2344 S2345 S2346 S2347 S2348 S2349 S2350 S2351 S2352 S2353 S2354 S2355 S2356 S2357 S2358 S2359 S2360 S2361 S2362 S2363 S2364 S2365 S2366 S2367 S2368 S2369 S2370 S2371 S2372 S2373 S2374 S2375 S2376 S2377 S2378 S2379 S2380 S2381 S2382 S2383 S2384 S2385 S2386 S2387 S2388 S2389 S2390 S2391 S2392 S2393 S2394 S2395 S2396 S2397 S2398 S2399 S2400 S2401 S2402 S2403 S2404 S2405 S2406 S2407 S2408 S2409 S2410 S2411 S2412 S2413 S2414 S2415 S2416 S2417 S2418 S2419 S2420 S2421 S2422 S2423 S2424 S2425 S2426 S2427 S2428 S2429 S2430 S2431 S2432 S2433 S2434 S2435 S2436 S2437 S2438 S2439 S