

RECEIVED

JUN 16 2011
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 63-33524

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

WESTERN REGION

1. Name of applicant(s) United Reformed Church of Nampa Phone 3629347 cell 8901523
Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address: 3405 Riva Ridge City Boise

State Idaho Zip 83709 Email: THETOOLMAN@q.com

2. Source of water supply _____ which is a tributary of _____

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	3W	24			NE	NW	Canyon	Ground water 2.67	
								FROM TWO WELLS	

4. Water will be used for the following purposes:

Amount 2.67 for Fire PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount .66 for Fire Sprinklers 1-1 purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount .04 for Drinking water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)

Amount .06 for Irrigation purposes from 3-1 to 11-15 (both dates inclusive)
(cfs or acre-feet per year)

5. Total quantity to be appropriated is (a) 3.37 cubic feet per second (cfs) and/or (b) n/a acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. #1- 60 HP Pump. #2- Pump #3 est. 10 HP
WELL #1 WILL BE FOR FIRE PROTECTION WELL #2 FOR DRINKING WATER PLEASE SEE #11.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is #1 -12" #2 -8" inches; proposed depth of well is #1-350ft. #2- 250 feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? n/a; drilling firm To be drilled by Dave Adamson. Pump & Drilling INC.
Well was drilled for (well owner) N/A; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. N/A

b. Stockwatering; list number and kind of livestock. N/A

c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. N/A

d. Domestic; show number of households N/A

e. Other; describe fully. _____

AMENDED

8. Description of place of use:


- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	3W	24					2												
							C												
							49	fire	pro	tect	ion								

Total number of acres to be irrigated: 2 acres

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? No-well only
10. a. Who owns the property at the point of diversion? United Reformed Church of Nampa
- b. Who owns the land to be irrigated or place of use? Same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Property is owned by the church - I am the job superintendent, [the guy who gets stuck with all the work!]
11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We propose to have 1 well capable of 1200 gpm for Fire suppression. This well would service the hydrant as well as provide for the lawn irrigation. We also would have a smaller well capable of having two pumps, one for drinking water and the other for the fire sprinkler system in the church bldg.
12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


 Signature of Applicant
John Boogman Job Superintendent -CHURCH MEMBERS
 Print Name (and title, if applicable)


 Signature of Applicant
Thomas L. Simmons, President Church Council
 Print Name (and title, if applicable)

For Department Use:

Received by KW Date 6/16/2011 Time 10:25 Preliminary check by _____
 Fee \$ 370.00 Received by SB Receipt No. W039291 Date 6-3-11



EXHIBIT A
Parcel A Remainder Description
For United Reformed Church of Nampa
Job No. 09039 December 19, 2009

Land within the NE 1/4 of the NW 1/4 of Section 24, T3N, R3W, B.M., Canyon County, Idaho, as follows:

COMMENCING at the 1/4 Corner common to Section 24 and 13, T3N, R3W, B.M., marked by an aluminum cap monument stamped "PLS 10782";

Thence along the North Line of said Section 24, South 89°35'06" West, 718.71 feet;

Thence South 00°41'33" West, 50.00 feet, to a set 5/8 inch rebar/cap marked "PLS 10782", and the **POINT OF BEGINNING**;

Thence continuing, South 00°41'33" West, 367.42 feet, to a set 5/8 inch rebar/cap marked "PLS 10782";

Thence South 89°35'06" West, 417.42 feet, to a set 5/8 inch rebar/cap marked "PLS 10782", on the easterly line of that certain parcel of land shown on Record of Survey, Inst. No. 9006427, Canyon County Records;

Thence along said easterly line, North 00°41'33" East, 367.42 feet, to a set 5/8 inch rebar/cap marked "PLS 10782" 50.00 feet southerly of said North Line of Section 24;

Thence Parallel to said North Line, North 89°35'06" East, 417.42 feet, to the **POINT OF BEGINNING**.

Containing 3.52 acres, more or less, and subject to any easements or rights of way of record or otherwise existing.






Figure 4. Proposed well site with 500-ft radius.

3.2.3. Terrain and Access

The well site is flat, with an elevation of approximately 2,450 feet above mean sea level. The well site will be accessed from Orchard Ave.

3.2.4. Floodways and Floodplains

The Flood Insurance Rate Map (FIRM) from the Federal Emergency Management Agency (FEMA) for the area is not available for viewing (map number 1602080325C). However, there are no major streams or rivers within 1 mile of the well site. There are numerous small drains and canals, with the nearest being 800 feet away. These are not considered to be flooding threats to the well site.

3.2.5. Surrounding Land Use

Surrounding land use includes agriculture and rural residential.

A site plan for the URC property, including the proposed location of the well, is included in Figure 3. This figure includes 50- and 100-foot radii shown around the well. The proposed well location and a 500-foot radius are shown with a recent (2009) aerial photograph in Figure 4.

Existing conditions at the well site were observed on December 16, 2010. Photographs of the well site are included in Appendix B.




Figure 3. Site plan showing proposed well site.

3.2.2. Well Site Ownership

The property is owned by the URC.

3. WELL SITE EVALUATION

3.1. Introduction

This well site evaluation proposes approval of one well site for use by the United Reformed Church (URC) of Nampa. The well will serve as the source of supply for the URC public water system.

3.2. Site Suitability

3.2.1. Site Location

The proposed well site is located on the URC property, a 4 acre tract of land located on the south side of Orchard Ave, approximately midway between Midway Rd and Lake Ave. in Canyon County, Idaho. The legal description of the well site is the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 24, Township 3 North, Range 3 West (Figure 2).




Figure 2. Vicinity map of proposed well site.

John Boogman

**3405 Riva Ridge Way
Boise, Idaho 83709**



Retired Firefighter-Electrician

phn/fx-208-362-9347

cell-208-890-1523

email - TheToolman@q.com

RECEIVED

JUN 03 2011

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. _____

*Superseded*1. Name of applicant(s) United Reformed Church of Nampa Phone 3629347 cell 8901523
Name connector (check one): ☐ and ☐ or ☐ and/orMailing address: 3405 Riva Ridge City BoiseState Idaho Zip 83709 Email: THETOOLMAN@q.com

2. Source of water supply _____ which is a tributary of _____

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	3W	24			NE	NW	Canyon	Ground water 2.67	

4. Water will be used for the following purposes:

Amount 2.67 for Fire Suppression purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)Amount .66 for Fire Sprinklers 1-1 purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)Amount .04 for Drinking water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)Amount .06 for Irrigation purposes from 3-1 to 11-15 (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) 3.37 cubic feet per second (cfs) and/or (b) n/a acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. #1- 60 HP Pump. #2- Pump #3 est. 10 HP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.

For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is #1 -12" #2 -8" inches; proposed depth of well is #1-350ft. #2- 250 feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ Noe. If well is already drilled, when? n/a; drilling firm To be drilled by Dave Adamson. Pump & Drilling INC.;Well was drilled for (well owner) N/A; Drilling Permit No. _____

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. N/Ab. Stockwatering; list number and kind of livestock. N/Ac. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. N/Ad. Domestic; show number of households N/A

e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	3W	24					2												
							C												
							49	fire	pro	tect	ion								

Total number of acres to be irrigated: 2 acres

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? No-well only

10. a. Who owns the property at the point of diversion? United Reformed Church of Nampa
- b. Who owns the land to be irrigated or place of use? Same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Property is owned by the church - I am the job superintendent, [the guy who gets stuck with all the work!]

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We propose to have 1 well capable of 1200 gpm for Fire suppression. This well would service the hydrant as well as provide for the lawn irrigation. We also would have a smaller well capable of having two pumps, one for drinking water and the other for the fire sprinkler system in the church bldg.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


Signature of Applicant

John Boogman Job Superintendant
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by SB Date 6.3.11 Time 4:29 Preliminary check by _____
Fee \$ 370.00 Received by SB Receipt No. W039291 Date 6.3.11

Buffington, Denise

From: Buffington, Denise
Sent: Tuesday, June 28, 2011 2:20 PM
To: Press Tribune
Subject: LEGAL NOTICE
Attachments: Canyon County - Cover Letter.Doc; Canyon County Ad.Doc

Attached please find one (1) legal notice being submitted for publication. Please contact me if you have any questions, or if you are not able to publish the ad on the dates requested.

Thank you in advance,

*Denise Buffington
Administrative Assistant I
Dept of Water Resources
Western Region
(208) 334-2190*

June 28, 2011

LEGAL NOTICE DEPARTMENT

PRESS-TRIBUNE
PO BOX 9399
NAMPA, ID 83652

RE: Application For Permit No(s): 63-33524

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before July 25, 2011. Your cooperation is appreciated.

Sincerely,

Denise Buffington
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-33524

UNITED REFORMED CHURCH OF NAMPA

3405 RIVA RIDGE

BOISE, ID 83709

Point of Diversion NENW S24 T03N R03W CANYON County Source GROUNDWATER

Point of Diversion NENW S24 T03N R03W CANYON County Source GROUNDWATER

Use: IRRIGATION 03/01 to 11/15 0.06 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: FIRE PROTECTION 01/01 to 12/31 3.33 CFS

Total Diversion: 3.37 CFS

Date Filed: 6/3/2011

Place Of use: IRRIGATION, DOMESTIC & FIRE PROTECTION

T03N R03W S24 NENW

Total Acres: 2

For a full description of the right(s), please see www.idwr.idaho.gov/apps/ExtSearch/WRFiling.asp. Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705, together with a protest fee of \$25 for each application on or before July 25, 2011. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Interim Director

Published on 7/7 & 7/14/2011

Walker, Kay

From: Toolman [thetoolman@q.com]
Sent: Wednesday, June 22, 2011 3:57 AM
To: Walker, Kay
Subject: Re: Application for Permit 63-33524

ok-
kw

Kay - Sorry for the delay , My server went down and the repair time was less then steller!
We do not have any water rights with Pioneer as far as we know. John

----- Original Message -----

From: Walker, Kay
To: TheToolman@q.com
Cc: Walker, Kay
Sent: Friday, June 17, 2011 1:53 PM
Subject: FW: Application for Permit 63-33524

I was uncertain if you had actually received the e-mail below. If you have, I am sorry for sending it again. I looked at the address I had sent it to and don't know where it went for sure. If you have questions, feel free to contact me at 334-2190.

Thanks,

Kay Walker

From: Walker, Kay
Sent: Thursday, June 16, 2011 12:30 PM
To: The
Cc: Walker, Kay
Subject: Application for Permit 63-33524

Mr. Boogman:

In the process of reviewing your application I noticed that there are water rights from Pioneer Irrigation District in the area of your proposal. Does the Church own any shares in Pioneer Irrigation District for irrigation use? Please respond in writing so I can include the information in our file.

Thank you for your attention to this matter.

Kay Walker

Sr. Water Resource Agent

Idaho Dept. of Water Resources

Walker, Kay

From: Walker, Kay
Sent: Wednesday, June 15, 2011 8:37 AM
To: TheToolman@q.com
Cc: Walker, Kay
Subject: Application for Permit for United Reformed Church of Nampa

Mr. Boogman:

We are in the process of reviewing the application for permit that you submitted for the United Reformed Church of Nampa and need some additional information.

1. We need some type of documentation that allows you to file the application for the Church. Normally an application like this is signed by one of the Directors or an authorized agent shown on the Secretary of State page. Please submit a power of attorney form or something that authorizes you to sign this form or have one of the authorized agents sign the form in addition to your signature.
2. We consider "fire suppression" and "fire sprinklers" to be one use of water known as "fire protection". We will data enter the uses you have listed as fire protection at 3.33 cfs for year around use, unless you advise us that this is not your intention.
3. The front of the application form is vague regarding the diversion system. Under the point of diversion location you could list each well separately or under item 6a you should state that you intend to develop 2 wells with 3 pumps. It is noticed that the attachment to the application only discusses drilling one well. It would be to your advantage to clarify the intentions of the application.

If you have any questions in regard to the above, please feel free to contact me at 334-2190. We are trying to expedite processing of this application form and as soon as you can provide the above information we will be able to proceed. Thank you for your attention to this matter.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

June 15th
- Mr. Boogman
will get additional
signature -
Fire Protection use
is okay with him
- Will make correction
to indicate 2 wells
proposed. KW

No. C 140154		Due no later than Aug 31, 2010		2. Registered Agent and Address (NO PO BOX)	
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE		Annual Report Form		MARTIN VAN EGMOND 55 S MIDLAND BLVD NAMPA ID 83651	
		1. Mailing Address: Correct in this box if needed. UNITED REFORMED CHURCH OF NAMPA, INCORPORATED THOMAS SIMMONDS 55 S MIDLAND BLVD NAMPA ID 83651 USA		3. <u>New</u> Registered Agent Signature:*	
4. Corporations: Enter Names and Business Addresses of President, Secretary, and Directors. Treasurer (optional).					
Office Held	Name	Street or PO Address	City	State	Country Postal Code
DIRECTOR	THOMAS L SIMMONDS	724 SPYGLASS WAY	EAGLE	ID	USA 83616
DIRECTOR	MARTIN VAN EGMOND	8920 STEWART RD	MERIDIAN	ID	USA 83642
DIRECTOR	GEORGE VANDER WOUDE	22448 MARKET RD	PARMA	ID	USA 83660
DIRECTOR	AL SPRIK	2805 SHAMROCK	NAMPA	ID	USA 83686
5. Organized Under the Laws of:		6. Annual Report must be signed.*			
ID C 140154		Signature: Martin Van Egmond Name (type or print): Martin Van Egmond Date: 09/16/2010 Title: Director			
Processed 09/16/2010 * Electronically provided signatures are accepted as original signatures.					